

<u>鐵將垂娴嬭瘯浣犵殑鑻辫 姘村钩锛◆/span></u> 鏉冨■缁熻 鑻辫 姘村钩=鑱屽満钖 按 涓撴 娴嬭瘯,涓轰綘鍒跺畾涓 €y:

】当前位置:Delphi园地 → 技巧文章 → 宝兰动态 → RAD Studio XE2 -mac开发图解

#### RAD Studio XE2 -mac开发图解

日期: 2011年9月6日 作者: 人气: 810 查看:[大字体 中字体 小字体]

With Delphi XE2 now available for everyone to enjoy, I figured it's time I start providing some useful information to help you make the most of it!

One of the primary new features of XE2 is the ability to produce MacOSX applications, and to do that, there are additional steps you must take in order to prepare both your Windows development system, and your MacOSX deployment/testing system for this task.

This document makes the following assumptions:

- □□□ You've installed Delphi (or RAD Studio) XE2 on a Windows 64bit system
- □□□ You've installed Delphi (or RAD Studio) XE2 to the default paths

So you've just installed Delphi (or RAD Studio) XE2... congratulations and welcome to the new and exciting world of cross-platform Delphi development!

Still, you're not quite ready to start deploying your applications to your MacOSX machine just yet! Fear not, however, as the remaining steps should take you just a few additional minutes and you'll be good to go!

### On your Windows development machine

- Open Windows Explorer (Flag+E)
- Go to C:\Program Files (x86)\Embarcadero\RAD Studio\9.0\PAServer
- Copy **setup\_paserver.zip** over to your MacOSX device. You can do this any way you like: Share a folder on your PC and copy it from the Mac, place the file on a Mac-compatible USB flash drive and copy it that way.... whatever works best for you!
- Run setup\_paserver.exe (IMPORTANT NOTE: Should either the <u>setup\_paserver.zip</u> or <u>setup\_paserver.exe</u> files be missing, you should contact Embarcadero support as something has gone wrong with your XE2 installation!)



PAServer Windows Setup (Step 1)

#### → 特別推存 · Delphi 2010 Updates 4

a..

AdChoices ▷


- ·12月编程语言榜单公布 C#..
- ·Delphi 2010 Update 2日 可...
- Delphi2010彩蛋
- · Delphi 2010產品技術發表..
- ·RAD Studio 2010背後的 變..
- · Delphi2010开发团队全家 福..
- · Delphi2010正式发布!
- RAD Studio 2010 v14.0.3..
- · CodeGear大幅揭露Delphi和..

### → 热点TOP10

- · Delphi2006下载安装预览
- Delphi 2006 !(Dexter)
- Delphi 2006(DeXter) & V...
- Delphi2006介绍
- Borland Delphi 2005
- Borland Developer Studi..
- ·Win32开发人员为什么"必..
- · Delphi 2007 体验
- •RAD Studio 2010 v14.0.3...
- Delphi2010正式发布!




• Press OK



PAServer Windows Setup (Step 2)

• Press Next



PAServer Windows Setup (Step 3)


- Select "I accept the terms of the License Agreement" and press  $\underline{\textbf{N}} \textbf{ext}$ 





PAServer Windows Setup (Step 4)

• Press Next




PAServer Windows Setup (Step 5)

• Press <u>I</u>nstall



PAServer Windows Setup (Step 6)

• Wait for the process to finish (could be anything from a minute or longer)




PAServer Windows Setup (Step 7)

• Press **Done** 

# On your MacOSX deployment/debugging machine

• In Finder, locate the Folder into which you placed setup\_paserver.zip, and Double-Click on the zip file.




PAServer MacOSX Setup (Step 1)

• **Double-Click** on the file named **setup\_paserver** (*noting the absence of <u>.zip</u>*) to begin the PAServer setup on your MacOSX system.




PAServer Mac Setup (Step 2)

• Press **OK** 




PAServer Mac Setup (Step 3)

Press Next



PAServer Mac Setup (Step 4)

• Select "I accept the terms of the License Agreement" and press Next




#### PAServer Mac Setup (Step 5)

• Press **Next** (Note: This guide presumes that you're installing PAServer on your MacOSX machine using the default location. If you elect to install to a different location, you will need to accommodate for that in future portions of this guide!)




PAServer Mac Setup (Step 6)

• Press Install (Remember: the installation process can take anything from a few seconds to several minutes)



PAServer Mac Setup (Step 7)

- Press Done
- Go back to **Finder**, and navigate to "**/Users/%username%/Applications/Embarcadero/PAServer**" (substitute **%username%** for your MacOSX account username)



PAServer Mac Setup (Step 8)

• To run PAServer on your Mac (which is necessary to deploy and debug Delphi applications for the OSX platform), you can simply **Double-Click** on the **paserver** Application file




PAServer Mac Setup (Step 9)

• Simply enter a good password and press the Enter/Return Key

You can also create a Desktop/Dock shortcut to the paserver application to make it easier to run on demand.... or, if you're clever.....

## Make PAServer start automatically on your Mac when you switch it on (or log in)

- Since you already have Finder open in the "/Users/%username%/Applications/Embarcadero/PAServer" folder...
- Bring up Context Menu (by doing Control+Click) on the paserver.command file
- Go to Open With and click TextEdit




PAServer Autorun At Startup/Login (Step 1-3)

Modify the second line so that it resembles the following:
"/Users/%username%/Applications/Embarcadero/PAServer/paserver" -password=S0m3Gr8tP455w0rd
Including quotes, and remembering to substitute %username% with your MacOSX user account name! Essentially you're just adding -password=... to the end of the line!



PAServer Autorun At Startup/Login (Step 4)

- Save the file (using Command+S) and then Quit TextExit
- Open System Preferences, select Users & Groups, then press the Login Items button.
- $\bullet\,$  Press the + button to add a new item to your login group
- Locate "/Users/%username%/Applications/Embarcadero/PAServer/paserver.command" and press Add.
- Tick the box (in the **Hide** column) corresponding to your paserver.command entry




PAServer Autorun At Startup/Login (Step 5)

PAServer will now automatically start (and hide itself) whenever you log in to your Mac, eliminating the annoyance of forgetting to start it before attempting to deploy/debug a Delphi application to the OSX platform.


# Deploying your first FireMonkey application to your MacOSX machine

- · Open or create your FireMonkey project
- On the **Project Manager**, you will need to **Right-Click** on **Target Platforms**, click **Add Platform**, and select **OS X** from the list, followed by clicking **OK**
- Right-click on the OS X entry under Target Platforms on the Project Manager and click Assign Remote Profile
- Click Add...
- Enter Profile name



XE2 MacOSX FireMonkey Application Deployment (Step 1)

- Click Next >>
- Enter the <u>Host name</u> (or IP Address) of your MacOSX machine, and your <u>Password</u> as specified for PAServer on your Mac.



XE2 MacOSX FireMonkey Application Deployment (Step 2)

- You may use  $\underline{\textbf{T}\textbf{est}}$  Connection to ensure that your details are correct
- Click  $\underline{\mathbf{N}}\mathbf{ext}>>$ , followed by **Finish**
- Select your new Remote Profile from the list (e.g. My Mac Device as per the screenshot for Step 1) and click OK

That's it! Your profile will be used for all MacOSX deployments by default (unless you specify a different profile for specific projects). Pressing **F9** will deploy your application to your MacOSX machine (presuming you have selected the **OS X** entry in **Target Platforms** on the **Project Manager**), and you'll be able to debug your application from Delphi whilst it is running on your Mac!

Just because pictures speak louder than words...



FireMonkey 3D GUI Demo on OSX Lion

You can find the official PAServer documentation on Embarcadero's Documentation Wiki.

来源 http://www.simonjstuart.com/2011/09/03/rad-studio-xe2-setting-it-up-for-a-mac-step-by-step-illustrated-guide/

(出处: http://www.simonjstuart.com)

郑重声明: 此文章由网友发布, 仅供学习参考! 如有侵权, 请及时告知我们将之移除!

## 相关文章:

- ·XE2 beta Embarcadero® Delphi® XE Version 16.0.4203.41037下载
- · Delphi XE2 Pulsar 安装体验
- · RadPHP XE2官方试用版下载
- ·RAD STUDIO XE2 试用版官网下载
- · XE2发布! 大富翁论坛却挂了?

关于我们 | 广告服务 | 发布资源 | 联系站长

Copyright © 2001-2009 Delphi 园地 All Rights Reserved