Rakuten Ichiba API
- Rakuten Ichiba Item Search API
- Rakuten Ichiba Genre Search API
- Rakuten Ichiba Attribute Search API
- Rakuten Ichiba Tag Search API
- Rakuten Ichiba Ranking API
- Rakuten Product Search API

Rakuten Books APIs
Rakuten Travel APIs
Rakuten Recipe APIs
Rakuten Kobo APIs
Rakuten GORA APIs

API details

Rakuten Ichiba Item Ranking API (version:2022-06-01)

API Test Form →

- Endpoint
- Input Parameters
- About item-based point multipliers
- Error
- Input Headers
- Output Parameters
- About the Affiliate system
- Old Versions

The Rakuten Item Ranking API can acquire data from the "Ichiba Ranking" section within Rakuten Ichiba.
Developers can acquire sales data divided by genre, gender, or age category.
This new version of the Rakuten Item Ranking API adds the ability to retrieve three item images as well as data on up to a maximum 1000 ranks.

Endpoint

```
https://openapi.rakuten.co.jp/ichibaranking/api/IchibaItem/Ranking/202206
```

*The JSONP format allows a JavaScript callback function to be specified as an input parameter.

Three request examples are given below. (Don't add line breaks when actually making the request. Instead the pieces of the request should be connected together.)

(1) To get all the ranking information. (no service specific parameters used)

```
https://openapi.rakuten.co.jp/ichibaranking/api/IchibaItem/Ranking/2022
0601?
applicationId=[application ID]
```

(2) To get the ranking information for "western sweets (genreId=100283)." (uses a genre specific parameter)

```
https://openapi.rakuten.co.jp/ichibaranking/api/IchibaItem/Ranking/2022
0601?
applicationId=[application ID]
&genreId=100283
```

(3) To get the ranking information for "women in their 20s." (uses age and gender parameters)

```
https://openapi.rakuten.co.jp/ichibaranking/api/IchibaItem/Ranking/2022
0601?
applicationId=[application ID]
&age=20
&sex=1
```

*If many accesses to an identical URL are made in a short time, the URL may be become unresponsive for a fixed period of time. Please take care during testing.

To the top of the page ↑

Important points to remember

***Items to be aware of regarding input parameters (as of October, 2012)**
When retrieving ranking data, service specific parameters such as genre ID, gender, and age group can be specified.

(1) "Genre ID"
When the genre ID is the only parameter specified, the ranking information for that genre will be shown.
Genre ID cannot be used together with the age group or gender parameters.

(2) "Age group" When the age group is the only specified parameter, all the ranking information from each age group will be shown.
The age group parameter can be used together with the gender parameter. When they are both specified, the ranking information for the relevant age group of the given gender will be shown.

(3) "Gender"
When the gender is the only specified parameter, all the ranking information from each gender will be shown.
The age group parameter can be used together with the gender parameter. When they are both specified, the ranking information for the relevant age group of the given gender will be shown.

(4) All ranking data is shown when no parameters are specified.

***The ranking information shown may partly differ from the "Ranking Ichiba" in the order and total count.**
The data retrieved is the same as on "Ranking Ichiba" but if an item listed in the ranking has for some reason had its item page deleted then this API will skip over that number in the ranking results returned. Therefore please be aware that sometimes the total numbers may differ from the "Ranking Ichiba."

To the top of the page ↑

Input headers

Rakuten Ichiba Item Ranking API input headers version:2022-06-01

ID	Header name	Header	Type (maximum bytes in parentheses)	Required	Default	Comment
Division: Shared headers						
1	Access key 【NEW】	accessKey	String	○	-	Can be provided in either header or as query parameter Required along with app ID query parameter Check here

To the top of the page ↑

Input parameters

Rakuten Ichiba Ranking API Input parameters version:2022-06-01

ID	Parameter name	Parameter	Type (maximum bytes in parentheses)	Required	Default	Comment
Division: Shared parameters						
1	App ID	applicationId	String	○	-	Required along with access key Check here
2	Access Key 【NEW】	accessKey	String	○	-	Can be provided in either header or as query parameter Required along with app ID Check here
3	Affiliate ID	affiliateId	String	-	-	Check here
4	Response format	format	String	-	json	Either JSON or XML When JSON is specified the callback parameter can also be set in order to use JSONP.
5	Callback function name	callback	String	-	-	Function name to be used with the JSONP output (UTF-8 URL encoded string) Alphanumeric characters, periods, or underscores
6	Choosing output fields	elements	String	-	-	By default, API response all of the fields. You can change response fields by this parameter. This parameter's data is separated by comma(,). For example, following request will response only itemName, itemPrice and itemUrl. `elements=itemName,itemPrice,itemUrl`

7	Format version	formatVersion	int	-	1	Response format version.
						If `formatVersion=2` is set, the response format (JSON) will be improved.
						In case of `formatVersion=1` :
						Our API response will be returned in Array format as the followings.
						You would need to use notation `items[0].item.itemName` To access `itemName` parameter.
						`{"items": [ {"item": {"itemName": "a", "itemPrice": 10 }}, {"item": {"itemName": "b", "itemPrice": 20 }} ]}`
						In case of `formatVersion=2` :
						Our API response will be returned in Array format as the followings.
						You can use notation `items[0].itemName` To access `itemName` parameter.
						`{"items": [ { "itemName": "a", "itemPrice": 10 },`

						{
						"itemName": "b",
						"itemPrice": 20
						}
						]}

Division : service specific parameters						
1	Genre ID	genreId	long	(*1)(*2)	-	The ID for specifying the genres used in Rakuten Ichiba If it is necessary to lookup genre names and genre relationships, please use the Rakuten Genre search API (GenreSearch). (*1) If no value for genre ID, gender, or age group is specified, all ranking information will be shown. (*2) For other input parameter settings, please check the section on this page labeled "Items to be aware of regarding input parameters."
2	Age group based	age	int	(*1)(*2) (*3)	-	10： 10-19 20： 20-29 30： 30-39 40： 40-49 50： 50 and up (*1) If no value for genre ID, gender, or age group is specified, all ranking information will be shown. (*2) Age grouping and gender specifications can be used simultenously. (*3) For other input parameter settings, please check the section on this page labeled "Items to be aware of regarding input parameters."
3	Gender based	sex	int	(*1)(*2) (*3)	0	0: Male 1: Female (*1) If no value for genre ID, gender, or age group is specified, all ranking information will be shown. (*2) Age grouping and gender specifications can be used simultenously. (*3) For other input parameter settings, please check the section on this page labeled "Items to be aware of regarding input parameters."
4	Platform	carrier	int(1)	-	0	Choose the target platform for type of information to return: PC or mobile PC: 0 mobile: 1
5	Page number	page	int	-	1	An integer between 1 and 34 *It is possible to specify rankings below 30th place.
6	Period for ranking	period	string	-	-	realtime: retrieve data in real time

To the top of the page ↑

Output Parameters

Rakuten Ichiba Ranking API Output parameters version:2022-06-01

ID	General description	Specific description	Item name	Parameter	Comment
Division : service specific parameters					
1	Overall information		Ranking title	title	
2			Time of last update	lastBuildDate	
3	Item information (Overall: <Items>... </Items> Individual item: <Item>... </Item>)	Item detail	Rank	rank	
4			Platform	carrier	PC: 0 mobile: 1
5			Item name	itemName	To display the usual name please use *catchcopy*+*itemname*. *Depending on the setting for *carrier* the results may vary.
6			Sales message	catchcopy	
7			Item code	itemCode	
8			Item price	itemPrice	
9			Item price basefield	itemPriceBaseField	Contains one of the following strings "item_price_min1", "item_price_min2" or "item_price_min3"
10			Item price max1	itemPriceMax1	All item price max
11			Item price max2	itemPriceMax2	Searchable item price max
12			Item price max3	itemPriceMax3	Purchasable item price max
13			Item price	itemPriceMin1	All item price min

			min1		
14			Item price min2	itemPriceMin2	Searchable item price min
15			Item price min3	itemPriceMin3	Purchasable item price min
16			Has price range	hasPriceRange	0-No price range 1-Display price range
17			Item caption	itemCaption	*Depending on the setting for *carrier* the results may vary.
18			Item URL	itemUrl	*Depending on the setting for *carrier* the results may vary. *Depending on the setting for carrier the results may vary. If you include affiliateId in the input parameter, itemUrl will be same as that of affiliateUrl. (From 2015/7/1) URL for each item, starting with https.
19			Affiliate URL	affiliateUrl	(Only when the Affiliate ID has been included as an input parameter) *Returns a URL regardless of the value of *carrier* Affiliate URL, starting with https.
20			Has image flag	imageFlag	0: Items without images 1: Items with images
21			64 pixel square item image URL	smallImageUrls	Returns an array of up to three image URLs. Images size is 64 pixels square. Small Image URL (64x64), starting with https.
22			128 pixel square item image URL	mediumImageUrls	Returns an array of up to three image URLs. Images size is 128 pixels square. Medium Image URL (128x128), starting with https.
23			Availability flag	availability	0: Out of stock 1: Available
24			Tax flag	taxFlag	0: Tax included 1: Tax not included
25			Postage flag	postageFlag	0: Postage included 1: Postage not included
26			Credit card flag	creditCardFlag	0: Credit cards not accepted 1: Credit cards accepted
27			Shop of the Year flag	shopOfTheYearFlag	0: Shops that have not won Shop of the Year 1: Shops that have won Shop of the Year
28			Overseas shipping flag	shipOverseasFlag	0: Products that cannot be shipped overseas 1: Products that can be shipped overseas
29			Overseas shipping area	shipOverseasArea	Supported countries are shown, separated by slashes. (/)
30			Asuraku flag	asurakuFlag	0: No next day delivery 1: Next day delivery possible *Starting July 1st onwards, the parameter "asurakuFlag" will always be set to the value of "0".* *Read more about Asaraku
31			Asaraku closing time	asurakuClosingTime	Returned value takes this form: "HH:MM" *Is only returned when *asarakuFlag* is set to *1*
32			Asuraku delivery area	asurakuArea	Supported areas are shown, separated by slashes. (/) **asurakuFlag* must be *1* for this to be returned.
33			Affiliate rate	affiliateRate	
34			Sale start time	startTime	Only when a time limited sale has been set. (format is "YYYY-MM-DD HH:MM")
35			Sale end time	endTime	Only when a time limited sale has been set. (format is "YYYY-MM-DD HH:MM")
36			Review count	reviewCount	
37			Average review	reviewAverage	
38			Item point	pointRate	(e.g. 5 for a point multiplier of

			multiplier		"5 times points." Read more about item-based point multipliers. *Only shows information for point multipliers that will not end within 24 hours.
39			Start of item point multiplier	pointRateStartTime	Date and time of the start of the item-based point multiplier. *Only shows information for point multipliers that will not end within 24 hours.
40			End of item point multiplier	pointRateEndTime	Date and time of the end of the item-based point multiplier. *Only shows information for point multipliers that will not end within 24 hours.
41		Shop info	Shop name	shopName	
42			Shop code	shopCode	The portion marked "xyz" in each shop's URL: http://www.rakuten.co.jp/[xyz]
43			Shop URL	shopUrl	URL for each shop, starting with https. *If you include affiliateId in the input parameter, shopUrl will be same as that of shopAffiliateUrl.(From 2015/7/1)
44	Genre information	Genre information	Genre ID	genreId	

To the top of the page ↑

About Item Based Point Multipliers

With a regular purchase, 1% of the total cost will be credited as Rakuten Points. However "point multipliers" can be set for individual items for a limited period of time, multiplying the amount of Points credited with each purchase. Read more about point multipliers.

There are currently two different ways for point multipliers to be used by the shops. Item based point multipliers apply only to specially selected items in a given shop. Shop based multipliers apply to every item in a specially selected shop. Currently this API only supports item based point multipliers.

To the top of the page ↑

About Affiliate Commissions

Developers can use Rakuten Item Ranking API to make affiliate links from the returned item information. It's possible to receive affiliate commission from Rakuten Affiliate when the affiliate URL is used as the link. The steps for making the affiliate link are the same whether the carrier input parameter is PC or mobile.

(1) If [Affiliate ID] is given in the API input parameters, [Affiliate URL] will be included in the API output parameters.

(2) Developers may use the following rule to manually create [Affiliate URL] by using [Item URL] and [Affiliate ID (Beta version)] retrieve from the API. The [Item URL] needs to be encoded.

```
http://hb.afl.rakuten.co.jp/hgc/[Affiliate ID]/?pc=[Item URL(PC)]&m=[Item
```

To the top of the page ↑

Error

Error messages are displayed in the form of HTTP status code and its response body

HTTP Status Code	Description	Response body example (JSON)

400	Parameter error (or required parameters were insufficient)	If *keyword* is not valid (only 1 character given, etc.)
		`{ "error": "wrong_parameter", "error_description": "keyword parameter is }`
		If *genreId* is not set, and both *sex* and *period* are set, and *age* is out of the range[20,30,40]
		`{ "error": "wrong_parameter", "error_description": "must set age par }`
		If both *genreId* and *sex* are set
		`{ "error": "wrong_parameter", "error_description": "no permit settin }`

		If both *genreId* and *age* are set `{ "error": "wrong_parameter", "error_description": "no permit settin }`

404	Data not found	If no data found
		`{ "error": "not_found", "error_description": "not found" }`
		If the item's count of Ranking information is less than 3
		`{ "error": "not_found", "error_description": "This genre data does }`

429	Too many requests	This error will be displayed if the number of API requests has been exceeded. Please try access again after an amount of time. `{ "error": "too_many_requests", "error_description": "number of allowed re }`
500	Internal error in Rakuten Web Service	An internal system error occured. If you continue seeing this message for a long period, please give your inquiry via this link `{ "error": "system_error", "error_description": "api logic error" }`
503	Unavailable due to maintenance or overloaded	Maintenance (the API name will be displayed in *XXX/XXX*) `{ "error": "service_unavailable", "error_description": "XXX/XXX is under mai }`

Response body format is display in *format*.

format	Error output example
json	`{ "error": "wrong_parameter", "error_description": "page must be a numbe }`
xml	`<?xml version="1.0" encoding="UTF-8"?> <root> <error>wrong_parameter</error> <error_description>page must be a number</ </root>`

To the top of the page ↑

Old Versions

For old versions of this API, please refer to the list below.

Version : 2017-06-28

To the top of the page ↑

API Test Form →

How to develop

e

[Announcement] 02/09 Legacy version of Gora API will be shut down

Maintenance 2026-02-09

[Announcement] 02/09 Legacy version of Ichiba API will be shut down

Maintenance 2024-07-11

[Completed] [Announcement] 2024-07-18 Register New Application & Change Application Information Features Maintenance

Post

Copyright © 1997-2026 Rakuten Group. All Rights Reserved.