Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://konradszulc.github.io/module8website/index.html

Checker Input	
Show ✓ source □ outline □ image report □ Options…	
Check by address 🕶	
https://konradszulc.github.io/module8website/index.html	
Check	

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↔
 2. <html lang="en">↔
 3. <head>↔
 4.
       <title>Fluffy Ears Pet Adoption</title>←
 5.
       <meta charset="UTF-8">←
 6.
       <meta name="viewport" content="width=device-width, initial-scale=1">↔
       <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">↔
 7.
       <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">←
 8.
       <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
 9.
    awesome/4.7.0/css/font-awesome.min.css">↔
10.
       <link rel="stylesheet" href="styles.css">←
       <link rel="icon" type="image/x-icon" href="images/favicon.ico">←
11.
      k rel= 1con type= 1mage/x-1con inter= 1mages/ravicon.1co /
k rel="preload" as="image" href="images/cat-look.jpg">
k rel="preload" as="image" href="images/two-dog-sit.jpg">
k rel="preload" as="image" href="images/dogs-run.jpg">
k rel="preload" as="image" href="images/cat-lay.jpg">

12.
13.
14.
15.
16. </head>↔
17. ↔
18. ⟨body⟩←
19. ↔
20. <!-- Navbar (sit on top) -->↔
21. <div class="w3-top">←
       <div class="w3-bar" id="myNavbar">←>
22.
23.
         <a class="w3-bar-item w3-button w3-hover-black w3-hide-medium w3-hide-large
    w3-right" href="javascript:void(0);" onclick="toggleFunction()" title="Toggle
    Navigation Menu">↔
24.
            <i class="fa fa-bars"></i></i>
25.
         </a>↔
26.
         <a href="index.html" class="w3-bar-item w3-text-white w3-button w3-hide-
    small">HOME</a>↔
```

```
27.
        <a href="index.html#history" class="w3-bar-item w3-text-white w3-button w3-
    hide-small"><i class="fa fa-mortar-board"></i> HISTORY</a>↔
        <a href="about.html" class="w3-bar-item w3-text-white w3-button w3-hide-
    small"><i class="fa fa-user"></i> ABOUT</a>↔
        <a href="animals.html" class="w3-bar-item w3-text-white w3-button w3-hide-</pre>
29.
    small"><i class="fa fa-heart"></i>ANIMALS</a>↔
30.
        <a href="partners.html" class="w3-bar-item w3-text-white w3-button w3-hide-
    small"><i class="fa fa-group"></i>PARTNERS</a>↔
        <a href="contact.html" class="w3-bar-item w3-text-white w3-button w3-hide-</pre>
31.
    small"><i class="fa fa-envelope"></i> CONTACT</a>↔
32.
        <a class="w3-bar-item w3-hide-small w3-right "><img</pre>
    src="images/fluffy ears logo.png" alt="cat dog logo" width="60" height="30" >
    </a>←
33.
     </div>↔
34. ↩
35.
      <!-- Navbar on small screens -->↔
36.
      <div id="navDemo" class="w3-bar-block w3-white w3-hide w3-hide-large w3-hide-</pre>
    medium">↔
37.
        <a href="index.html" class="w3-bar-item w3-button"</pre>
    onclick="toggleFunction()">HOME</a>↔
        <a href="index.html#history" class="w3-bar-item w3-button"</pre>
    onclick="toggleFunction()">HISTORY</a>↔
        <a href="about.html" class="w3-bar-item w3-button"</pre>
39.
    onclick="toggleFunction()">ABOUT</a>↔
        <a href="animals.html" class="w3-bar-item w3-button"</pre>
40.
    onclick="toggleFunction()">ANIMALS</a>↔
        <a href="partners.html" class="w3-bar-item w3-button"</pre>
41.
    onclick="toggleFunction()">PARTNERS</a>↔
        <a href="contact.html" class="w3-bar-item w3-button"</pre>
42.
    onclick="toggleFunction()">CONTACT</a>↔
43.
      </div>↔
44. </div>↔
45. ←
46. <!-- First Parallax Image with Logo Text -->↔
47. <div class="bgimg-1 w3-display-container w3-opacity-min" id="home">↔
48.
      <div class="w3-display-middle" style="white-space:nowrap;">←>
49.
        <span class="w3-center w3-padding-large w3-black w3-xlarge w3-animate-</pre>
    opacity w3-wide">Fluffy Ears<br></span>↔
50.
        <span class="w3-center w3-padding-large w3-black w3-xlarge w3-animate-</pre>
    opacity w3-wide">Adoption</span>↔
51.
52.
      <div class="w3-display-middle" style="white-space:nowrap;">←
53.
        54.
        <img src="images/fluffy_ears_logo.png" class="w3-center w3-wide w3-animate-</pre>
    opacity" alt="cat dog logo" width="60" height="30" >←
55.
      </div>↔
56.
      4
57. </div>↔
58. ↔
59. <!-- Container (History Section) -->↔
60. <div class="w3-content w3-container w3-padding-64" id="history">↔
      <h3 class="w3-center">Our History</h3>↔
      class="w3-center"><em>Established in 2005</em><</p>
62.
63.
      To keep domestic animals off the streets into the arms of loving families,
    Fluffy Ears Adoption, aimed to be a protecter of abandoned domestic pets, and
    strays. Giving them the life they deserve and enriching families lives with
    their new family friend.↔
64.
        Raising awareness since 2005 and still going strong, in 2015, we recieved
    the Happy Paws reward from our local community in Lohja, Finland. But it didnt
    stop then, every year we strive to do better than the last. \leftrightarrow
65.
        With collaboration with our partners and charities growing every year, we
    continue to stregthen our efforts to save lifes and create families.
      <div class="w3-row">↔
66.
67.
        <div class="w3-col m6 w3-center w3-padding-large">←
          <b><i class="fa fa-user w3-margin-right"></i>Founder Konrad Szulc</b>
68.
    <br>→
```

```
69.
           <img src="images/profile.jpg" class="w3-round w3-image w3-opacity w3-</pre>
    hover-opacity-off" alt="Photo of Me" width="350" height="200">↔
70.
         </div>↔
71. ←
72.
         <!-- Hide this text on small devices -->↔
73.
         <div class="w3-col m6 w3-hide-small w3-padding-large">←
74.
           Welcome, my name is Konrad Szulc. A long time ago, I disliked seeing my
    local neighbourhood riddled with all types of abandoned domestic animals. I was
    so disheartned by their treatment and how unsafe it was for them especially in
    nordic countries, ↔
75.
             where the weather gets too cold for them to survive. Thus I wanted to
    make a change, and since then have been putting my two feet forward to combat
    this problem. \leftrightarrow
76. ↔
77.
           ←
78.
         </div>↔
79.
       </div>↔
80. </div>↔
81. \rightarrow
82. <!-- Footer -->↔
83. <footer class="w3-center w3-black w3-padding-64 w3-opacity w3-hover-opacity-</p>
84.
       Follow us on Social Media↔
85.
       <div class="w3-xlarge w3-section">←>
         <a href="https://www.facebook.com/" target="_blank"><i class="fa fa-</pre>
86.
    facebook-official w3-hover-opacity"></i></a>↔
         <a href="https://www.instagram.com/" target="_blank"><i class="fa fa-
87.
    instagram w3-hover-opacity"></i></a>↔
         <a href="https://www.snapchat.com/" target="_blank"><i class="fa fa-snapchat</pre>
88.
    w3-hover-opacity"></i></a>↔
89.
         <a href="https://www.pinterest.com/" target=" blank"><i class="fa fa-
    pinterest-p w3-hover-opacity"></i></a>↔
90.
         <a href="https://www.youtube.com/" target="_blank"><i class="fa fa-youtube</pre>
    w3-hover-opacity"></i></a>←
91.
         <a href="https://www.linkedin.com/" target="_blank"><i class="fa fa-linkedin</pre>
    w3-hover-opacity"></i></a>↔
92.
       </div>↔
93.
       Copyright © 2024 Fluffy Ears Adoption <br> Utlizing Template from <a</p>
    href="https://www.w3schools.com/w3css/w3css_templates.asp" title="W3.CSS"
    target="_blank" class="w3-hover-text-green">w3.css</a>↔
94. </footer>←
95. ↔
96. ⟨script⟩↔
97. // Modal Image Gallery↔
98. function onClick(element) {←
       document.getElementById("img01").src = element.src;↔
99.
       document.getElementById("modal01").style.display = "block";↔
100.
101.
       var captionText = document.getElementById("caption"); ↔
102.
       captionText.innerHTML = element.alt; ←
103. }↩
104. ←
105. // Change style of navbar on scroll↔
106. window.onscroll = function() {myFunction()}; ↔
107. function myFunction() \{ \boldsymbol{\leftarrow} \}
108.
         var navbar = document.getElementById("myNavbar");↔
109.
         if (document.body.scrollTop > 100 || document.documentElement.scrollTop >
             navbar.className = "w3-bar" + " w3-card" + " w3-animate-top" + " w3-
110.
    وrey"; ب
111.
         } else {↩
112.
             navbar.className = navbar.className.replace(" w3-card w3-animate-top w3-
    grey",
           "");↩
113.
114. }↩
115.
116. // Used to toggle the menu on small screens when clicking on the menu buttonm{\epsilon}
```

```
117. function toggleFunction() {←
118.
         var x = document.getElementById("navDemo"); ↔
119.
         if (x.className.indexOf("w3-show") == -1) {←
120.
             x.className += " w3-show";↔
121.
         } else {↩
122.
             x.className = x.className.replace(" w3-show", "");↔
123.
124. }↩
125. </script>↔
126. ←
127. </body>€
128. </html>
```

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 18 milliseconds.

About this checker • Report an issue • Version: 24.11.29