

Pizzeria Delivery System — Zachman Framework Architecture

As of 2026-09-17 · Scope: rows Conceptual, Logical, Physical × columns What, How, Where, Who, Why, When

Summary

Level	What	How	Where	Who	Why	When
Conceptual	Filled	Filled	Filled	Filled	Filled	Filled
Logical	Filled	Filled	Filled	Filled	Filled	Filled
Physical	Filled	Filled	Filled	N/A	Filled	Filled

Physical × Who is marked N/A: manual operation has no user accounts or technical authentication, so this cell does not apply rather than being left undocumented.

Conceptual — Business Model

What — Data

Order, Dish (menu item), Customer, Courier, Kitchen/Location, Payment.

Status: Filled — confirmed by user.

How — Processes

Order placement → confirmation → preparation → courier dispatch → delivery → payment / order closure.

Status: Filled — confirmed by user.

Where — Locations

One kitchen/location with a defined delivery zone (no branch network).

Status: Filled — confirmed by user.

Who — Roles

Customer, Cook/Kitchen operator, Courier, Shift manager, System administrator.

Status: Filled — confirmed by user.

Why — Motivation

Speed up order intake and fulfillment through an online channel, reduce errors from manual (phone) intake, and give the customer a transparent order status.

Status: Filled — confirmed by user.

When — Time cycles

Target preparation time: 25 minutes. Delivery SLA: up to 45 minutes from order confirmation. Operating hours not yet specified.

Status: Filled — confirmed by user (except operating hours).

Logical — System Model

What — Data

Order (line items, status, total), Customer, Courier (availability status, current location), Menu/Dish (price, availability).

Status: Filled — confirmed by user.

How — Processes

Order intake → delivery-zone check → handoff to kitchen → ready notification → courier assignment (single courier) → delivery → receipt confirmation.

Status: Filled — confirmed by user.

Where — Access channels

Website, mobile app, plus phone/chatbot as a backup ordering channel.

Status: Filled — confirmed by user.

Who — Roles

One courier (no pool or dispatching among several couriers) — no further role split (on-shift / offline) is needed at this level.

Status: Filled — confirmed by user.

Why — Business rules

Orders outside the delivery zone are not auto-rejected — they are handled separately, manually.

Status: Filled — confirmed by user.

When — Events

Key events: order accepted → dish ready → courier assigned → delivered. Cancellations and returns are currently out of the documented scope.

Status: Filled (within stated scope) — confirmed by user.

Physical — Technology Model

What — Data

No formal database or storage exists — data lives only as messenger records/notes and phone conversations.

Status: Filled (within manual-mode scope) — confirmed by user.

How — Implementation

The entire process is manual: order intake by an operator via phone/messenger → handoff to kitchen verbally or by note → courier notified via phone/messenger → delivery → confirmation by phone. No backend, API, or automation.

Status: Filled — confirmed by user.

Where — Infrastructure

Phone and messenger — for both the customer and the courier. No website and no mobile app at this stage.

Note: this is a narrower actual channel set than the three planned in Logical (web / app / phone) — web and app are not yet implemented, deemed unnecessary for the MVP.

Status: Filled — confirmed by user.

Who — Authentication / access

Not applicable — the manual mode has no user accounts or technical authentication.

Status: N/A — confirmed by context (manual mode).

Why — Technical constraints

Simplest possible information system — no apps or websites, minimal technical investment at this stage.

Status: Filled — confirmed by user.

When — Events / timers

Technical events and timers are not implemented — everything is tracked manually, with no background jobs or automated notifications.

Status: Filled — confirmed by user.