KONVEYOR

# AgentLearning

Reviewed knowledge for existing runs and workflows

Independent proposal · November 11, 2026

# Lessons we should not rediscover

- A repository's default tests omit a required verification suite.
- A validated migration procedure applies to several applications.
- A review run and an implementation run need the same approved convention.

**Record the lesson once, review it, and make it available to later work.**

# Independent scope

**AgentLearning:** a reviewable lesson with immutable content and applicability.

**Consumers now:** AgentRuns and AgentWorkflowRuns.

**Delivery:** a pinned collection of read-only memory files.

No session, webhook receiver, or event router is required.

# Review and immutable revisions

**Propose → review → accept or reject**

- Review the summary, full lesson, evidence, and applicability together.
- Changing content or scope creates a new proposal.
- Agent discoveries remain candidates until the required approval occurs.

Labels express applicability; **they do not grant authority**.

# Snapshot at invocation creation

| Consumer | Selection boundary |
| --- | --- |
| **AgentRun** | At creation, before any queueing delay |
| **AgentWorkflowRun** | At creation; every stage inherits the same set |

Store exact revisions and content digests, with retained content.

A later pod or stage must not select today's collection again.

# Replacement and revocation

**Accepted replacement:** future invocations select the new revision.

**Existing consumers:** continue with their pinned revision.

> Refuse revocation until every unfinished referencing consumer has finished or actually stopped/cancelled.

Queued runs and workflows between stages still count.

# Memory files, loaded selectively

```
memory/index.md                    approved summaries and paths
memory/learnings/<revision>.md     full lesson and evidence
memory/manifest.json               identities and digests
```

Load a concise index and essential guidance automatically.
Read longer procedures when relevant. **No MCP required.**

Keep scratch memory separate from accepted knowledge.

# What reached the model

| Record | Evidence |
| --- | --- |
| **Available** | Revision materialized in the snapshot |
| **Advertised** | Summary entered model context |
| **Delivered** | Content or an identified excerpt reached a model call |
| **Agent-reported consideration** | Explicit applicability or conflict report |

A file read does not prove that the learning was followed.

# A focused learning spike

Use one standalone run and a two-stage workflow.

- Replace a learning while consumers are queued or between stages.
- Race new invocation admission against revocation.
- Reproduce the exact files and observe real-runtime delivery.
- Compare context policies using the same tasks, model, and corpus.

**No event-ingress or session implementation in this spike.**

# Review the learning contract

**Review now:** scope, immutability, approval, snapshot timing, and revocation.

**Spike returns:** admission mechanics, storage, context budgets, and runtime coverage.

- ADR 0024: `docs/adr/0024-agent-learnings.md`
- Spike: `docs/spikes/agent-learning-delivery.md`
- DeepAgents memory
- Anthropic memory research