

Using SAML with Kony MobileFabric

Kony

Copyright © 2015 Kony, Inc.

All rights reserved.

August, 2015

This document contains information proprietary to Kony, Inc., is bound by the Kony license agreements and may not be used except in the context of understanding the use and methods of Kony Inc, software without prior, express, written permission. Kony, Empowering Everywhere, Kony MobileFabric, Kony Modeler, and Kony Visualizer are trademarks of Kony, Inc. Microsoft, the Microsoft logo, Internet Explorer, Windows, and Windows Vista are registered trademarks of Microsoft Corporation. Apple, the Apple logo, iTunes, iPhone, iPad, OS X, Objective-C, Safari, Apple Pay, Apple Watch and Xcode are trademarks or registered trademarks of Apple, Inc. Google, the Google logo, Android, and the Android logo are registered trademarks of Google, Inc. Chrome is a trademark of Google, Inc. BlackBerry, PlayBook, Research in Motion, and RIM are registered trademarks of BlackBerry. All other terms, trademarks, or service marks mentioned in this document have been capitalized and are to be considered the property of their respective owners.

Revision History

Date	Document Version	Description of Modification/Release
08/18/2015	1.0	Document to use SAML with Kony MobileFabric.

Table of Contents


1. Us	sing SAML with Kon	/ MobileFabric	5
-------	--------------------	----------------	---

1. Using SAML with Kony MobileFabric


Note: You need an account in SSOCircle to use the SSOCircle as an Identity Provider.

To use SAML with Kony MobileFabric, follow these steps:


- 1. Download the metadata of the Identity Provider from the URL, https://idp.ssocircle.com/.
- 2. Login to Kony MobileFabric portal.
- 3. On the **Apps** tab > click the **Add New** button.
- 4. On the **Identity** tab > select **Create New**.



- 5. Enter the name of the service in Name.
- 6. Select **SAML** identity type from the **Type of Identity** drop-down.
- 7. Select the mode of the metadata mode from **Metadata Mode** drop-down and provide the URL of the metadata or the path of the file in **Metadata URL**.
- 8. Select the **Artifact Binding** radio button.
- 9. Provide the mapping attributes of the IDP SAML, if you require.
- 10. Click Save.



- 11. Click the cog wheel > select **Download Kony SP Metadata** to download the metadata of Kony SP.
- 12. Upload the metadata of the service provider in portal of your Identity Provider. (**SSOCircle** is your Identity Provider)
- 13. Login to the SSOCircle portal using the URL, https://idp.ssocircle.com/sso/UI/Login.



14. Click Manage Metadata > Add new Service Provider.

My Certificate Status

My Certificate Enrollment

100002700.auth.konycloud.com

Enter the FQDN of the ServiceProvider ex.: sp.cohos.de

My Certificate Enrollment PKCS#10

My Certificate Revocation

Manage Metadata

My Audit

My Subscriptions

Attributes send in assertion (optional)

- FirstName
- ✓ LastName
- ✓ EmailAddress

Insert your metadata information

<?xml version="1.0" encoding="UTF-8"?><md:EntityDescriptor</pre> xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata" ID="kony:100002700:SAMLDemo" entityID="kony:100002700:SAMLDemo"><md:SPSSODescriptor AuthnRequestsSigned="false" WantAssertionsSigned="false" protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protoc ol"><md:KeyDescriptor use="signing"><ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#"><ds:X509Data> <ds:X509Certificate>MIICpjCCAY6gAwIBAgIGAU8BaqY0MA0GCSqGSIb3DQ EBCwUAMBQxEjAQBgNVBAMMCTEwMDAwMjcw MDAeFw0xNTA4MDYwNTEwMTBaFw0xNzA4MDYwNTEwMTBaMBQxEjAQBgNVBAMMCT EwMDAwMicwMDCC ASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBAJdOb0d4u21+/eRjTTL/u2 4iRrOl+qe/OR36 ihRuQ5XJGe/oEZ17J0tlyADCFGWjKAJtjJLkWVyHJypSPb7QAG/dFQ7DPIeqFM Ux5oigI6dFaAu5 dthFPj6r/6we4dGUcGCT4rCFEjh4uImFi4q7mQ4f4iMyh2bBaShN3bfc7aTpve leY00/02Tc0vhv MtxwNIIGPBXwPIKWLTTJEFes+QKXiYGxK/mT/zKZBWFiqxQxVbOHAJksQ+ytbC UZ6aLg3lpg2qou fe5t36g7q5VnnTug1vxBwDSMZxFy7QQiu/r4Js3XnvbuUknJ8w1aW0QMXt9m/6 eEbCjoysFPeLWN OqMCAwEAATANBgkqhkiG9w0BAQsFAAOCAQEAZRq2fdPJORnPmePgtmkrmAzsXc 1T54N4Agssn22H If/qv9Zm/hV6bb2gcpDT6X4N4qOSaUSnRrEFE2oH6grTho/coSu/j34+mgHJvd

- 15. Enter FQDN of the service provider in **Enter the FQDN of the ServiceProvider**.
- 16. Select the attributes if you want them to flow as part of the response.
- 17. Copy the metadata of the service provider from the downloaded file content and paste in the **Insert your metadata information** block.
- 18. Click Submit.
- 19. Access the MobileFabric portal, navigate to the **Publish** tab and select the environment you want to publish the app.
- 20. Click **Next**, **Save** and **Publish**.