

The Sopranos: Viewership Analysis

Table of contents

| | |
|---------------------------|----------|
| 1 Season overview: | 1 |
| 1.1 Season 4 | 2 |
| 2 Viewership chart | 2 |

```
season = "Season 2"
```

```
# Injected Parameters  
season = "Season 4"
```

```
import os  
import pandas as pd  
import matplotlib.pyplot as plt  
import seaborn as sns  
from IPython.display import Markdown, display  
  
df = pd.read_csv("sopranos_season_data.csv")  
  
row = df[df["Season"] == season].iloc[0]  
  
avg_views = row["Average_Views"]  
highlight = row["Highlight"]  
description = row["Description"]
```

1 Season overview:

```
display(Markdown(f"""
### {season}

**Average Viewership:** {avg_views} million
**Highlight:** {highlight}

> {description}
"""))
```

1.1 Season 4

Average Viewership: 10.95 million

Highlight: Carmela and Furio's chemistry deepens.

Tony's power peaks and family strain intensifies.



Figure 1: Show logo

2 Viewership chart

```
plt.figure(figsize=(10, 6))
sns.barplot(data=df, x="Season", y="Average_Views", palette="magma")
```

```

# Highlight the current season
highlight_idx = df.index[df["Season"] == season].tolist()[0]
bar = plt.gca().patches[highlight_idx]
bar.set_edgecolor("black")
bar.set_linewidth(2)

plt.title("Average Viewership by Season")
plt.ylabel("Average Viewers (millions)")
plt.xlabel("Season")
plt.xticks(rotation=45)
plt.grid(axis="y", linestyle="--", alpha=0.5)
plt.tight_layout()
plt.show()

```

C:\Users\msliz\AppData\Local\Temp\ipykernel_2820\2182017188.py:2: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign

