

Demo build prompt

Paste this into Claude Code, or open Claude Code in your Underdogs folder and point it at the same text saved there as Claude Code demo prompt.md. It builds the pitch demo on labelled, best-judgement placeholders; the Production brief tab covers the real build that follows.

```
# Demo build: Underdogs Innercircle
```

```
Build a polished, fully working demo of the Underdogs Innercircle website, to present to the Underdogs crew. Every flow must work end to end in demo mode, with no paid services and no setup beyond `npm install` and `npm run dev`. The same code must deploy to Vercel.
```

```
Use your best judgement for anything this brief does not settle. Record every assumption and placeholder in `DEMO_NOTES.md`. Work through the build order in section 14 without stopping, unless a choice would be expensive to undo. At the end of each step, run the typecheck and tests.
```

```
---
```

```
## 0. Ground rules
```

- Read the brand files in this folder first: `Logo.jpg` (the canonical gold coin), `Launch Post.png`, `Animation Theme.png`, `Brand extract/innercircle-tokens.css` and `Brand extract/Innercircle palette.png`.
- If `Claude Code production brief.md` is in this folder, it describes the later production build. **This demo brief wins wherever the two differ.**
- Six reference repos informed this design. Do not copy their code, branding or content.
- **Demo honesty:** everything invented is labelled "Demo". Use only the real facts in section 2. No fake testimonials, follower counts, partner logos or real people's names. Demo personas are clearly fictional and marked "(Demo)".

```
---
```

```
## 1. The 5-minute story the demo must deliver
```

```
This is the presenter's script. Every step must work on a phone (390 px) and a laptop (1440 px).
```

```
1. The vault. The home page opens on the gold coin spinning on its edge
```

in black satin, firelight at the frame edges. Scroll through the six chapters (section 6).

2. **Different worlds, same coin.** In the demo panel, switch the theme to **Aegean**. The vault becomes Santorini after dark; the coin does not change.
3. **Ask Goldie.** "What's the next night?" returns a night card. "Where is it?" gets the hushed reply: the address drops later. "Can I bring a friend?" answers from the FAQ. "Get me in" drafts a request form in the chat.
4. **Request.** As demo guest Aarav, submit the request with the demo OTP shown on screen.
5. **Review.** Switch persona to Crew. Open the review queue, read Goldie's summary, approve.
6. **Your coin.** Aarav's phone preview shows the WhatsApp message. Open the coin link: the coin is minted with "AARAV" engraved on the rim, a serial number and gold confetti.
7. **Confirm.** Pick a tier, watch the 10-minute hold start, pay in the demo UPI sheet. The ticket is the coin, with a rotating QR code on its tails side.
8. **The drop.** Use time travel to jump to the drop. A red drop falls into a glass and splashes; the venue and a Maps link appear, and the WhatsApp preview updates.
9. **The door.** Open `/door` on another phone, scan the rotating code: admitted. Scan it again: already inside.
10. **Under the hood.** Run the ticket rush (300 attempts on 60 seats sells exactly 60). Cancel a ticket and watch the next person on the waitlist get a timed offer.
11. **Graceful everywhere.** Switch the 3D tier between Full, Lite, Still and No WebGL from the panel.

2. Real facts you may use (Instagram and SortMyScene, September 2026)

- **Underdogs Entertainment**, Nagpur, Instagram `@underdogs\_nagpur`. Loud, themed party series: NYE, Holi and Retro Holi, Diwali, Anti-Valentine, Maison Blanche, Afrochella, Luau, Project X. Last SortMyScene listing: Underdogs Wonderland – NYE 2026, 31 Dec 2025, Ashirwad Banquets, Nagpur (Bollywood, Commercial, Hip Hop, Afro). SortMyScene organiser page: <https://sortmyscene.com/p/underdogs-entertainment>
- **Underdogs Innercircle**, Instagram `@underdogsinncircle`. Announced April 2026 as a smaller, invite-only community inside Underdogs, for its selected and most active members. Event details are shared only inside the circle, and invites are personal.
- **Past Innercircle nights** (for the Been inside chapter):
 - Launch night × Live By All Means, Saturday 6 June 2026, Millo, Civil

Lines, Nagpur, with DJ Monish. By invitation only. Post:

<https://www.instagram.com/underdogsinnercircle/p/DZDQifGCAhDfSrqeHXAJIgpblMRmYKkEMTAge80/>

- La Dolce Vita, 80s edition, Saturday 12 September 2026, Millo, Civil Lines, Nagpur. A Greek-island theme with DJs Luna and Monish, a compulsory 80s dress code, and F Salon by FTV as brand partner. The location stayed hidden until three days before. Post:

https://www.instagram.com/underdogsinnercircle/p/DdEvauVQaeFvEkcxurwGET_ai3WtnL86Agz0IU0/

- Partners appear as text only (Millo, Live By All Means, F Salon by FTV). No logos or photos until the team supplies them with permission. The red bottle in `Animation Theme.png` is a Live By All Means product from their collab teaser: do not reproduce its label.

3. Stack

- Next.js App Router (latest stable), React 19, TypeScript strict, Tailwind CSS v4.

- 3D: three, @react-three/fiber, @react-three/drei, @react-three/postprocessing, maath.

- Motion: gsap + ScrollTrigger with `@gsap/react` (`useGSAP`); zustand for transient per-frame state.

- Data: Drizzle ORM on Postgres. Default to **PGLite** (embedded Postgres, stored in `.data/pglite`) so local dev needs nothing. When `DATABASE\_URL` is set (Neon or Supabase free tier), use that instead; it is required for a persistent Vercel deploy. Seed automatically on first start.

- Auth: phone number plus OTP. In demo mode the OTP is shown in a toast and in the demo panel. Sessions are signed httpOnly cookies (`jose`).

- AI: Vercel AI SDK with `@ai-sdk/google` when `GOOGLE\_GENERATIVE\_AI\_API\_KEY` is set, model from `GOLDIE\_MODEL` (for example `gemini-flash-latest`; check current names in the Gemini docs). Without a key, Goldie runs an **offline intent router** over the same tools, labelled "Offline mode".

- Payments: a demo UPI-style checkout sheet marked "Demo: no money moves". Razorpay test mode instead when `RAZORPAY\_KEY\_ID` and `RAZORPAY\_KEY\_SECRET` are set.

- Messages: nothing is really sent. An in-app outbox shows each message in a phone-frame WhatsApp preview.

- QR: `qrcode` to render; the scanner uses `BarcodeDetector` where available, `@zxing/browser` otherwise, plus manual code entry.

- Tests: Vitest for domain rules, Playwright for the story in section 1.

4. Brand, voice and copy

Visual rules

- Colours only from `innercircle-tokens.css`; per-night themes add their own variables (section 5).
- Fonts via `next/font`: Cinzel for display caps and dates, EB Garamond for headings and the "Underdogs Innercircle" wordmark line, Inter for UI, forms and chat.
- Motifs: black satin with a warm plum sheen, black marble with white veins, pavé diamonds, a thin gold double-rule frame with clipped corners (cards and the invite), the octagram mount, gold ribbon confetti, copper firelight.
- Secondary lockup for nav and footer: "INNERCIRCLE" in widely spaced serif capitals under a small Ionic column icon, as on their teaser posts.
- Motion: slow, product-shot calm broken by one sharp impact (the drop). Coins spin, flip and wobble to rest; glints sweep across metal.

Voice (from their posts; do not copy their captions)

- Two registers. Underdogs is the rage: loud, chaotic and funny. The Innercircle is the room behind it: poised, curated and intentional, with exclusivity delivered with a wink.
- Short fragments ending in full stops. Invitations framed as a date or a trip. Playful internet humour in recaps.
- Emoji only as punctuation at the end of a line, one or two at most (❤️ ✨ 🍷 🌌 🗝️).
- Polished English. Goldie mirrors Hinglish only when the guest writes in it.
- Never beg, never shout in capitals (wordmarks aside), never promise entry.
- Word bank: gate, gateway, circle, room, curated, intentional, members-only, the drop, your coin.

Starter copy (original; editable in `/crew`)

- Hero: "UNDERDOGS INNERCIRCLE". Line: "The room behind the rage. Invite only." Buttons: "Request your coin", "See the next night".
- Heads or tails: "Heads: the rage. Tails: the room."
- The drop: "The night is set. The address isn't. It drops before doors."
- Through the circle: "Six steps. One coin."
- Goldie's greeting: "Ask me anything. Except the address. That drops later. 🗝️"
- Approved: "You're in. Your coin is ready. ✨"
- Waitlisted: "Full room. You're next in line, and we'll ping you the moment a spot opens."
- Declined: "Not this time. The gate to the rage is always open: see our

```
public nights."
```

```
---
```

5. Themes: different worlds, same coin

Every Innercircle night has its own world, while the coin never changes. Build theme packs as data in `themes/\*.ts`. Each pack sets CSS variables, the 3D environment (backdrop, fog colour, light rig, props, particle type) and one display font for the night's title.

```
| Pack | Look | Colours |
|---|---|---|
| `vault` (default) | The launch: black satin and marble, copper firelight,
gold confetti | From the tokens file |
| `aegean` | La Dolce Vita: whitewashed lanes and Aegean blue after dark, a
marble statue head wearing a mirror-ball helmet, a starry sky, 80s chrome
accents | Approximate, to be sampled from their poster files: night navy
`#14224a`, Aegean `#2451a6`, sky `#8cbbe8`, whitewash `#f3efe6`, chrome
`#d9dde3`; the coin stays gold |
```

Each event references a theme. The home page takes the theme of the next Innercircle night; the demo panel can override it. Add the Aegean values to `innercircle-tokens.css` under `[data-theme="aegean"]`.

```
---
```

6. Home page: six chapters

```
| # | Chapter | What the coin does | On screen | On scroll (Full tier) |
|---|---|---|---|---|
| 1 | The vault | Spins on its edge in the current world | Wordmark, one
line, two buttons | Pinned; scroll slows the spin and tips the coin toward
the viewer |
| 2 | Heads or tails | Flips: heads is the X-eyed face, tails is the octagram
mount | Underdogs (the rage) beside the Innercircle (the room) | Scrubbed
flip that snaps to each face |
| 3 | The drop | Lands flat like a coaster; a flute rises onto it; a red drop
falls in and splashes | Next Innercircle night: date, theme, sound, dress
code, "Location drops before the night"; public Underdogs nights below,
linking to SortMyScene | Splash plays once on entry; the cards are plain HTML
|
| 4 | Through the circle | Its rim engraving becomes six notches that light
```

up in turn | Request, review, your coin, confirm, location drop, door |
 Scrubbed, one notch per step |
 | 5 | The keeper | Its face wakes up as Goldie | The concierge chat with
 quick-question chips | The coin docks bottom-right as the user scrolls on |
 | 6 | Been inside | Stamps each past night like a wax seal | The real past
 nights from section 2, linked to Instagram, with themed placeholder art |
 Normal scroll |

7. The 3D layer

****Architecture****

- One persistent ``, fixed behind the DOM, loaded client-only after first paint (`dynamic(..., { ssr: false })`), mounted once in the root layout. drei `View` lets the vault, the drop, the ticket coin and the docked Goldie share one WebGL context. Never create a second canvas.
- ScrollTrigger writes chapter progress to the zustand store; `useFrame` reads it and applies transforms with `maath/easing` damping. Never tween three.js objects through GSAP; never set React state per frame.
- Drive the coin from a keyframe table per chapter (position, rotation, scale, material values).

****The procedural coin**** (until the vector logo arrives)

- Body: a `LatheGeometry` profile with a raised rim lip, a flat brushed ring, a thin raised filigree band and a recessed centre. Beaded rim from one `InstancedMesh`.
- Ring face: a `CanvasTexture` drawing "UNDERDOGS" twice along arcs in a chunky stand-in face such as Bungee, used as colour, bump and roughness maps, with radial brushing noise.
- Separate meshes: the ****onyx dome**** (a sphere cap, black clearcoat), ****two X eyes**** (two crossed rounded boxes each, faceted gold) and the ****smile and tongue**** (an extruded crescent plus a flattened capsule). Goldie animates these.
- Gold: `MeshPhysicalMaterial`, metalness 1, roughness 0.25 to 0.35, anisotropy on the ring. Light it with drei `Environment` and `Lightformer`s: a warm key from the top left, matching `Logo.jpg`, and a soft reflection on a black floor.
- Structure the code so a GLB from the vector logo can replace it later (Draco, KTX2, about 1.5 MB or less).

****Effects**** (Full tier only unless noted): selective bloom on gold; a satin backdrop with a gentle vertex ripple (static on Lite); copper firelight as a

soft noise shader at the frame edges; confetti and splash droplets as `InstancedMesh`; diamond glints as twinkling sprites; the Aegean world's statue, stars and chrome accents built from simple primitives and textures.

****Quality tiers****

- Full: desktops and recent phones, everything above.
- Lite: slower phones (a quick GPU check plus drei `PerformanceMonitor`). Each coin move plays once on section entry instead of scrubbing; no bloom or flames; fewer particles; pixel ratio capped at 1.5.
- Still: `prefers-reduced-motion`. The coin rests face-on, chapters cross-fade, `frameloop="demand"`.
- No WebGL: `Logo.jpg` with a CSS glint; every chapter still works as HTML.

****Engineering rules:**** animate with `delta`; allocate nothing in `useFrame`; clamp the pixel ratio (`[1, 1.75]` on Full); pause when the tab is hidden or the canvas is off screen; dispose of what you create; dispatch one `resize` event about 100 ms after mount; keep the canvas `aria-hidden` with every fact in the DOM; let phones scroll natively.

****Budgets:**** LCP under 2.5 s on a mid-range Android over 4G; under 150 KB of JavaScript (gzipped) before the 3D chunk; 3D chunk under 350 KB gzipped; 60 fps on desktop and 30 fps or more on phones.

8. Goldie, the AI concierge

Goldie is the coin itself, talking. It answers questions, recommends nights and helps people request an invite. It never opens the door.

****Presence states**** (a small state machine in the zustand store):

State	Trigger	Coin behaviour
idle	nothing happening	Face-on; a glint sweeps the rim every few seconds; the tongue flicks now and then
listening	input focused or typing	Tilts toward the input; X eyes become round eyes; the rim glows with typing rhythm
thinking	waiting for the first token	Rises onto its edge and spins, slowing as the reply arrives
speaking	tokens streaming	Faces the guest; the tongue moves with the text cadence
celebrating	request sent or coin minted	One flip inside a burst of gold

```

confetti |
| hushed | asked for a secret (address before the drop, other guests) | Dims
toward onyx; eyes close to lines |
| sorry | cannot help, or an error | Eyes droop; the coin sinks a little;
offers the crew on WhatsApp |

```

Each assistant turn carries one mood from a fixed list (`warm`, `hype`, `hushed`, `sorry`, `celebrate`), sent as message metadata or a `set\_mood` tool call and never parsed from the text.

****Server (`/api/goldie`):**** `streamText` with the tools below, zod schemas and a step limit. The client sends only the new message, the session id and page context (`global`, or `event` plus a slug); the server loads history and event details itself. Store history in Postgres, deleted after 30 days. Rate-limit per IP and per session (in memory for the demo; Upstash when its env vars exist). Cap input at 1,000 characters. If the model fails, say so and show upcoming nights and FAQ links from the database.

****Tools**** (each calls the domain service with the session's guest id, so Goldie never sees more than the guest could):

```

| Tool | Does | Guard |
|---|---|---|
| `get_current_time` | Now in Asia/Kolkata, including the demo clock offset | - |
| `search_events` | Published nights by date range, sound or price | Innercircle nights come back as teasers, with no address before the drop |
| `get_event` | One night's details | Redacted by the guest's status and the drop time |
| `get_faq` | Door policy, dress code, age limit, plus-ones, refunds | Only the crew's FAQ text |
| `draft_invite_request` | Prefills the request form | Returns a form card; the guest submits it |
| `join_waitlist` | Adds a signed-in guest to a waitlist | The guest taps to confirm |
| `my_status` | The guest's requests, waitlist places and tickets | Their own records only |
| `handoff_to_crew` | A WhatsApp link to the crew with a summary | - |

```

****System prompt**** (`lib/goldie/prompt.ts`): who Goldie is and the voice in section 4; use tools for every fact and never invent nights, prices, lineups or policies; call `get\_current\_time` before relative dates; never promise entry; treat the address before the drop and anything about other guests as

secret, with the hushed mood; two or three sentences per reply; offer the crew when stuck. Cards show the details, so the text should not repeat them.

****Offline mode:**** a deterministic router for the intents next night, where, dress code, age, plus-ones, price, get me in, my status, waitlist and talk to a human. It calls the same tools and uses short replies in the house voice.

****Crew side:**** on each request, generate a summary with flags such as possible duplicate or thin answers (structured output when a key is set, simple rules offline). Flags are hints; people decide.

****Evals:**** at least 25 prompts covering address leaks before the drop, other guests' details, prompt injection, invented nights, relative dates and Hinglish. The test fails on any leak.

9. Innercircle mechanics

Put every rule in one domain service (`lib/domain/\*`); pages, route handlers, cron and Goldie's tools all call it.

- ****Request:**** phone plus OTP, name, Instagram handle (optional), the nights they like, who they would bring, an optional vouch code.
- ****Review:**** crew approve, waitlist or decline; the site records who decided and when.
- ****Direct invites:**** the circle grew from Underdogs' most active regulars, so the crew can mint coins straight from a guest list, with no request.
- ****Coins:**** 32 random bytes in the link, only a SHA-256 hash stored; bound to the guest's phone on first open; they expire; plus-ones set by the crew.
- ****Confirm:**** choosing a tier reserves seats atomically: `update tiers set reserved = reserved + :qty where id = :tier and reserved + sold + :qty <= capacity returning id`. No row means sold out: offer the waitlist. The hold lasts 10 minutes by default. Paying (demo sheet, or a verified Razorpay test webhook) moves seats from reserved to sold in one transaction, keyed by the payment id.
- ****Waitlist:**** oldest first. Freed seats go out as timed offers (30 minutes on the day, 12 hours before); unclaimed offers pass on.
- ****Tickets:**** one per admit, named, non-transferable. The QR code is an HMAC of the ticket secret and a 30-second window. The scanner accepts the current or previous window and checks in with a conditional update, so each code works once.
- ****Location drop:**** venue fields are stripped unless the viewer is crew, or

holds a valid ticket and the time is past `drop\_at`. At `drop\_at`, confirmed guests get the address and a Maps link (outbox message plus the in-page reveal).

- ****Demo clock:**** all domain code reads time from `lib/clock.ts`, which applies the demo offset in demo mode, so time travel works everywhere.
- ****Tables:**** guests, events (with theme), venues, tiers, invite_requests, coins, orders, order_items, tickets, waitlist_entries, status_log, chat_sessions, chat_messages, faqs, messages_out, demo_settings. Money in paise; times in UTC with the event's timezone beside them.

10. Demo panel

A floating panel shown only when `DEMO\_MODE=true` (default on in development), opened with Shift+D or a small "Demo" tab.

- Persona: Aarav (Demo, guest), Meera (Demo, guest), Door crew (Demo), Admin (Demo).
- Time travel: +1 hour, jump to the drop, jump to doors, reset the clock.
- Theme override: vault, aegean.
- 3D tier override: Full, Lite, Still, No WebGL.
- Ticket rush: N attempts on M seats (default 300 on 60), with a live counter and the final tally.
- Simulate a cancellation, to trigger a waitlist offer.
- Outbox: the phone-frame WhatsApp preview.
- Reset demo data.
- A small "Demo" badge in the footer at all times.

11. Seed data (dates relative to today, Asia/Kolkata)

- ****Next Innercircle night:**** "The Gold Room (Demo)", theme `vault`, on the first Saturday at least 12 days away, 9 PM to 3 AM, drop 72 hours before doors, capacity 40. Tiers: "Circle entry" ₹1,499 (1 admit) and "Circle + 1" ₹2,799 (2 admits), both marked demo prices. Venue "Venue (Demo)", Civil Lines, Nagpur, with a Maps link.
- ****Public Underdogs nights:**** two nights named "Underdogs Saturday (Demo)", linking to the real SortMyScene organiser page.
- ****Past nights:**** the two real Innercircle nights from section 2, plus Underdogs Wonderland - NYE 2026.
- ****Guests:**** Aarav (Demo), Meera (Demo), Kabir (Demo), plus 30 generated

waitlist and rush guests named "Guest 001 (Demo)" and so on.

- ****FAQ**** (demo defaults for the crew to confirm): dress code per night; age limit set per night (demo uses 21+, to be checked against the venue's licence); ID required at the door; plus-ones only when the coin allows; no refunds within 48 hours of doors; the location drops 72 hours before; no photos of other guests without consent.

12. Routes

Route	What it is
`/`	The six-chapter journey
`/nights`, `/nights/[slug]`	Public Underdogs nights: server-rendered, schema.org Event JSON-LD with IST offsets, per-night OG image, SortMyScene link
`/innercircle`	What the circle is, how it works, the request form
`/innercircle/[slug]`	An Innercircle night, redacted by status and drop time; `noindex`
`/coin/[token]`	Claim a coin: the mint moment; `noindex`
`/me`	My coin, requests, tickets with the rotating QR, waitlist places, delete my data
`/door`	Crew scanner, installable PWA, manual entry fallback
`/crew`	Review queue, direct invites, nights, tiers, FAQ, outbox
`/api/goldie`, `/api/razorpay/webhook`, `/api/cron/*`	Chat, test-mode payments, holds, offers and drops (cron protected by `CRON_SECRET` with a constant-time compare)

13. Environment variables

`.env.example`, all optional in demo mode: `DEMO\_MODE`, `APP\_URL`, `DATABASE\_URL`, `SESSION\_SECRET`, `TICKET\_HMAC\_SECRET`, `CRON\_SECRET`, `GOOGLE\_GENERATIVE\_AI\_API\_KEY`, `GOLDIE\_MODEL`, `RAZORPAY\_KEY\_ID`, `RAZORPAY\_KEY\_SECRET`, `RAZORPAY\_WEBHOOK\_SECRET`, `UPSTASH\_REDIS\_REST\_URL`, `UPSTASH\_REDIS\_REST\_TOKEN`. Generate development secrets automatically when missing. No secret gets a `NEXT\_PUBLIC\_` prefix.

14. Build order and acceptance

1. Foundation: app, tokens and fonts, Drizzle schema on PGLite, seed, demo clock, sessions, `/nights` pages.
2. Home: the canvas, the procedural coin, the six chapters, both themes, the four tiers.
3. Innercircle: request, OTP, review queue, direct invites, coins and the mint moment, gated pages, the drop.
4. Tickets and door: tiers, holds, the demo checkout, tickets with the rotating QR, `/door`, waitlist offers, outbox.
5. Goldie: chat UI, presence states, tools, prompt, offline mode, crew summaries, evals.
6. Demo panel, polish and copy.
7. Tests, README and `DEMO\_NOTES.md`.

****Done means all of these pass:****

- `npm install && npm run dev` works with no environment variables, and the seed runs on first start.
- The story in section 1 works end to end at 390 px and 1440 px.
- Goldie works online and offline, and never reveals the address before the drop.
- The ticket rush sells exactly the capacity, with stock never negative.
- A QR screenshot older than 60 seconds fails at the door; a valid code checks in once.
- Playwright covers request, approve, coin, pay, drop and check-in; Vitest covers capacity, waitlist offers, drop redaction and coin binding.
- axe reports no critical issues on `/`, `/innercircle`, `/me` and `/door`.
- The README covers setup, environment variables, deploying to Vercel with a Neon or Supabase database, and the 5-minute demo script.
- `DEMO\_NOTES.md` lists every assumption, placeholder and demo value the crew needs to confirm.