



mapwisefox / web / frontend / **index.html**

koosie0507 Refactor: migrate from FastAPI session-based app to pure REST API wit...

Code | Blame | 14 lines (14 loc) · 510 Bytes

```html
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>ERSA-SMS Survey</title>
    <link id="favicon" rel="icon" type="image/x-icon" href="/favicon.ico" />
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&family=Roboto&display=swap" rel="stylesheet" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.ts"></script>
  </body>
</html>
```

```python
    if not data.get("publication_venue"):
        data["publication_venue"] = "<not specified>"
    if data.get("doi"):
        data_doi = data["doi"]
        data["doi_link"] = f"https://dx.doi.org/{data_doi}"
        data["scihub_link"] = f"https://sci-hub.se/{data_doi}"
    data["selection_status"] = (
        "include" if any_to_bool(data["include"]) else "exclude"
    )
    return data
```

mapwisefox / web / frontend / public / **sci-hub-256.webp**

koosie0507 Refactor: migrate from FastAPI session-based app to pure REST API wit...

3.68 KB

