



UTM

UNIVERSITI TEKNOLOGI MALAYSIA

SECD 2523 - DATABASE

DATABASE LOGICAL MODEL DESIGN & SQL (P3)

LECTURER'S NAME
DR. HASLINA BINTI HASHIM

NAME	MATRIC NUMBER
ADLINA NARISYA BINTI ISMAIL	A23CS0033
NURUL NATALIA BINTI ROSNIZAM	A23CS0165
NUUR AISYAH BINTI RUZI	A23CS0168
LING YU QIAN	A23CS0301
KOO XUAN	A23CS0300

TABLE OF CONTENTS

1.0 INTRODUCTION.....	3
2.0 OVERVIEW OF PROJECT.....	4
3.0 DATABASE CONCEPTUAL DESIGN.....	6
3.1 UPDATED BUSINESS RULE.....	6
3.2 CONCEPTUAL ERD.....	8
4.0 DB LOGICAL DESIGN.....	9
4.1 LOGICAL ERD.....	9
4.2 UPDATED DATA DICTIONARY.....	10
4.3 NORMALIZATION.....	17
5.0 RELATIONAL DB SCHEMAS (AFTER NORMALIZATION).....	20
6.0 SQL STATEMENTS (DDL & DML).....	21
7.0 SUMMARY.....	28
8.0 USER INTERFACE.....	29

1.0 INTRODUCTION

As the online shopping space further picks up in the retail world, consumers are demanding a fast, engaging, and personalized experience. Unfortunately, most applications created for this purpose, like Shopee, Lazada, and Temu, do not impress in key aspects like the intuitiveness of the user interface, personalized recommendations, efficient search, and customer engagement. These features, apart from the disconnected shopping experience, are elements of concern as far as high rates of cart abandonment, lack of personalization in customer outreach, and weak retention methods go.

The integrated principles of smart design and user-oriented design fit these needs for the Online Shopping Management System. Equipped with an advanced user interface, strong search functionality with advanced filters, an effortless checkout process, and a powerful recommendation engine, this system assures users of ease and pleasure while performing their purchase of goods. It also involves loyalty programs, sharing on social media, and a persistent shopping cart that will assure user engagement, community trust, and convenience over several sessions.

The platform offers ease of operation, thereby giving it various advantages over any competitor. Enabling a personalized experience through custom profiles and adaptive recommendations to personalized offers, encouraging repeated engagement and brand loyalty; multi-payment options integrated with an intuitive secure checkout address common pain points in online transactions, cultivating customer satisfaction and reducing abandonment. Although other platforms offer a wide range of products online, the Online Shopping Management System focuses on personalization of a customer's preference to find products and maintains user engagement. The system can meet and excel at modern consumers' demands and be a potent competitor.

2.0 OVERVIEW OF PROJECT

The Online Shopping Management System aims to simplify e-commerce operations by offering a user-centric platform for customers and an effective management system for shop administrators. By utilizing modern design principles and database technologies, it seeks to address major issues with current systems, including outdated interfaces, poor inventory management, and complex checkout procedures. The project's objectives include enhancing user experience with an intuitive, responsive interface and personalized features, providing efficient tools for inventory, order, and payment management, and ensuring scalability and security to meet growing user demands.

In Phase 1, the project focused on requirement analysis by identifying user and business needs through AS-IS analysis. Proposed solutions were developed to address these pain points, incorporating features like advanced search functionality, personalized recommendations, and a streamlined checkout process. Data Flow Diagrams (DFD) were created to map out core workflows for both customers and administrators, and feasibility studies confirmed the project's technical, operational, and economic viability.

Whereas in phase 2, Entity Relationship Diagrams (ERD) and Enhanced ERD (EERD) were used to define entities, relationships, and data attributes as phase 2 moved into conceptual database design. Proposed business rules and transactional requirements were detailed to ensure alignment with system functionality. Additionally, a comprehensive data dictionary was created to provide a structured framework for the database entities and their relationships.

Phase 3 focuses on implementing logical database design. This involves refining the conceptual ERD by addressing relational constraints and ensuring normalization up to the Boyce-Codd Normal Form (BCNF). The database schema will be prepared using SQL statements for Data Definition Language (DDL) and Data Manipulation Language (DML) to create and interact with the database. The phase also involves mapping database operations to the user interface to validate functionality and ensure a seamless user experience. The expected outcome of this phase is a robust, normalized database design that is ready for implementation,

supporting efficient system operations and aligning with the evolving needs of modern e-commerce platforms.

3.0 DATABASE CONCEPTUAL DESIGN

3.1 UPDATED BUSINESS RULE

Customer Registration:

Each customer must register an account to place orders.

A registered customer can log in to access personalized recommendations and manage their profile.

Product Management:

Each product is categorized under one or more categories.

Products are managed in the system with unique identifiers, stock quantity, and detailed descriptions.

Order Placement:

A customer can place multiple orders, each with a unique Order ID.

Orders contain one or more products and are tracked by status (e.g., pending, shipped, delivered).

Inventory Management:

Inventory levels are monitored, and products are restocked automatically when stock reaches a predefined threshold.

Each product's stock quantity is updated after an order is placed.

Payment Processing:

Payments are processed for each order, with each payment having a unique Payment ID.

Payment status (e.g., completed, pending, refunded) is updated based on transaction outcomes.

Review and Rating:

Customers can leave reviews and rate products they have purchased.

Reviews and ratings are stored and linked to specific products for customer feedback and recommendation systems.

Customer Support:

Customers can submit support tickets related to their orders or general inquiries.


Support tickets are tracked by status (e.g., open, in-progress, closed) until resolved by support staff

Loyalty and Engagement:

Loyalty programs and personalized offers are managed within the customer's profile to encourage engagement.


Customers receive points and rewards based on purchase history and engagement with the platform.

3.2 CONCEPTUAL ERD



4.0 DB LOGICAL DESIGN

4.1 LOGICAL ERD



4.2 UPDATED DATA DICTIONARY

Description of Entity

Entity	Description	Occurrence
Coupon	Hold coupon information	Coupons represent discount options that customers can apply to purchases. They can be used in multiple rewards.
Reward	Hold reward information	Rewards link users to specific coupons they have earned or been assigned. Each user can have multiple rewards tied to one coupon.
User_Cart	Hold user cart information	User_Carts track user cart details, including items, prices, and quantities. Each user has one cart but can contain multiple items.
CartItem	Hold cart item information	CartItems represent individual items in a user's shopping cart, detailing quantity and price. A single cart can have multiple items.
Product	Hold product information	Products store details about items for sale, including descriptions, categories, and ratings. Each product can appear in multiple carts or orders.
Manages	Hold seller-to-product relationship	Manages define the relationship where sellers manage products in their catalogs. A seller can manage multiple products.
Writing	Hold user-written review relationship	Writing tracks relationships between users and the

		reviews they write. Each user can write multiple reviews.
Review	Hold review information	Reviews store user feedback, including ratings and comments. Each review is tied to a single product.
Comment	Hold comment information	Comments capture user feedback or additional information on specific products. Each product can have multiple comments.
Order_Payment	Hold order payment information	Order_Payments track payment details, including amounts, status, and delivery. Each order has one payment.
OrderItem	Hold order item information	OrderItems represent individual items in an order, including quantity and price. Each order can have multiple items.
Seller	Hold seller information	Sellers represent individuals or businesses managing products and orders. Each seller has unique shop details.
Customer	Hold customer information	Customers store personal and account details. Each customer is unique but can place multiple orders.

Description of Relationship

Entity	Multiplicity	Relationship	Multiplicity	Entity
Coupon	1..*	Give	0..*	Reward
User_Cart	1..*	Receive	0..*	Reward
User_Cart	1..1	Has	1..*	CartItem

Seller	1..1	Has	1..1	User_Cart
Customer	1..1	Has	1..1	User_Cart
User_Cart	1..*	Do	0..*	Manages
User_Cart	1..*	Do	0..*	Writing
User_Cart	1..1	Makes	0..*	Order_Payment
Product	1..*	Being	0..*	Manages
Review	1..*	Takes	0..*	Writing
Order_Payment	1..1	Has	1..*	OrderItem
Product	1..*	Has	0..*	Comment
Review	1..*	Leave	0..*	Comment

Description Attributes

Entity Name	Attribute Name	Description	Data Type	PK	FK
Coupon	CouponID	Unique identifier for the coupon.	VARCHAR(50)	Yes	-
	Code	Code for the coupon.	VARCHAR(20)	No	-
	DiscountAmount	Discount value for the coupon.	FLOAT	No	-
	ExpirationDate	Expiry date for the coupon.	DATE	No	-
Reward	UserID	Unique identifier for the user.	VARCHAR(50)	Yes	Yes
	CouponID	Associated coupon	VARCHAR(50)	No	Yes

		identifier.			
User_Cart	UserID	Unique identifier for the user.	VARCHAR(50)	Yes	-
	Name	Full name of the user.	VARCHAR(100)	No	-
	Email	Email address of the user.	VARCHAR(100)	No	-
	Password	Password for user login.	VARCHAR(50)	No	-
	PhoneNumber	Contact number of the user.	VARCHAR(15)	No	-
	Address	Address of the user.	VARCHAR(255)	No	-
	TotalItems	Total number of items in the cart.	INT	No	-
	TotalPrices	Total price of items in the cart.	FLOAT	No	-
	CartID	Associated cart identifier.	VARCHAR(50)	No	-
CartItem	Quantity	Quantity of the item.	INT	No	-
	Price	Price of the item.	FLOAT	No	-
	CartID	Associated cart identifier.	VARCHAR(50)	No	Yes
Product	ProductID	Unique identifier for the product.	VARCHAR(50)	Yes	-

	PName	Name of the product.	VARCHAR(100)	No	-
	Description	Description of the product.	VARCHAR(255)	No	-
	Price	Price of the product.	FLOAT	No	-
	Stock	Stock quantity of the product.	INT	No	-
	Category	Category of the product.	VARCHAR(50)	No	-
	Rating	Rating of the product.	FLOAT	No	-
Manages	UserID	Unique identifier for the user managing the product.	VARCHAR(50)	Yes	Yes
	ProductID	Identifier for the product being managed.	VARCHAR(50)	No	Yes
Writing	UserID	Identifier for the user writing reviews.	VARCHAR(50)	Yes	Yes
Review	Rating	Rating given to the product.	FLOAT	No	-
	Comment	Review content.	VARCHAR(255)	No	-
	ReviewDate	Date of the review.	DATE	No	-
Comment	ProductID	Identifier for	VARCHAR(50)	Yes	Yes

		the product commented on.	0)		
Order_Payment	OrderID	Unique identifier for the order.	VARCHAR(50)	Yes	-
	OrderDate	Date of the order.	DATE	No	-
	TotalAmount	Total payment amount.	FLOAT	No	-
	PaymentStatus	Status of the payment (e.g., Paid).	VARCHAR(20)	No	-
	DeliveryStatus	Status of the delivery.	VARCHAR(20)	No	-
	PaymentMethod	Payment method used (e.g., Card).	VARCHAR(20)	No	-
	PaymentData	Additional data related to payment (e.g., reference ID).	VARCHAR(255)	No	-
	Amount	Amount paid.	FLOAT	No	-
OrderItem	OrderID	Unique identifier for the order.	VARCHAR(50)	No	Yes
	Quantity	Quantity of the product in the order.	INT	No	-
	Price	Price of the product in the order.	FLOAT	No	-

Seller	UserID	Unique identifier for the seller.	VARCHAR(50)	Yes	-
	Name	Name of the seller.	VARCHAR(100)	No	-
	Email	Email address of the seller.	VARCHAR(100)	No	-
	Password	Password for seller login.	VARCHAR(50)	No	-
	PhoneNumber	Contact number of the seller.	VARCHAR(15)	No	-
	Address	Address of the seller.	VARCHAR(255)	No	-
	ShopName	Name of the shop.	VARCHAR(100)	No	-
	TypeProduct	Type of products sold.	VARCHAR(50)	No	-
Customer	UserID	Unique identifier for the customer.	VARCHAR(50)	Yes	-
	Name	Full name of the customer.	VARCHAR(100)	No	-
	Email	Email address of the customer.	VARCHAR(100)	No	-
	Password	Password for customer login.	VARCHAR(50)	No	-
	PhoneNumber	Contact number of the customer.	VARCHAR(15)	No	-

	Address	Address of the customer.	VARCHAR(255)	No	-
	PurchaseHistory	Customer's purchase history.	VARCHAR(255)	No	-

4.3 NORMALIZATION

1. COUPON (couponID, code, discountAmount, expirationDate)

FD1: couponID → code, discountAmount, expirationDate

1NF&2NF&3NF&BCNF:

COUPON (couponID, code, discountAmount, expirationDate)

2. USER_CART (userID, name, email, password, phoneNumber, address, totalItems, totalPrices, cartID)

FD1: userID → name, email, password, phoneNumber, address

FD2: cartID → totalItems, totalPrices

1NF&2NF&3NF&BCNF:

1. USER (userID, name, email, password, phoneNumber, address)
2. CART (cartID, totalItems, totalPrices, userID)

3. PRODUCT (productID, PName, description, price, stock, category, rating)

FD1: productID → PName, description, price, stock, category, rating

1NF&2NF&3NF&BCNF:

PRODUCT (productID, PName, description, price, stock, category, rating)

4. SELLER (userID, name, email, password, phoneNumber, address, shopName, typeProduct)

FD1: userID → name, email, password, phoneNumber, address, shopName, typeProduct

1NF&2NF&3NF&BCNF:

FD1: SELLER (userID, name, email, password, phoneNumber, address, shopName, typeProduct)

5. CUSTOMER (userID, name, email, password, phoneNumber, address, purchaseHistory)

FD1: userID → name, email, password, phoneNumber, address, purchaseHistory

1NF&2NF&3NF&BCNF:

CUSTOMER (userID, name, email, password, phoneNumber, address, purchaseHistory)

6. ORDER_PAYMENT (orderId, orderData, totalAmount, paymentStatus, deliveryStatus, paymentData, amount, paymentMethod)

FD1: orderId → orderDate, totalAmount, paymentStatus, deliveryStatus, paymentData, amount, paymentMethod

1NF&2NF&3NF&BCNF:

ORDER_PAYMENT (orderId, orderDate, totalAmount, paymentStatus, deliveryStatus, paymentData, amount, paymentMethod)

7. CARTITEM (cartID, quantity, price)

FD1: cartID → quantity, price

1NF&2NF&3NF&BCNF:

CARTITEM (cartID, quantity, price)

8. REWARD (userID, couponID)

FD1: userID, couponID → NULL

1NF&2NF&3NF&BCNF:

REWARD (userID, couponID)

9. MANAGES (userID, productID)

FD1: userID, productID → NULL

1NF&2NF&3NF&BCNF:

MANAGES (userID, productID)

10. COMMENT (productID)

FD1: productID → NULL

1NF&2NF&3NF&BCNF:

COMMENT (productID)

11. WRITING (userID)

FD1: userID → NULL

1NF&2NF&3NF&BCNF:

WRITING (userID)

12. REVIEW (rating, comment, reviewDate)

FD1: rating, comment → reviewDate

1NF&2NF&3NF&BCNF:

REVIEW (rating, comment, reviewDate)

13. ORDERITEM (quantity, price, orderID)

FD1: orderID → quantity, price

1NF&2NF&3NF&BCNF:

ORDERITEM (orderID, quantity, price)

*Remark: Underline word is primary key.

5.0 RELATIONAL DB SCHEMAS (AFTER NORMALIZATION)

The relational database schema for Online Shopping Management System database is a set of relation schema which consist of ;

COUPON (couponID,code,discountAmount,expirationDate)

USER (userID,name,email,password,phoneNumber,address)

CART (cartID,totalItems,totalPrices,*userID*)

PRODUCT (productID,PName,description,price,stock,category,rating)

SELLER (userID,name,email,password,phoneNumber,address,shopName,typeProduct)

CUSTOMER (userID,name,email,password,phoneNumber,address,purchaseHistory)

ORDER_PAYMENT (orderID,orderDate,totalAmount,
paymentStatus,deliveryStatus,paymentData,amount,paymentMethod)

CARTITEM (cartID,quantity,price)

REWARD (userID,couponID)

MANAGES (userID, productID)

COMMENT (productID)

WRITING (userID)

REVIEW (rating,comment,reviewDate)

ORDERITEM (orderID,quantity,price)

*Remark: Underline word is primary key

6.0 SQL STATEMENTS (DDL & DML)

-- DDL for all tables

-- Table: Coupon

```
CREATE TABLE Coupon (  
    CouponID VARCHAR(50) PRIMARY KEY,  
    Code VARCHAR(20),  
    DiscountAmount FLOAT,  
    ExpirationDate DATE  
);
```

-- Table: Reward

```
CREATE TABLE Reward (  
    RewardID INT AUTO_INCREMENT PRIMARY KEY,  
    UserID VARCHAR(50),  
    CouponID VARCHAR(50),  
    FOREIGN KEY (UserID) REFERENCES Customer(UserID),  
    FOREIGN KEY (CouponID) REFERENCES Coupon(CouponID)  
);
```

-- Table: User_Cart

```
CREATE TABLE User_Cart (  
    UserID VARCHAR(50) PRIMARY KEY,  
    Name VARCHAR(100),  
    Email VARCHAR(100),  
    Password VARCHAR(50),  
    PhoneNumber VARCHAR(15),  
    Address VARCHAR(255),  
    TotalItems INT,  
    TotalPrices FLOAT,  
    CartID VARCHAR(50)
```

);

-- Table: CartItem

```
CREATE TABLE CartItem (  
    CartItemID INT AUTO_INCREMENT PRIMARY KEY,  
    Quantity INT,  
    Price FLOAT,  
    CartID VARCHAR(50),  
    FOREIGN KEY (CartID) REFERENCES User_Cart(CartID)  
);
```

-- Table: Product

```
CREATE TABLE Product (  
    ProductID VARCHAR(50) PRIMARY KEY,  
    PName VARCHAR(100),  
    Description VARCHAR(255),  
    Price FLOAT,  
    Stock INT,  
    Category VARCHAR(50),  
    Rating FLOAT  
);
```

-- Table: Manages

```
CREATE TABLE Manages (  
    ManageID INT AUTO_INCREMENT PRIMARY KEY,  
    UserID VARCHAR(50),  
    ProductID VARCHAR(50),  
    FOREIGN KEY (UserID) REFERENCES Seller(UserID),  
    FOREIGN KEY (ProductID) REFERENCES Product(ProductID)  
);
```

-- Table: Writing

```
CREATE TABLE Writing (  
    WritingID INT AUTO_INCREMENT PRIMARY KEY,  
    UserID VARCHAR(50),  
    ReviewID INT,  
    FOREIGN KEY (UserID) REFERENCES Customer(UserID)  
);
```

-- Table: Review

```
CREATE TABLE Review (  
    ReviewID INT AUTO_INCREMENT PRIMARY KEY,  
    Rating FLOAT,  
    Comment VARCHAR(255),  
    ReviewDate DATE  
);
```

-- Table: Comment

```
CREATE TABLE Comment (  
    CommentID INT AUTO_INCREMENT PRIMARY KEY,  
    ProductID VARCHAR(50),  
    FOREIGN KEY (ProductID) REFERENCES Product(ProductID)  
);
```

-- Table: Order_Payment

```
CREATE TABLE Order_Payment (  
    OrderID VARCHAR(50) PRIMARY KEY,  
    OrderDate DATE,  
    TotalAmount FLOAT,  
    PaymentStatus VARCHAR(20),  
    DeliveryStatus VARCHAR(20),  
    PaymentMethod VARCHAR(20),
```

```

    PaymentData VARCHAR(255),
    Amount FLOAT
);

-- Table: OrderItem
CREATE TABLE OrderItem (
    OrderItemID INT AUTO_INCREMENT PRIMARY KEY,
    OrderID VARCHAR(50),
    Quantity INT,
    Price FLOAT,
    FOREIGN KEY (OrderID) REFERENCES Order_Payment(OrderID)
);

-- Table: Seller
CREATE TABLE Seller (
    UserID VARCHAR(50) PRIMARY KEY,
    Name VARCHAR(100),
    Email VARCHAR(100),
    Password VARCHAR(50),
    PhoneNumber VARCHAR(15),
    Address VARCHAR(255),
    ShopName VARCHAR(100),
    TypeProduct VARCHAR(50)
);

-- Table: Customer
CREATE TABLE Customer (
    UserID VARCHAR(50) PRIMARY KEY,
    Name VARCHAR(100),
    Email VARCHAR(100),
    Password VARCHAR(50),

```

```
PhoneNumber VARCHAR(15),  
Address VARCHAR(255),  
PurchaseHistory VARCHAR(255)  
);
```

```
-- DML to insert dummy data
```

```
-- Dummy data for Coupon
```

```
INSERT INTO Coupon VALUES ('C001', 'DISCOUNT10', 10.0, '2025-12-31');  
INSERT INTO Coupon VALUES ('C002', 'SAVE20', 20.0, '2025-12-31');
```

```
-- Dummy data for Customer
```

```
INSERT INTO Customer VALUES ('U001', 'John Doe', 'john@example.com', 'password123',  
'1234567890', '123 Street, City', 'Purchase 1, Purchase 2');  
INSERT INTO Customer VALUES ('U002', 'Jane Smith', 'jane@example.com', 'password456',  
'0987654321', '456 Avenue, City', 'Purchase 3');
```

```
-- Dummy data for Reward
```

```
INSERT INTO Reward (UserID, CouponID) VALUES ('U001', 'C001');  
INSERT INTO Reward (UserID, CouponID) VALUES ('U002', 'C002');
```

```
-- Dummy data for User_Cart
```

```
INSERT INTO User_Cart VALUES ('U001', 'John Doe', 'john@example.com', 'password123',  
'1234567890', '123 Street, City', 2, 50.0, 'CART001');  
INSERT INTO User_Cart VALUES ('U002', 'Jane Smith', 'jane@example.com', 'password456',  
'0987654321', '456 Avenue, City', 3, 75.0, 'CART002');
```

```
-- Dummy data for CartItem
```

```
INSERT INTO CartItem (Quantity, Price, CartID) VALUES (1, 25.0, 'CART001');  
INSERT INTO CartItem (Quantity, Price, CartID) VALUES (2, 50.0, 'CART002');
```

-- Dummy data for Product

```
INSERT INTO Product VALUES ('P001', 'Laptop', 'High-end laptop', 1000.0, 10, 'Electronics', 4.5);
```

```
INSERT INTO Product VALUES ('P002', 'Phone', 'Latest smartphone', 800.0, 15, 'Electronics', 4.7);
```

-- Dummy data for Manages

```
INSERT INTO Manages (UserID, ProductID) VALUES ('U001', 'P001');
```

```
INSERT INTO Manages (UserID, ProductID) VALUES ('U002', 'P002');
```

-- Dummy data for Review

```
INSERT INTO Review (Rating, Comment, ReviewDate) VALUES (4.0, 'Great product!', '2025-01-01');
```

```
INSERT INTO Review (Rating, Comment, ReviewDate) VALUES (5.0, 'Excellent!', '2025-01-05');
```

-- Dummy data for Order_Payment

```
INSERT INTO Order_Payment VALUES ('O001', '2025-01-10', 500.0, 'Paid', 'Delivered', 'Card', 'Ref123', 500.0);
```

```
INSERT INTO Order_Payment VALUES ('O002', '2025-01-12', 1000.0, 'Pending', 'Processing', 'PayPal', 'Ref456', 1000.0);
```

-- Dummy data for OrderItem

```
INSERT INTO OrderItem (OrderID, Quantity, Price) VALUES ('O001', 1, 500.0);
```

```
INSERT INTO OrderItem (OrderID, Quantity, Price) VALUES ('O002', 2, 1000.0);
```

-- SQL to display all data from each table

SELECT * FROM Coupon;

SELECT * FROM Reward;

SELECT * FROM User_Cart;

SELECT * FROM CartItem;

SELECT * FROM Product;

SELECT * FROM Manages;

SELECT * FROM Review;

SELECT * FROM Comment;

SELECT * FROM Order_Payment;

SELECT * FROM OrderItem;

SELECT * FROM Seller;

SELECT * FROM Customer;

7.0 SUMMARY

During this phase 3 of our project, we focused on transitioning from the conceptual to the logical design of our Online Shopping Management System database. The Conceptual Entity Relationship Diagram (ERD) was meticulously refined into a Logical ERD to ensure adherence to relational database principles. This involved addressing relational constraints, removing redundancies, and restructuring relationships to meet normalization standards.

Besides, we developed a relational schema, which transformed entities such as Coupon, User_Cart, Product, Seller, Customer, and Order_Payment into structured tables with defined attributes and primary keys. Normalization was performed up to Boyce-Codd Normal Form (BCNF) to eliminate redundancies, dependencies, and ensure data integrity. This process has focused on ensuring accuracy and efficiency for critical operations, including order processing, inventory management, and customer engagement.

The Logical ERD serves as a visual representation of the refined database structure, highlighting the relationships between entities and providing a robust framework for efficient data retrieval and management. Additionally, the data dictionary was updated to align with the normalized structure, ensuring clarity and consistency across all database elements.


In conclusion, this phase 3 has provided valuable insights into transforming conceptual ideas into a well-organized and normalized database structure. By prioritizing scalability, integrity, and efficiency, the resulting database design supports the evolving needs of modern e-commerce platforms. These have results to produce a reliable system that enhances user experiences, streamlines operations, and fosters customer satisfaction.

8.0 USER INTERFACE


Link :

https://www.canva.com/design/DAGcoZjJNUw/1JoN-PBeBIYm9rQ2U1s8sw/edit?utm_content=DAGcoZjJNUw&utm_campaign=designshare&utm_medium=link2&utm_source=sharebutton

First Page :



Login Page :



The image shows a laptop displaying the login page of 'Larana, Inc.'. The page has a light pink header with navigation links: HOME, ABOUT, SHOP (with a dropdown arrow), CONTACT, and HELP. The main content area is a dark grey rectangle. In the center, the word 'Login' is displayed in a large, dark serif font. Below it, the text 'Sign in to continue' is in a smaller, lighter font. There are two input fields: 'EMAIL' with the value 'hello@reallygreatsite.com' and 'PASSWORD' with masked characters '*****'. Below the password field is a rounded 'LOG IN' button and a 'BACK' link.

HOME ABOUT SHOP ▼ Larana, Inc. CONTACT HELP

Login

Sign in to continue


EMAIL
hello@reallygreatsite.com

PASSWORD

LOG IN

[BACK](#)

Sign Up Page :



The image shows a laptop displaying the sign-up page of 'Larana, Inc.'. The page has a light pink header with navigation links: HOME, ABOUT, SHOP (with a dropdown arrow), CONTACT, and HELP. The main content area is a dark grey rectangle. In the center, the text 'Create new Account' is displayed in a large, dark serif font. Below it, the text 'Already Registered? Login' is in a smaller, lighter font. There are four input fields: 'NAME' with the value 'Jara Martins', 'EMAIL' with the value 'hello@reallygreatsite.com', 'PASSWORD' with masked characters '*****', and 'DATE OF BIRTH' with a dropdown menu showing 'Select'. Below the date of birth field is a rounded 'SIGN UP' button and a 'BACK' link.

HOME ABOUT SHOP ▼ Larana, Inc. CONTACT HELP

Create new Account

Already Registered? Login

NAME
Jara Martins

EMAIL
hello@reallygreatsite.com


PASSWORD

DATE OF BIRTH
Select ▼


SIGN UP

[BACK](#)


Coupon (when there is any promotion):




Homepage (customer view) :




Homepage (seller view) :




Search Page :




Searching for specific product (Customer view) :




Searching for specific product (Seller view) :




Product Details Page (Customer view) :




Product Details Page (Seller view) :





Comments Page (Customer view) :




Comments Page (Seller view) :




Cart Page :




Payment Page :



Product Shipping Progress Page :



Profile Page :



Purchase History Page :

