

Confidential Packaging Component - Paperboard Supplier Report

PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,207x110x100mm

Spec ID No.: 615000002568

Last Changed by: Accenture Functional Team
ION Permanent FFID

Spec Status: Active

Report Released on: 14-JUL-2024

Spec Report Version No.: 2.1

Menu Card

Pack Technologies

Manufacturing	Flat
Pack Format Application	Folding Carton Glued
Print	Printed

Standard Component Type

Component Type
PACKAGE

Component Details

Dimensions (3D Outside)

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max	Height - Target	Height - Min	Height - Max
207 mm			110 mm			100 mm		

Dimensions (3D Inside)

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max	Height - Target	Height - Min	Height - Max
207.000 mm	206.000 mm	208.000 mm	110.000 mm	109.000 mm	111.000 mm	100.000 mm	99.000 mm	101.000 mm

Flat Blank Size

Length - Target	Length - Min	Length - Max	Width - Target	Width - Min	Width - Max
648.000 mm	647.000 mm	649.000 mm	296.000 mm	295.000 mm	297.000 mm

Confidential Packaging Component - Paperboard Supplier Report

PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,207x110x100mm

Spec ID No.: 615000002568

Last Changed by: Accenture Functional Team
ION Permanent FFID

Spec Status: Active

Report Released on: 14-JUL-2024

Spec Report Version No.: 2.1

Conversion Factor for Piece

Factor Piece – Mass	Factor Piece - Volume
70.000000 g	

Storage, Logistics and Quality

Storage

Time	Temperature	Relative Humidity	Shelf Life
			365 Days

Product Contact

Product Contact
Yes

Material Information

Layer Composition (Out to In)

Layer Number (Out-to-in)	Alternate	Base Material	Property	Target	Min	Max	UoM	Supplier Name	Supplier grade	Recycled content
1	No	White Lined Chipboard - white top/grey reverse C1S	Total Caliper/Thickness	500.000000	450.000000	550.000000	g/m2		Duplex	

Confidential Packaging Component - Paperboard Supplier Report
PPB ID-400CHIPBOARD WT-GR C1S-Duplex Grey Back,207x110x100mm

Spec ID No.: 615000002568

 Last Changed by: Accenture Functional Team
 ION Permanent FFID

Spec Status: Active

Report Released on: 14-JUL-2024

Spec Report Version No.: 2.1

Total Basis Weight

Target	Min	Max	UoM	Test Method
400.000000	360.000000	440.000000		

Properties
Total Caliper/Thickness

Target	Min	Max	Test Method	UoM
500.000000	450.000000	550.000000		