


TASK 4: Privacy, Compliance, Trust and Governance

Chapter 09


Step 1: Resource Group Explanation



The resource group RG-BCX-Siyabonga contains all the Azure resources deployed for the BCX client environment, including a virtual machine, storage account, key vault, network security group, and networking components. A resource group acts as a logical container that allows BCX to manage and organise related resources together.

It simplifies deployment, monitoring, access control, and billing. If the resource group is deleted, all resources within it are also permanently deleted, making it a critical governance boundary.

Step 2: Tagging



The screenshot shows the Azure portal interface for the resource group 'RG-BCX-Siyabonga'. The left sidebar contains a navigation menu with options like Overview, Activity log, Access control (IAM), Tags (selected), Resource visualizer, Events, Settings, Deployments, Security, Deployment stacks, Policies, Properties, Locks, Cost Management, Monitoring, Automation, and Help. The main content area displays the 'Tags' page. It includes a search bar, 'Delete all' and 'Feedback' buttons, and a descriptive text about tags. Below this is a table with columns 'Name' and 'Value'. The table lists four tags: CostCenter (BCX001), Department (CloudOps), Owner (Siyabonga), and Project (BCXClient). At the bottom, there are 'Apply' and 'Discard changes' buttons.

Name	Value
CostCenter	BCX001
Department	CloudOps
Owner	Siyabonga
Project	BCXClient

Tags are key-value pairs used to organise Azure resources logically. In the BCX environment, tags such as Project, Owner, Department, and CostCenter were applied to the resource group to improve resource management, cost tracking, and governance.

Tags enable BCX to group resources by project, assign responsibility, monitor spending, and enforce organisational policies. They are especially useful in large environments where multiple teams and departments share cloud resources.

Step 3: RBAC Review

Search resources, services, and docs (G+/)

Copilot

ntibosiyabonga@gmail...
DEFAULT DIRECTORY (NTIBOSIYA...

RG-BCX-Siyabonga | Access control (IAM) ☆ ...

Resource group

Search

+ Add ▾ ▾ Download role assignments ▾ Edit columns ▾ Refresh ▾ Delete ▾ Feedback

Overview
Activity log
Access control (IAM)
Tags
Resource visualizer
Events
Settings
Deployments
Security
Deployment stacks
Policies
Properties
Locks
Cost Management
Monitoring
Automation
Help

Check access **Role assignments** Roles Deny assignments Classic administrators

Number of role assignments for this subscription ⓘ 4 4000

Privileged ⓘ 3

[View assignments](#)

Search by name or email

Type : All Role : All Scope : All scopes

Group by : Role

All (4) Job function roles (1) Privileged administrator roles (3)

☐	Name ↑↓	Type ↑↓	Role ↑↓	Scope ↑↓	Condition ↑↓
▽	Owner (3)				
☐	BO BCX-Operation... b0d3a889-5590...	Group	Owner	This resource	Add
☐	SN Siyabonga Ntibo d38307e0-b615...	User	Owner	Subscription (Inhe...	None
☐	SN Siyabonga Ntibo d38307e0-b615...	User	Owner	Subscription (Inhe...	None
▽	Reader (1)				
☐	BA BCX-Auditors-S... ee4315d3-2b58...	Group	Reader	This resource	None

Showing 1 - 4 of 4 results

Add or remove favorites by pressing Ctrl+Shift+F

Role-Based Access Control (RBAC) is used to manage access to Azure resources by assigning roles to users and groups. In this environment, the BCX-Operations-Siyabonga group was assigned the Owner role, allowing full management of resources, while the BCX-Auditors-Siyabonga group was assigned the Reader role, providing read-only access.

This ensures that administrators and support staff can manage resources, while auditors can only view them without making changes. RBAC supports the principle of least privilege, improving security and governance in the BCX environment.

Step 4: Apply Resource Lock

Search resources, services, and docs (G+)

Copilot

ntibosiyabonga@gmail...
DEFAULT DIRECTORY (NTIBOSIYA...

RG-BCX-Siyabonga | Locks

☆ ...

How do locks prevent accidental deletion of Azure resources? +2

×

Search

◊ <

+ Add

Subscription

Refresh

Feedback

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Deployment stacks

Policies

Properties

Locks

Cost Management

Monitoring

Automation

Help

Add lock

Lock name *
Lock-Siyabonga

Lock type *
Delete

Notes
Prevent accidental deletion

OK

Cancel

Notes

Add or remove favorites by pressing Ctrl+Shift+F

Microsoft Azure Upgrade

Search resources, services, and docs (G+)

Copilot

ntibosiyabonga@gmail...
DEFAULT DIRECTORY (NTIBOSIYA...

Home > RG-BCX-Siyabonga

RG-BCX-Siyabonga | Locks

☆ ...

What are the best practices for locking resources in Azure?

How do locks prevent accidental deletion of Azure resources?

Can multiple users in my tenant manage my locks?

×

Search

◊ <

+ Add

Subscription

Refresh

Feedback

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Deployment stacks

Policies

Properties

Locks

Cost Management

Monitoring

Automation

Help

Lock name	Lock type	Scope	Notes
Lock-Siyabonga	Delete	RG-BCX-Siyabonga	Prevent accidental deletion

Edit Delete

Add or remove favorites by pressing Ctrl+Shift+F

A Delete lock prevents resources from being deleted but still allows modifications. A Read-only lock prevents both modification and deletion. BCX uses locks to protect critical resources from accidental removal.

Step 5: Azure Policy

The screenshot shows the 'Policy | Definitions' page in the Azure portal. The left sidebar contains navigation links: Overview, Compliance, Remediation, Events, and Authoring. Under 'Authoring', there are links for Definitions, Assignments, Machine Configuration, and Exemptions. The main content area displays a table of policy definitions. The table has columns for Name, Latest version, Definition location, Policies, Type, Definition type, and Category. The table lists 12 policy definitions, including Microsoft Managed Controls and built-in policies. At the bottom, it shows 'Showing 1 - 20 of 3349. Display count: 20'.

Name	Latest version	Definition location	Policies	Type	Definition type	Category
Microsoft Managed Control 1599 - Developer Configuration Mana	1.0.0			Static	Policy	Regulatory Compliance
Audit virtual machines without disaster recovery configured	1.0.0			Built-in	Policy	Compute
Microsoft Managed Control 1375 - Incident Response Assistance	1.0.0			Static	Policy	Regulatory Compliance
Restrict location of information processing, storage and services	1.1.0			Built-in	Policy	Regulatory Compliance
Vulnerability assessment should be enabled on your Synapse work	1.0.0			Built-in	Policy	Synapse
Enable logging by category group for microsoft.networkcloud/stor	1.0.0			Built-in	Policy	Monitoring
Microsoft Managed Control 1605 - Developer Security Testing Anc	1.0.0			Static	Policy	Regulatory Compliance
Establish parameters for searching secret authenticators and verifi	1.1.0			Built-in	Policy	Regulatory Compliance
SQL Server Integration Services integration runtimes on Azure Dat	2.3.0			Built-in	Policy	Data Factory
[Preview]: Configure VMSS created with Shared Image Gallery ima	2.1.0-preview			Built-in	Policy	Security Center
Private endpoint connections on Batch accounts should be enable	1.0.0			Built-in	Policy	Batch

The screenshot shows the 'Policy | Assignments' page in the Azure portal. The left sidebar is the same as the previous screenshot. The main content area displays the 'Assignments' section. It shows a search bar and filters for 'Scope: Azure subscription 1' and 'Definition type: All definition types'. Below the filters, there are three summary cards: 'Total Assignments: 1', 'Initiative Assignments: 0', and 'Policy Assignments: 1'. A table below shows the assignment details for 'BCX-Allowed-Region-Policy' assigned to 'Azure subscription 1' with a 'Policy' type.

Assignment name	Scope	Type
BCX-Allowed-Region-Policy	Azure subscription 1	Policy

Azure Policy is used to enforce rules and ensure compliance across Azure resources. In this environment, a policy named “BCX-Allowed-Region-Policy” has been assigned to restrict where resources can be deployed.

This ensures that all resources are created only in approved regions, improving governance, compliance, and cost control. Azure Policy helps BCX enforce organisational standards, prevent misconfigurations, and maintain a secure and compliant cloud environment.

Step 6: Compliance and trust tools

Azure Compliance Manager

Helps organisations assess and manage compliance with regulations by providing risk assessments and recommendations.

Microsoft Trust Center

Provides transparency about Microsoft's security, privacy, and compliance practices.

Service Trust Portal

Gives access to audit reports, certifications, and compliance documentation to assure clients.