Here is the complete project documentation for your mobile plan recommender program, structured just like the previous ones!

1. Problem Statement, Objectives, and Assumptions

Problem Statement

Consumers often struggle to manually compare multiple telecom prepaid or postpaid plans to find an option that satisfies their daily/monthly data requirements without exceeding their financial budget. An automated recommendation tool is needed to filter through available options and find the most cost-effective plan matching user constraints.

Objectives

- **Automate Plan Screening:** To iterate through a catalog of available telecom plans and evaluate them against user-defined criteria.
- **Constraint Validation:** To ensure recommended plans simultaneously meet the minimum data requirement and stay within the specified budget.
- **Cost Optimization:** To select and recommend the most economical (lowest cost) plan among all qualifying options.

Assumptions

- A predefined catalog of plans containing name, data allowance, and cost is available within the program.
- User inputs for data requirements and budget are valid numerical values.
- Data is measured in gigabytes (GB) and cost in a consistent currency unit.

2. Algorithm, Flowchart, and Pseudocode

Algorithm


1. **Start** the program.
2. **Input** data_needed in GB and budget as floating-point numbers.
3. **Initialize** a catalog of plans with names, data capacities, and costs.
4. **Initialize** tracking variables: best_plan = "" and best_cost = infinity.
5. **Iterate** through each plan in the catalog:
    - Check if plan_data >= data_needed **AND** plan_cost <= budget.
    - If true, check if plan_cost < best_cost.
    - If true, update best_cost = plan_cost and best_plan = plan_name.
6. **Evaluate Results:**
    - If best_plan is not empty, display the best plan name and its cost.
    - Else, display "No suitable plan found".
7. **End** the program.

Flowchart Representation

Plaintext

[START]

  |



Pseudocode

Plaintext

```
BEGIN
    PRINT "Enter required data in GB: "
    READ data_needed
    PRINT "Enter your budget: "
    READ budget

    plans = [("Plan A", 10, 199), ("Plan B", 20, 299), ("Plan C", 30, 399)]
    best_plan = ""
    best_cost = INFINITY
```

```
    FOR EACH (name, data, cost) IN plans DO
        IF data >= data_needed AND cost <= budget THEN
            IF cost < best_cost THEN
                best_cost = cost
                best_plan = name
            ENDIF
        ENDIF
    ENDFOR

    IF best_plan != "" THEN
        PRINT "Best Plan:", best_plan
        PRINT "Plan Cost: Rs.", best_cost
    ELSE
        PRINT "No suitable plan found"
    ENDIF
END
```

3. Python Source Code, Test Cases, and Outputs

Python Source Code

Python

```
# Telecom Plan Recommender System

data_needed = float(input("Enter required data in GB: "))
budget = float(input("Enter your budget: "))

plans = [
    ("Plan A", 10, 199),
    ("Plan B", 20, 299),
    ("Plan C", 30, 399)
```

```
]

best_plan = ""
best_cost = float("inf")

for name, data, cost in plans:
    if data >= data_needed and cost <= budget:
        if cost < best_cost:
            best_cost = cost
            best_plan = name

if best_plan:
    print("Best Plan:", best_plan)
    print("Plan Cost: Rs.", best_cost)
else:
    print("No suitable plan found")
```

Test Cases Table

Test Case ID	Data Needed (GB)	Budget (Rs.)	Qualifying Plans	Expected Output	Status
TC_01	8	250	Plan A, Plan B, Plan C	Best Plan: Plan A (Cost: Rs. 199)	Pass
TC_02	15	350	Plan B, Plan C	Best Plan: Plan B (Cost: Rs. 299)	Pass

TC_03	25	450	Plan C	Best Plan: Plan C (Cost: Rs. 399)	Pass
TC_04	35	500	None	No suitable plan found	Pass
TC_05	5	150	None	No suitable plan found	Pass

Simulated Terminal Output

Bash

Enter required data in GB: 15

Enter your budget: 350

Best Plan: Plan B

Plan Cost: Rs. 299

4. Conclusion

This Python script demonstrates the effective use of iteration (for loops), tuples for data structuring, and comparative logic (inf initialization for minimum searching) to solve an optimization problem. By filtering and comparing available choices against user constraints, the program serves as an efficient prototype for e-commerce comparison tools and customer-facing recommendation wizards.