

Demonstration of the refenums package

This documents demonstrates the usage and results of the `refenums` package. Each green box shows the $\text{\LaTeX}$ code producing the output right above it. All content appearing in this work is fictitious. Any resemblance to real artefacts, items, or persons, living or dead, is purely coincidental.

[Section 1](#) sets up the enums. [Sections 2 to 8](#) show defined referenceable enums. [Section 9](#) references the defined enums.

Contents

1 Setup	2
2 Requirements	2
3 Capabilities	3
4 Notes	3
5 Steps	3
5.1 Step 1: Requirements Analysis	3
5.2 Step 2: Software Specification	3
6 Other Steps	4
7 Issues	4
8 Milestones	4
8.1 Milestone M1: Basic Model	5
9 Discussion	5

1 Setup

Each kind of enum is set up once. This produces no output.

```
67 %Setup ‘‘requirements’’
68 \setupRefEnums{R}{Requirement}
69
70 %Setup ‘‘capabilities’’, without any separator
71 \setupRefEnums[] {C}{Capability}
72
73 %Setup ‘‘Notes’’ showing the usage of \defRefEnumInline
74 \setupRefEnums{N}{Note}
75
76 %Setup ‘‘Steps’’ not having a print form, each step getting its own
    subsection
77 \setupRefEnums[ ][subsection]{Step}{ONLYSHORT}
78
79 %Setup ‘‘Issue’’ not having a print form
80 \setupRefEnums[ ] {Issue}{ONLYSHORT}
81
82 %Setup ‘‘Milestones’’ where the print name and the short name is
    combined
83 \setupRefEnums[COMBINED] {M}{Milestone}
```

2 Requirements

Requirement 1 (R-1): Scalability. We see scalability as important requirement.

Requirement 2 (R-2): Portability. We also see portability as important requirement.

```
90 \defRefEnum{R}{Scalability}{sca}
91 We see scalability as important requirement.
92
93 \defRefEnum{R}{Portability}{port}
94 We also see portability as important requirement.
```

3 Capabilities

Capability 1 (C1): Maintainability.

```
100 \defRefEnum{C}{Maintainability}{maint}
```

4 Notes

(*N-1*) *Blue* It should be a blue note, shouldn't it? (*N-2*) *Red* There should also be a red note, shouldn't it?

```
106 \defRefEnumInline{N}{Blue}{blue} It should be a blue note, shouldn't  
    it?  
107 \defRefEnumInline{N}{Red}{Red} There should also be a red note,  
    shouldn't it?
```

5 Steps

5.1 Step 1: Requirements Analysis

The heading is defined using the macro.

```
114 \defRefEnum{Step}{Requirements Analysis}{rqa}  
115 \label{sec:rqa}  
116 The heading is defined using the macro.
```

5.2 Step 2: Software Specification

The heading is defined using the macro.

```
120 \defRefEnum{Step}{Software Specification}{spec}  
121 The heading is defined using the macro.
```

6 Other Steps

This section shows how an enum can be reused. One has to take care to use different labels as in the first usage.

(Step 1) Think First think. *(Step 2) Work* Then work.

```
131 \setcounter{Step}{0}  
132 \defRefEnumInline{Step}{Think}{think} First think.  
133 \defRefEnumInline{Step}{Work}{work} Then work.
```

7 Issues

Issue 1: Fictional.

Issue 2: Unrealistic.

```
139 \defRefEnum{Issue}{Fictional}{fi}  
140  
141 \defRefEnum{Issue}{Unrealistic}{unr}
```

8 Milestones

The optional argument of `\defRefEnum` wraps a single element, here in a subsection.

8.1 Milestone M1: Basic Model

```
150 \defRefEnum[subsection]{M}{Basic Model}{bm}
```

9 Discussion

In [Section 2](#), we discussed [R-1](#) (“[Scalability](#)”) and [R-2](#) (“[Portability](#)”).

```
157 In \cref{sec:reqs}, we discussed \refEnumFull{R}{sca} and
    \refEnumFull{R}{port}.
```

We showed the capability [C1](#) (“[Maintainability](#)”).

```
161 We showed the capability \refEnumFull{C}{maint}.
```

We also had a note [N-1](#) (“[Blue](#)”).

```
165 We also had a note \refEnumFull{N}{blue}.
```

In [Section 5](#), we started with [Step 1](#) (“[Requirements Analysis](#)”). $\text{\LaTeX}$ put that step into [Section 5.1](#). Afterwards, [Step 2](#) (“[Software Specification](#)”) has been described.

```
169 In \cref{sec:steps}, we started with \refEnumFull{Step}{rqa}.
170 \LaTeX{} put that step into \cref{sec:rqa}.
171 Afterwards, \refEnumFull{Step}{spec} has been described.
```

We reused the enumeration environment for other steps in [Section 6](#). There, we started with [Step 1](#) (“[Think](#)”).

```
175 We reused the enumeration environment for other steps in
    \cref{sec:osteps}.
176 There, we started with \refEnumFull{Step}{think}.
```

Some issues such as **Issue 1** (“**Fictional**”) were raised.

```
180 Some issues such as \refEnumFull{Issue}{fi} were raised.
```

First, the milestone **M1** (“**Basic Model**”) has to be reached.

```
184 First, the milestone \refEnumFull{M}{bm} has to be reached.
```

Following properties are the most important ones:

- **R-1**: “**Scalability**”
- ...

```
188 Following properties are the most important ones:  
189 \begin{itemize}  
190 \item \refEnumFullT{R}{sca}  
191 \item \ldots  
192 \end{itemize}
```