

SAMPLE IDENTIFICATION

Peptide:	Tirzepatide	Date Requested:	N/A
Client:	Korah Peptides	Date Received:	Jul 13, 2026
Vendor:	Korah Peptides	Date Tested:	Jul 17, 2026
Lot Number:	KP-0007	Date Reported:	Aug 7, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content 10 mg	Mass 10.63 mg	Purity 99.41%	Fill Accuracy 106.3%
----------------------------------	-------------------------	-------------------------	--------------------------------




Fig. 1 - HPLC-UV Chromatogram at 214nm



Appearance

Appearance:	White Lyophilized Powder
Cap Color:	Blue

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

ANTIMICROBIAL TESTING (USP <2021>/<2022>)

Parameter	Method	Result	Specification	Verdict
Total Aerobic Microbial Count (TAMC)	USP <2021>	0 CFU/ml	< 10 CFU/mL	PASS
Total Yeast & Mold Count (TYMC)	USP <2022>	0 CFU/ml	< 10 CFU/mL	PASS
Overall: Pass / Sample meets specification				

NOTES

1.(99.41% 10.63mg), 2.(99.38% 10.18mg)

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification