

# Certificate of Analysis

Lab ID: **TA1-021**

REPORTED September 21, 2026

**CLIENT**

VERIFY [peptidetestcanada.ca/verify](https://peptidetestcanada.ca/verify)  
EMAIL [info@peptidetestcanada.ca](mailto:info@peptidetestcanada.ca)

**END CUSTOMER**


NAME **Korah Peptides**

## § 01 Sample Information

FOR RESEARCH PURPOSES ONLY

|             |                           |             |                                                                   |
|-------------|---------------------------|-------------|-------------------------------------------------------------------|
| Sample ID:  | <b>KP-0035</b>            | Received:   | <b>09/11/2026</b>                                                 |
| Compound:   | <b>Thymosin α1</b>        | Analyzed:   | <b>09/21/2026</b>                                                 |
| Lot Number: | <b>TYA10-482</b>          | CAS:        | <b>62304-98-7</b>                                                 |
| Total Mass: | <b>65.6 mg</b>            | Formula:    | <b>C<sub>129</sub>H<sub>215</sub>N<sub>33</sub>O<sub>55</sub></b> |
| Appearance: | <b>Lyophilized powder</b> | Mol Weight: | <b>3108.3 g/mol</b>                                               |

**SAMPLE PHOTOGRAPH**



## § 02 Analytical Results

*Qualitative and Quantitative chemical analysis by Liquid Chromatography Tandem Mass Spectrometry (HPLC-MS/MS)*

|                         | SPECIFICATION | RESULT      | STATUS |
|-------------------------|---------------|-------------|--------|
| Compound Test:          | Thymosin α1   | Thymosin α1 |        |
| Net Peptide Content:    | 10.00 mg      | 11.14 mg    |        |
| Peptide Fill Accuracy:  | ≥ 90 %        | 111.4 %     |        |
| Chromatographic Purity: | ≥ 98 %        | 99.6 %      |        |

**PASS**

**Peptide fill accuracy** is the measured net peptide content expressed as a percentage of the declared label claim (measured ÷ label claim × 100).

**Chromatographic purity** is the target peptide's concentration as a percentage of the total peptide concentration measured — the target peptide against the other trace peptides detected in the same sample. It reflects peptide-related impurities only; it does not measure salts, excipients, or water, and is separate from net peptide content (the actual mg of peptide). — means not determined.

## § 03 HPLC-MS/MS Detail


METHOD B · AGILENT 1290 INFINITY II + 6495 QQQ · ESI+

PRECURSOR [M+4H]<sup>4+</sup>

**777.60 Da**

Quantifier transition ● MRM

**777.60 > 316.10 CE 30 V**



| ROLE         | TRANSITION    | CE   |
|--------------|---------------|------|
| ● Quantifier | 777.6 > 316.1 | 30 V |

Agilent Poroshell 120 EC-C18 · 2.1×100 mm · 2.7 μm · Solvent A: 0.1 % formic acid in H<sub>2</sub>O · Solvent B: 0.1 % formic acid in Acetonitrile

**DISCLAIMER · RESEARCH USE ONLY**

Results relate **only to the sample as received** by Side-Chain Analytics Inc. and the tests performed, as and when received — not to any other unit, vial, lot, or batch, and not to any other product bearing the same name, label, or description. This report is not a verification of any lot or batch. **For research use only:** this report is not a certificate of quality, safety, efficacy, or regulatory compliance; the material tested is not authorized by Health Canada for human or veterinary use; and this report is not for human or veterinary administration, clinical or diagnostic use, or label claims. Side-Chain Analytics Inc. does not manufacture, source, or sell the material tested and makes **no warranty, express or implied**; its liability shall not exceed the testing fee. This report may not be reproduced except in full, and may not be reproduced, displayed, quoted, or referenced — in whole or in part, including by any badge, seal, or link — in connection with the advertising, offer for sale, sale, or distribution of any product. This certificate is valid only as currently shown at [sidechainanalytics.com/verify](https://sidechainanalytics.com/verify) and may be withdrawn.