Peptide Test Canada
peptidetestcanada.ca
Canada's Most Trusted Independent Peptide Testing Lab

Certificate of Analysis

SCAN TO VERIFY
PTC-GQ5RSN8S

Lab ID: **AMQ-028**

REPORTED September 20, 2026

CLIENT

VERIFY peptidetestcanada.ca/verify

EMAIL info@peptidetestcanada.ca

END CUSTOMER

NAME Matija-Skool.com/peptides

§ 01 Sample Information

FOR RESEARCH PURPOSES ONLY

Sample ID:	**AMQ-028**	Received:	**09/11/2026**
Compound:	**5-Amino-1MQ**	Analyzed:	**09/20/2026**
Report No.:	**COA-2026-SC-02882**	CAS:	**42464-96-0**
Total Mass:	**113.8 mg**	Formula:	**$C_{10}H_{11}N_2.I$**
Appearance:	**Lyophilized powder**	Mol Weight:	**286.1 g/mol**

SAMPLE PHOTOGRAPHY



§ 02 Analytical Results

Qualitative and Quantitative chemical analysis by Liquid Chromatography Tandem Mass Spectrometry (HPLC-MS/MS)

	SPECIFICATION	RESULT	STATUS
Compound Test:	5-Amino-1MQ	**5-Amino-1MQ**	**PASS**
Net Peptide Content:	50.00 mg	**63.42 mg**	
Peptide Fill Accuracy:	≥ 90 %	**126.8 %**	
Chromatographic Purity:	≥ 98 %	**99.8 %**	

Peptide fill accuracy is the measured net peptide content expressed as a percentage of the declared label claim (measured ÷ label claim × 100).

Chromatographic purity is the target peptide's concentration as a percentage of the total peptide concentration measured — the target peptide against the other trace peptides detected in the same sample. It reflects peptide-related impurities only; it does not measure salts, excipients, or water, and is separate from net peptide content (the actual mg of peptide). — means not determined.

§ 03 HPLC-MS/MS Detail


METHOD A · AGILENT 1290 INFINITY II + 6495 QQQ · ESI+

PRECURSOR [M+H]+

159.09 Da

Quantifier transition ● MRM

159.09 › 142.07 CE 28 V



ROLE	TRANSITION	CE
● Quantifier	159.1 › 142.1	28 V
■ Qualifier	159.1 › 132.1	28 V

Agilent Poroshell 120 EC-C18 · 2.1×100 mm · 2.7 µm · Solvent A: 0.1 % formic acid in H_2O · Solvent B: 0.1 % formic acid in Acetonitrile

Issued September 20, 2026

DISCLAIMER · RESEARCH USE ONLY

Results relate **only to the sample as received** by Side-Chain Analytics Inc. and the tests performed, as and when received — not to any other unit, vial, lot, or batch, and not to any other product bearing the same name, label, or description. This report is not a verification of any lot or batch. **For research use only**: this report is not a certificate of quality, safety, efficacy, or regulatory compliance; the material tested is not authorized by Health Canada for human or veterinary use; and this report is not for human or veterinary administration, clinical or diagnostic use, or label claims. Side-Chain Analytics Inc. does not manufacture, source, or sell the material tested and makes **no warranty, express or implied**; its liability shall not exceed the testing fee. This report may not be reproduced except in full, and may not be reproduced, displayed, quoted, or referenced — in whole or in part, including by any badge, seal, or link — in connection with the advertising, offer for sale, sale, or distribution of any product. This certificate is valid only as currently shown at sidechainanalytics.com/verify and may be withdrawn.

Issued September 20, 2026

TESTIDES
ANALYTICAL DATA AND RESEARCH SERVICES

Endotoxin Test Report

Bacterial endotoxins in the submitted 5-Amino-1MQ sample

REPORT NUMBER
PUR1-5AM-50-092226

GENERATED
October 06, 2026


5-Amino-1MQ

Bacterial endotoxin result

Sample vial tested on laboratory worksheet MC-02785 | Client report PUR1-5AM-50-092226

Laboratory Analysis: LAB-CA-02

Laboratory identity and applicable credentials are maintained by Testides and are available to regulatory authorities where required by law.

VIAL PHOTOGRAPH


SAMPLE INFORMATION	
Sample:	**5-Amino-1MQ**
Client ID:	**PUR1-5AM-50-092226**
Label claim:	**50mg**
Lot:	**Not stated**

ANALYSIS	
Test:	**Bacterial endotoxins**
Method:	**Gel-clot LAL**
Standard:	**USP <85>**
Replicates:	**2**

TEST DETAILS	
Tested:	**Sep 29, 2026**
Approved:	**Sep 30, 2026**
Incubation:	**37 °C**
Controls:	**Passed**

ENDOTOXIN RESULT

ENDOTOXIN	LABORATORY RESULT	LYSATE SENSITIVITY	CONTROLS
1.0 EU/mL	**Negative**	**0.125 EU/mL**	**Passed**
GEL-CLOT LAL, USP <85>	AS REPORTED BY THE LABORATORY	LABELLED (LAMBDA)	POSITIVE AND NEGATIVE

GEL-CLOT READINGS

Each replicate at each two-fold dilution of the sample solution: + firm gel, - no gel

Replicate	1/2	1/4	1/8	1/16	1/32	Endpoint
1	+	+	+	-	-	1/8
2	+	+	+	-	-	1/8

How the concentration is calculated

Endotoxin concentration = lysate sensitivity / mean endpoint = 0.125 EU/mL / 1/8 = 1.0 EU/mL. The mean endpoint is the geometric mean of the replicates' endpoints (the most dilute tube that gels).

Laboratory worksheet MC-02785, tested Sep 29, 2026, approved Sep 30, 2026. Lysate: PYROGENT 125 Plus lot DC0423. The positive control gelled and the negative control did not, as required.

ABOUT THE TEST

The bacterial endotoxins test detects endotoxin from Gram-negative bacteria with limulus amebocyte lysate (LAL), which forms a firm gel when endotoxin at or above the lysate's labelled sensitivity is present. The laboratory tested the sample solution in a two-fold dilution series (1/2 to 1/32) in 2 replicates; a tube that holds a firm gel when inverted is positive.

Each replicate's endpoint is the most dilute tube that gels, and the endotoxin concentration of the solution is the labelled sensitivity divided by the geometric mean of the endpoints. For the series to be valid a positive control (Escherichia coli O55:B5 Endotoxin) must gel and a negative control (endotoxin-free water) must not.

The report explains the measurement; it does not decide how a material should be used

Observed evidence
The laboratory's gel-clot readings of the sample solution at each dilution, with its controls.

Calculated result
The endotoxin concentration of the solution as tested, from the lysate's labelled sensitivity.

Laboratory result
Negative or positive as the laboratory reported it; Testides applies no limit of its own.

Safety and regulatory status
No conclusion on safety, efficacy, fitness for use, or regulatory status.

This analytical record does not authorize or endorse manufacture, sale, marketing, distribution, or use of the material.

The concentration is of the sample solution as the laboratory prepared and tested it; it is not converted to a quantity per vial or per milligram.