

SAMPLE IDENTIFICATION

Peptide:	NAD+	Date Requested:	N/A
Client:	Matija-Skool.com/peptides	Date Received:	Jul 13, 2026
Vendor:	PPHK	Date Tested:	Jul 31, 2026
Lot Number:	N/A	Date Reported:	Aug 13, 2026

HPLC-UV PURITY & CONTENT ANALYSIS

Expected Content	Mass	Purity	Fill Accuracy
1000.00 mg	988.00 mg	99.62%	98.8%




Fig. 1 - HPLC-UV Chromatogram at 214nm



Appearance

Appearance:	White Lyophilized Powder
Cap Color:	Black

BACTERIAL ENDOTOXIN TEST (USP <85>)

Method	Result	Specification	Verdict
Kinetic LAL (USP <85>)	< 0.125 EU/mL	<= 0.125 EU/mL	PASS

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

ANTIMICROBIAL TESTING (USP <2021>/<2022>)

Parameter	Method	Result	Specification	Verdict
Total Aerobic Microbial Count (TAMC)	USP <2021>	0 CFU/ml	< 10 CFU/mL	PASS
Total Yeast & Mold Count (TYMC)	USP <2022>	0 CFU/ml	< 10 CFU/mL	PASS

Overall: Pass / Sample meets specification

NOTES

1.(99.62%, 988.00mg), 2.(99.92%, 1041.68mg) 3. (99.91%, 1063.52mg)

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification