



Brand: Velocity Sim Racing Lounge

Status: Issued for Implementation

Date: 11th March, 2026

Version: VSM1.0.0

Velocity Sim Racing Lounge

VISUAL STANDARDS MANUAL

This Visual Standards Manual defines the precise geometric and chromatic parameters of Velocity Sim Racing Lounge's visual identity. It is a technical directive for the application of all visual assets across digital and physical environments. To maintain visual performance and integrity, all assets must be rendered according to the specifications documented herein.

Table of Contents



Section	Title
1.0	Identity Core
1.1	Master Logo
1.2	Logo Variants
1.3	Logo 'Dont's'
2.0	Colors
2.1	Color Palette and Color Systems
2.2	Accent Color Contextualization
2.3	Gradient Pairings
2.4	Prohibited Gradient Pairings
2.5	Monochromatic Logic
3.0	Typography
3.1	Typography System
3.2	Typography Rules
3.3	Dark vs Light vs Colored Variants
3.4	Short Statement Typography
3.5	Type as a Brand Shape
4.0	Layout and Shapes
4.1	Brand Grid System
4.2	Background Shapes: Circuits
4.3	Background Shapes: Swoosh
4.4	Background Shapes: Finish Line
5.0	Graphic Assets
5.1	Graphic Assets Index
6.0	Implementation
6.1	Digital and Physical Renderings

Section 1.0

IDENTITY CORE

Master Logo

Velocity Sim Racing Lounge is all about high speed racing. inspiration was drawn from the shapes of racing circuits.

- Namely:
- Line weight
 - Closed circuit
 - F1 racing helmet
 - Velocity V Logomark

The amalgamation of these 4 elements gave birth to Velocity's new logomark. Velocity didn't want to lose the original spirit of their V mark which is present on countless products and places across their locations and their social media presence.

The V mark was incorporated into the new design.



Logo Variants

Sometimes one lockup isn't enough for all applications. Provided are lockups for multiple applications to maintain legibility across the board, incase there is a need for them.



Small Central



Small Horizontal



Favicon <0.7cm - Dark



Favicon <0.7cm - Light



Large Central



High Contrast - Dark



High Contrast - Light

Logo 'Dont's'

Avoid these common logo usage mistakes to safeguard clarity and brand integrity.



Do not alter the aspect ratio.



Do not alter the aspect ratio.



Avoid low contrast applications



Do not mirror the logo.



Do not rotate the logomark.




Avoid low contrast applications



Do not place logo against high contrasting backgrounds



Do not place elements too close to the logo.








Avoid low contrast applications

Section 2.0

COLORS

Color Palette and Color Systems



The Velocity system utilizes a tripartite color structure to ensure layouts remain engineered, clean, and premium. Hierarchy is maintained through the 60-30-10 Rule.

A. Color Categories
Neutrals: Foundations for backgrounds and monochromatic layering.

Accent Colors: High-vibrancy tones for drawing attention to important elements.

Paragraph: Dedicated tones for technical data and legibility.

B. The 60-30-10 Ratio
60% Neutrals: The layout foundation. Prevents clutter and provides the "Negative Space" required for a high-fidelity aesthetic.

30% Secondary Accents: Supports structure and defines secondary UI components.

10% Primary Accent: Reserved for high-impact targets and primary branding.

Accent Colors



Primary Accent - 10%




Secondary Accent - 30%




Supportive - Logo and Accent Gradient




Neutrals: BG and Monochromatics




Backgrounds




Monochromatics



Gradient Pairings




Paragraph



Subhead and Paragraph Accent Gradient



Headings



Accent Color Contextualization


The application of the primary accent, **Digital Magenta** or the **Sector Red + Digital Magenta Gradient**, is strictly governed by environmental context. The primary function of the accent is **Optical Priority**. It is engineered to isolate critical information or assets from the background noise.

A. Digital Interface (UI) Application
In low-density digital environments (UI/UX), the accent must be used with high restraint. Its purpose is **Interaction Triggering**.

Objective: Direct the user's eye toward primary Call-to-Action (CTA) elements and critical data points.

B. Physical & Urban (Livery, Billboard, Bus Stand Posters, etc.) Application
In high-density physical environments (e.g., a neutral gray cityscape), the logic shifts toward **Maximum Visibility**.

Objective: To counteract desaturated urban backgrounds (concrete, asphalt, overcast sky), the accent color must be deployed in higher ratios.




Gradient Pairings

Velocity uses 3 primary gradient pairings shown on the right. Neutral gradient pairings are to be used in backgrounds, whereas accent gradient pairings are to be used with restraint in layouts but can be used as backgrounds in liveries and other high traffic areas with no brand context. (See “Accent Color Contextualization”)



Obsidian Core + Deep Indigo



Sector Red + Digital Magenta - Accent Gradient



Deep Indigo + Synthetic Blue - Accent Gradient

Prohibited Gradient Pairings

Following color pairings are prohibited in any scenario. Be it layout work, or setting up gradients. They either create a ‘muddy’ midpoint, or do not allow any text to be placed against them due to a hard transition from a shadow to a highlight.

An overview of prohibited color pairings:

Dark neutral + Light Neutrals

Reds + Yellow
Reds + Blues
Blues + Yellows

Paragraph colors (Slate Violet and Mist Grey) are strictly reserved for longform text and may never be used in gradients or any other brand applications.



Monochromatics and Opacity Logic

To maintain a streamlined color system and avoid palette bloat, Velocity utilizes a layering system based on transparency rather than additional hex codes. This ensures that UI elements and background surfaces remain adaptive and cohesive across all simulation environments.

For dark mode, we use Circuit White at a 4% opacity for setting up cards in UI cards and monochromatic applications.




For light mode, we use Obsidian Core at a 7% opacity to create a layering effect.

For layering over bright accent gradients:

Obsidian Core at a 7% opacity is used against the Sector Red + Digital Magenta gradient setup.

Circuit White at a 7% Opacity is used against the Synthetic Blue + Deep Indigo gradient setup.

Monochromatic layering must always use Core Colors (Obsidian or Circuit White) at the specified alpha percentages. Do not use mid-gray hex codes to simulate these layers. Using transparency allows the underlying brand colors to "bleed" through, maintaining a rich color harmony.



Section 3.0

TYPOGRAPHY

Typography System: Perfect Fourth (1.333)

The typography system is based on a perfect fourth scaling logic. The scaling ratio applied is 1.333. Which means, your base layer of 16pt (Body text) would be multiplied by 1.333 to get the size of heading 5.

This system creates clear visual priority and "loud" entry points. Bold, oversized headlines provide the impact, while a refined Inter-based body system ensures comfortable legibility across all digital touchpoints.

HEADING 1

Font: VSRL (All Caps)
Weight: Bold
Size: 90pt
Linespacing (Leading): 80pt

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Font: Inter
Weight: Semibold
Size: 16pt
Linespacing (Leading): 19.2pt

Heading 2

Font: VSRL
Weight: Bold
Size: 68pt
Linespacing (Leading): 80pt

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Font: Inter
Weight: Regular
Size: 16pt
Linespacing (Leading): 19.2pt

Heading 3

Font: VSRL
Weight: Semibold
Size: 51pt
Linespacing (Leading): 61pt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetuer
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

Font: Inter
Weight: Regular
Size: 12pt
Linespacing (Leading): 14.4pt

Heading 4

Font: VSRL
Weight: Semibold
Size: 38pt
Linespacing (Leading): 45pt

Button

Subheading 5

Heading 5

Font: VSRL
Weight: Medium
Size: 28pt
Linespacing (Leading): 33pt

Heading 6

Font: VSRL
Weight: Medium
Size: 21pt
Linespacing (Leading): 25pt

Typography Rules

For every application, it is vital to choose a suitable text alignment option. Left aligned text is always preferred over centrally aligned text.

If headings are left aligned, body text must always be left aligned. If headings are centre aligned, body text must not be left aligned. Do not mix alignment options.

For a centrally aligned heading, the body text may be centrally aligned but should not exceed 2 lines. If body text exceeds 2 lines, then the headings must be left aligned to match the body text.

Fineprint may be centrally aligned upto 2 lines, if exceeding 2 lines, fineprint must be left aligned.

Dont’s

Complex data heavy layouts must never be centre or right aligned. i.e. menus, documentation, text heavy brochures, etc.

Type must never be right aligned.

✓

HEADING 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

✓

HEADING 1

Heading 2

Body 1 - Bold text: Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam nonummy nibh

Body 1 - Paragraph: Lorem ipsum dolor sit amet,
consectetuer adipiscing elit, sed diam nonummy

✗

HEADING 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Body 1 - Bold text: Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam nonummy nibh

Body 1 - Paragraph: Lorem ipsum dolor sit amet,
consectetuer adipiscing elit, sed diam nonummy

Annotations and fine print: Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet

✗

HEADING 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

Dark, Light, and Colored Variants

Color: Apex Yellow

HEADING 1

Color: Circuit White

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Color: Mist Grey

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

Color: Digital Magenta

HEADING 1

Color: Synthetic Blue

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Color: Slate Violet

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

Color: Apex Yellow

HEADING 1

Color: Circuit White

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Color: Circuit White

Body 1 - Bold text
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed
diam nonummy nibh euismod

Body 1 - Paragraph
Lorem ipsum dolor sit amet, con-
sectetuer adipiscing elit, sed diam
nonummy nibh euismod tincidunt

Annotations and fine print
Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euis-
mod tincidunt ut laoreet dolore magna
aliquam erat volutpat. Ut wisi enim ad minim

Short Statement Typography

A. Heading 1 Structure
For high-impact marketing, use Heading 1 with a "Symmetrical Break" logic:

Length: 3–5 words total.

Format: Force a line jump at the midpoint.

Optical Balance: Both lines must appear roughly equal in width.

B. Colorway Decisiveness
Pairings are restricted based on existing layout density:

High-Density Layouts: Use Circuit White + Digital Magenta or Circuit White + Apex Yellow.

Low-Density Layouts: Apex Yellow + Digital Magenta is permitted over the primary Dark Mode background.

C. Visual Depth
Approved brand gradients may be applied to typography to increase visual interest, provided legibility against the background is maintained.

***THINK YOU'RE FAST?
RACE AT VELOCITY!***

Heading 1. Apex Yellow + Digital Magenta

***SPEED WITHOUT BRAKES
IS A RECIPE FOR DISASTER***

Heading 1. Synthetic Blue + Digital Magenta

***THINK YOU'RE FAST?
RACE AT VELOCITY!***

Heading 1. Circuit White + Digital Magenta

***SPEED WITHOUT BRAKES
IS A RECIPE FOR DISASTER***

Heading 1. Digital Magenta + Synthetic Blue

***THINK YOU'RE FAST?
RACE AT VELOCITY!***

Heading 1. Circuit White + Apex Yellow

***SPEED WITHOUT BRAKES
IS A RECIPE FOR DISASTER***

Heading 1. Digital Magenta + Sector Red Gradient (or Synthetic Blue + Deep Indigo)

Type as a Brand Shape

Can be utilized for short statements spanning 2 lines, the text in the bottom line is offset by 10 spaces. However, if the lines are too short, then the space may be reduced depending on the appearance. The same length and sizing rules apply from the Short Statement Typography section

These must always be used “Left Aligned” or “ Centre Aligned”.





*Short Statement
Typography*

Section 4.0

LAYOUTS AND SHAPES

Brand Grid System




A strong grid system allows for quick and clean layout work. 12 columns provide the versatility to scale from dense data HUDs to premium food and beverage menus.

A 12 column grid is divisible by 2, 3, 4, and 6, which allows it to be used in any application as it can be split in any number of ways and for any kind of layout complexity.

Gutter: 24px (Spacing between columns).

Margin: 64px (Layout outer margins).

Soft Grid: 8px (Internal padding for all clickable elements).



Brand Shapes: Circuits

When to use:
Areas with high brand context. i.e. Interior design, in-store media, website, social media.

How to use:
1- Monochromatics
Large scale applications in backgrounds. (Can be layered behind text).


Small scale applications within website card components.

Can bleed off layout edges.

1- Full Color
In-store interior design.
Images above cards.
T-shirt designs, accompanied by more Velocity branding (See stickers section).

Backgrounds. i.e. coming in from a corner to add visual interest to an otherwise empty layout. (must not infringe upon any other design elements’ space).

Can bleed off of layout edges.



Dark Full Color



Dark Background Monochromatics - Circuit White 7% Opacity



Light Full Color











Light Background Monochromatics: Obsidian Core 4% Opacity

Brand Shapes: Swoosh

When to use:
Areas with low brand context. I.e professional documentation. liveries, etc.

How to use:
Must bleed off edges of entire layout, ignoring the grid system, especially from the left (Widest vertical area).

- Color Pairing Rules:**
- Neutral + Neutral
 - Neutral + Accent
 - Neutral + Accent Gradient
 - Neutral + Monochromatics



Brand Shapes: Finish Line

When to use:
High or low brand-context applications.

How to use:
As a partial divider in layouts.
As a partial border around.
Neutral + Monochromatic may be used as a background for typography in accent colors.

- Color Pairing Rules:**
- Neutral + Neutral
 - Neutral + Accent
 - Neutral + Accent Gradient
 - Neutral + Monochromatics



Dark Neutral + Light Neutral



Dark Neutral + Accent



Light Neutral + Monochromatic



Light Neutral + Accent



Light Neutral + Accent Gradient



Light Neutral + Dark Neutral

Section 5.0

GRAPHIC ASSETS

Graphic Asset Index



Section 6.0

IMPLEMENTATION

Renderings





Renderings



Renderings



Renderings



Changelog

Version	Change	Date
VSM.1.0.0	Release	11.3.2026

Author: Fauzmann Design Company.
Produced for: Velocity Sim Racing Lounge

