```
020916369 ELMVH
07813686
4888155
06/21/2004 12:00:00 AM
s / p laparotomy TAHBSO resection uterine mass
DIS
Admission Date :
06/21/2004
Report Status :
Discharge Date :
06/26/2004
***** DISCHARGE ORDERS *****
SMUTHPIERNACKRHALT , IECIFA S.
668-10-81-1 E00
Room :
46D-880
Service :
OSS
DISCHARGE PATIENT ON :
06/26/04 AT 10:00 AM
CONTINGENT UPON
Not Applicable
WILL D / C ORDER BE USED AS THE D / C SUMMARY :
YES
Attending:
CHOL , TA GERRENO , M.D.
DISPOSITION :
Home
DISCHARGE MEDICATIONS :
COLACE ( DOCUSATE SODIUM ) 100 MG PO BID MOTRIN ( IBUPROFEN ) 600 MG PO Q8H
Food / Drug Interaction Instruction
Take with food DILAUDID ( HYDROMORPHONE HCL ) 6 MG PO Q3H PRN Pain
DIET :
House / Low chol / low sat. fat
ACTIVITY :
Walking as tolerated
Lift restrictions :
Do not lift greater then 5 pounds
FOLLOW UP APPOINTMENT ( S ):
Dr. Chol 150-512-4256 1-2 weeks ,
ALLERGY :
NKA ADMIT DIAGNOSIS :
s / p Laparotomy , TAH , BSO , resection uterine mass
PRINCIPAL DISCHARGE DIAGNOSIS ;
Responsible After Study for Causing Admission ) s / p laparotomy TAHBSO resectio
n uterine mass
OTHER DIAGNOSIS ;
Conditions , Infections , Complications , affecting Treatment / Stay
OPERATIONS AND PROCEDURES :
06/21/04 CHOL , TA GERRENO , M.D. RESECTION ABD .
TUMOR SUPRACERVICAL HYSTERECTOMY , BSO
OTHER TREATMENTS / PROCEDURES ( NOT IN O.R. )
none
BRIEF RESUME OF HOSPITAL COURSE :
Pt is a 42-year-old woman who was diagnosed with an intraabdominal mass .
Pelvic ultrasound suggested that she actually had two separate masses possibly o
f uterine origin .
An image-guided biopsy confirmed that this was a smooth muscle neoplasm .
Pt underwent procedure without complication .
```

Post-operatively , pain was well controlled with epidural , pt ambulated with mi nimal assistance , and tolerated clear liquids by POD1 .

Pt passed flatus POD3 and was started on oral analgesia , full diet , and foley was removed without difficulty .

Pt initially had difficulty transitioning to oral analgesia but achieved better pain control once regimen was optimized .

Pt was voiding , ambulating and eating without difficulty therefore on POD5 she was discharged home in stable condition with plans to follow up with Dr. Chol in 1--2 weeks .

ADDITIONAL COMMENTS :

If fevers , chills , nausea , vomiting , diarrhea , inreasing abdomina l pain / distention , vaginal bleeding , mass in vagina , increasing redness / swelling/d ischarge from incision , please call Dr. Chol ' soffice or proceed to ER for evaluation .

Please do not drink alcohol or drive while taking narcotics .

OK to shower but do not scrub the incision or submerge in water until after foll ow up appointment .

No heavy lifting or strenuous exercise until after follow up .

DISCHARGE CONDITION :

Stable

TO DO / PLAN :

Follow uo Dr. Chol in 1-2 weeks

No dictated summary

ENTERED BY :

DUHEMEED , RISRICK YOUSTI (SY29) 06/26/04 09:59 AM

***** END OF DISCHARGE ORDERS *****

[report_end]