


name	p1	p2	units	scale
X0LC	10	5	11	0.06
Y0LC	0	11	123	1.00
Y0LC	10	3	105	1.00
Y0LC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	1	0	148	1.00
XSHL	5	4	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	24	25	423	1.00
YSVL	27	26	423	1.00




de	X0LC293	0434	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>X0LC</td><td>10</td><td>5</td><td>586</td><td>3.45</td></tr><tr><td>Y0LC</td><td>0</td><td>11</td><td>123</td><td>1.00</td></tr><tr><td>Y0LC</td><td>10</td><td>3</td><td>105</td><td>1.00</td></tr><tr><td>Y0LC</td><td>22</td><td>25</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>12</td><td>9</td><td>409</td><td>1.00</td></tr><tr><td>YTLC</td><td>22</td><td>2</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>1</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>5</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>1</td><td>2</td><td>80</td><td>1.00</td></tr><tr><td>YSHL</td><td>4</td><td>3</td><td>80</td><td>1.00</td></tr><tr><td>XSVL</td><td>24</td><td>23</td><td>92</td><td>1.00</td></tr><tr><td>XSVL</td><td>20</td><td>27</td><td>92</td><td>1.00</td></tr><tr><td>YSVL</td><td>24</td><td>25</td><td>423</td><td>1.00</td></tr><tr><td>YSVL</td><td>27</td><td>26</td><td>423</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	X0LC	10	5	586	3.45	Y0LC	0	11	123	1.00	Y0LC	10	3	105	1.00	Y0LC	22	25	105	1.00	XTLC	12	9	409	1.00	YTLC	22	2	1000	1.00	XSHL	1	0	148	1.00	XSHL	5	4	148	1.00	YSHL	1	2	80	1.00	YSHL	4	3	80	1.00	XSVL	24	23	92	1.00	XSVL	20	27	92	1.00	YSVL	24	25	423	1.00	YSVL	27	26	423	1.00
name	p1	p2	units	scale																																																																										
X0LC	10	5	586	3.45																																																																										
Y0LC	0	11	123	1.00																																																																										
Y0LC	10	3	105	1.00																																																																										
Y0LC	22	25	105	1.00																																																																										
XTLC	12	9	409	1.00																																																																										
YTLC	22	2	1000	1.00																																																																										
XSHL	1	0	148	1.00																																																																										
XSHL	5	4	148	1.00																																																																										
YSHL	1	2	80	1.00																																																																										
YSHL	4	3	80	1.00																																																																										
XSVL	24	23	92	1.00																																																																										
XSVL	20	27	92	1.00																																																																										
YSVL	24	25	423	1.00																																																																										
YSVL	27	26	423	1.00																																																																										
30	1619	70	WLRPCA																																																																											

de

XSHL124

0434

name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	1	0	248	1.68
XSHL	5	4	248	1.68
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	24	25	423	1.00
YSVL	27	26	423	1.00



-70


1203

-30

WLRPCA U


de	XSHL0	0434	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>10</td><td>5</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>0</td><td>11</td><td>123</td><td>1.00</td></tr><tr><td>YOLC</td><td>10</td><td>3</td><td>105</td><td>1.00</td></tr><tr><td>YOLC</td><td>22</td><td>25</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>12</td><td>9</td><td>409</td><td>1.00</td></tr><tr><td>YTLC</td><td>22</td><td>2</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>1</td><td>0</td><td>0</td><td>0.00</td></tr><tr><td>XSHL</td><td>5</td><td>4</td><td>0</td><td>0.00</td></tr><tr><td>YSHL</td><td>1</td><td>2</td><td>80</td><td>1.00</td></tr><tr><td>YSHL</td><td>4</td><td>3</td><td>80</td><td>1.00</td></tr><tr><td>XSVL</td><td>24</td><td>23</td><td>92</td><td>1.00</td></tr><tr><td>XSVL</td><td>20</td><td>27</td><td>92</td><td>1.00</td></tr><tr><td>YSVL</td><td>24</td><td>25</td><td>423</td><td>1.00</td></tr><tr><td>YSVL</td><td>27</td><td>26</td><td>423</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	10	5	170	1.00	YOLC	0	11	123	1.00	YOLC	10	3	105	1.00	YOLC	22	25	105	1.00	XTLC	12	9	409	1.00	YTLC	22	2	1000	1.00	XSHL	1	0	0	0.00	XSHL	5	4	0	0.00	YSHL	1	2	80	1.00	YSHL	4	3	80	1.00	XSVL	24	23	92	1.00	XSVL	20	27	92	1.00	YSVL	24	25	423	1.00	YSVL	27	26	423	1.00
name	p1	p2	units	scale																																																																										
XOLC	10	5	170	1.00																																																																										
YOLC	0	11	123	1.00																																																																										
YOLC	10	3	105	1.00																																																																										
YOLC	22	25	105	1.00																																																																										
XTLC	12	9	409	1.00																																																																										
YTLC	22	2	1000	1.00																																																																										
XSHL	1	0	0	0.00																																																																										
XSHL	5	4	0	0.00																																																																										
YSHL	1	2	80	1.00																																																																										
YSHL	4	3	80	1.00																																																																										
XSVL	24	23	92	1.00																																																																										
XSVL	20	27	92	1.00																																																																										
YSVL	24	25	423	1.00																																																																										
YSVL	27	26	423	1.00																																																																										
74	1203	169	WLRPCA U																																																																											

XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	409	1.00
YTLC	22	2	1000	1.00
XSHL	1	0	148	1.00
XSHL	5	4	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	294	3.20
XSVL	20	27	294	3.20
YSVL	24	25	423	1.00
YSVL	27	26	423	1.00




de	XSVL0	0434	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>10</td><td>5</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>0</td><td>11</td><td>123</td><td>1.00</td></tr><tr><td>YOLC</td><td>10</td><td>3</td><td>105</td><td>1.00</td></tr><tr><td>YOLC</td><td>22</td><td>25</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>12</td><td>9</td><td>409</td><td>1.00</td></tr><tr><td>YTLC</td><td>22</td><td>2</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>1</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>5</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>1</td><td>2</td><td>80</td><td>1.00</td></tr><tr><td>YSHL</td><td>4</td><td>3</td><td>80</td><td>1.00</td></tr><tr><td>XSVL</td><td>24</td><td>23</td><td>0</td><td>0.00</td></tr><tr><td>XSVL</td><td>20</td><td>27</td><td>0</td><td>0.00</td></tr><tr><td>YSVL</td><td>24</td><td>25</td><td>423</td><td>1.00</td></tr><tr><td>YSVL</td><td>27</td><td>26</td><td>423</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	10	5	170	1.00	YOLC	0	11	123	1.00	YOLC	10	3	105	1.00	YOLC	22	25	105	1.00	XTLC	12	9	409	1.00	YTLC	22	2	1000	1.00	XSHL	1	0	148	1.00	XSHL	5	4	148	1.00	YSHL	1	2	80	1.00	YSHL	4	3	80	1.00	XSVL	24	23	0	0.00	XSVL	20	27	0	0.00	YSVL	24	25	423	1.00	YSVL	27	26	423	1.00
name	p1	p2	units	scale																																																																										
XOLC	10	5	170	1.00																																																																										
YOLC	0	11	123	1.00																																																																										
YOLC	10	3	105	1.00																																																																										
YOLC	22	25	105	1.00																																																																										
XTLC	12	9	409	1.00																																																																										
YTLC	22	2	1000	1.00																																																																										
XSHL	1	0	148	1.00																																																																										
XSHL	5	4	148	1.00																																																																										
YSHL	1	2	80	1.00																																																																										
YSHL	4	3	80	1.00																																																																										
XSVL	24	23	0	0.00																																																																										
XSVL	20	27	0	0.00																																																																										
YSVL	24	25	423	1.00																																																																										
YSVL	27	26	423	1.00																																																																										
60	1203	91	WLRPCA U																																																																											


de	XTLC42	0434	name	p1	p2	units	scale
			XOLC	10	5	170	1.00
			YOLC	0	11	123	1.00
			YOLC	10	3	105	1.00
			YOLC	22	25	105	1.00
			XTLC	12	9	25	0.06
			YTLC	22	2	1000	1.00
			XSHL	1	0	148	1.00
			XSHL	5	4	148	1.00
			YSHL	1	2	80	1.00
			YSHL	4	3	80	1.00
			XSVL	24	23	92	1.00
			XSVL	20	27	92	1.00
			YSVL	24	25	423	1.00
			YSVL	27	26	423	1.00




name	p1	p2	units	scale
XOLC	10	5	170	1.00
YOLC	0	11	123	1.00
YOLC	10	3	105	1.00
YOLC	22	25	105	1.00
XTLC	12	9	854	2.09
YTLC	22	2	1000	1.00
XSHL	1	0	148	1.00
XSHL	5	4	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	24	25	423	1.00
YSVL	27	26	423	1.00




X0LC	10	5	170	1.00
Y0LC	0	11	316	2.57
Y0LC	10	3	294	2.80
Y0LC	22	25	319	3.04
XTLC	12	9	312	0.76
YTLC	22	2	1000	1.00
XSHL	1	0	148	1.00
XSHL	5	4	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	24	25	637	1.51
YSVL	27	26	637	1.51




name	p1	p2	units	scale
X0LC	10	5	170	1.00
Y0LC	0	11	14	0.11
Y0LC	10	3	7	0.07
Y0LC	22	25	7	0.07
XTLC	12	9	409	1.00
YTLC	22	2	953	0.95
XSHL	1	0	147	0.99
XSHL	5	4	148	1.00
YSHL	1	2	80	1.00
YSHL	4	3	80	1.00
XSVL	24	23	92	1.00
XSVL	20	27	92	1.00
YSVL	24	25	325	0.77
YSVL	27	26	325	0.77





[illegible]



de	YSVL40	0434	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>10</td><td>5</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>0</td><td>11</td><td>123</td><td>1.00</td></tr><tr><td>YOLC</td><td>10</td><td>3</td><td>105</td><td>1.00</td></tr><tr><td>YOLC</td><td>22</td><td>25</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>12</td><td>9</td><td>409</td><td>1.00</td></tr><tr><td>YTLC</td><td>22</td><td>2</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>1</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>5</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>1</td><td>2</td><td>80</td><td>1.00</td></tr><tr><td>YSHL</td><td>4</td><td>3</td><td>80</td><td>1.00</td></tr><tr><td>XSVL</td><td>24</td><td>23</td><td>173</td><td>1.88</td></tr><tr><td>XSVL</td><td>20</td><td>27</td><td>173</td><td>1.88</td></tr><tr><td>YSVL</td><td>24</td><td>25</td><td>105</td><td>0.25</td></tr><tr><td>YSVL</td><td>27</td><td>26</td><td>105</td><td>0.25</td></tr></table>	name	p1	p2	units	scale	XOLC	10	5	170	1.00	YOLC	0	11	123	1.00	YOLC	10	3	105	1.00	YOLC	22	25	105	1.00	XTLC	12	9	409	1.00	YTLC	22	2	1000	1.00	XSHL	1	0	148	1.00	XSHL	5	4	148	1.00	YSHL	1	2	80	1.00	YSHL	4	3	80	1.00	XSVL	24	23	173	1.88	XSVL	20	27	173	1.88	YSVL	24	25	105	0.25	YSVL	27	26	105	0.25
name	p1	p2	units	scale																																																																										
XOLC	10	5	170	1.00																																																																										
YOLC	0	11	123	1.00																																																																										
YOLC	10	3	105	1.00																																																																										
YOLC	22	25	105	1.00																																																																										
XTLC	12	9	409	1.00																																																																										
YTLC	22	2	1000	1.00																																																																										
XSHL	1	0	148	1.00																																																																										
XSHL	5	4	148	1.00																																																																										
YSHL	1	2	80	1.00																																																																										
YSHL	4	3	80	1.00																																																																										
XSVL	24	23	173	1.88																																																																										
XSVL	20	27	173	1.88																																																																										
YSVL	24	25	105	0.25																																																																										
YSVL	27	26	105	0.25																																																																										
38	1203	78	WLRPCA U																																																																											

