





name	p1	p2	units	scale
X0LC	4	17	11	0.06
Y0LC	14	11	105	1.00
XTLC	8	4	278	1.00
XTLC	17	13	278	1.00
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	100	1.00
XSVL	13	12	100	1.00
YSVL	9	10	338	1.00
YSVL	12	11	338	1.00




te	XSHL124	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>278</td><td>1.00</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>278</td><td>1.00</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>248</td><td>1.68</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>248</td><td>1.68</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>-80</td><td>1.00</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>-80</td><td>1.00</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>100</td><td>1.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>100</td><td>1.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	278	1.00	XTLC	17	13	278	1.00	YTLC	2	10	1000	1.00	XSHL	3	4	248	1.68	XSHL	17	0	248	1.68	YSHL	3	2	-80	1.00	YSHL	0	1	-80	1.00	XSVL	9	8	100	1.00	XSVL	13	12	100	1.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	278	1.00																																																																					
XTLC	17	13	278	1.00																																																																					
YTLC	2	10	1000	1.00																																																																					
XSHL	3	4	248	1.68																																																																					
XSHL	17	0	248	1.68																																																																					
YSHL	3	2	-80	1.00																																																																					
YSHL	0	1	-80	1.00																																																																					
XSVL	9	8	100	1.00																																																																					
XSVL	13	12	100	1.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
60	1046	60	WLRPCAU																																																																						


te	XSHL0	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>278</td><td>1.00</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>278</td><td>1.00</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>0</td><td>0.00</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>0</td><td>0.00</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>-80</td><td>1.00</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>-80</td><td>1.00</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>100</td><td>1.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>100</td><td>1.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	278	1.00	XTLC	17	13	278	1.00	YTLC	2	10	1000	1.00	XSHL	3	4	0	0.00	XSHL	17	0	0	0.00	YSHL	3	2	-80	1.00	YSHL	0	1	-80	1.00	XSVL	9	8	100	1.00	XSVL	13	12	100	1.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	278	1.00																																																																					
XTLC	17	13	278	1.00																																																																					
YTLC	2	10	1000	1.00																																																																					
XSHL	3	4	0	0.00																																																																					
XSHL	17	0	0	0.00																																																																					
YSHL	3	2	-80	1.00																																																																					
YSHL	0	1	-80	1.00																																																																					
XSVL	9	8	100	1.00																																																																					
XSVL	13	12	100	1.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
60	1046	60	WLRPCAU																																																																						

name	p1	p2	units	scale
XOLC	4	17	170	1.00
YOLC	14	11	105	1.00
XTLC	8	4	138	0.50
XTLC	17	13	138	0.50
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	302	3.02
XSVL	13	12	302	3.02
YSVL	9	10	338	1.00
YSVL	12	11	338	1.00



te	XSVL0	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>348</td><td>1.25</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>348</td><td>1.25</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>-80</td><td>1.00</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>-80</td><td>1.00</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>0</td><td>0.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>0</td><td>0.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	348	1.25	XTLC	17	13	348	1.25	YTLC	2	10	1000	1.00	XSHL	3	4	148	1.00	XSHL	17	0	148	1.00	YSHL	3	2	-80	1.00	YSHL	0	1	-80	1.00	XSVL	9	8	0	0.00	XSVL	13	12	0	0.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	348	1.25																																																																					
XTLC	17	13	348	1.25																																																																					
YTLC	2	10	1000	1.00																																																																					
XSHL	3	4	148	1.00																																																																					
XSHL	17	0	148	1.00																																																																					
YSHL	3	2	-80	1.00																																																																					
YSHL	0	1	-80	1.00																																																																					
XSVL	9	8	0	0.00																																																																					
XSVL	13	12	0	0.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
90	1046	90	WLRPCAU																																																																						

te	XTLC42	0442	name	p1	p2	units	scale
			XOLC	4	17	170	1.00
			YOLC	14	11	105	1.00
			XTLC	8	4	17	0.06
			XTLC	17	13	17	0.06
			YTLC	2	10	1000	1.00
			XSHL	3	4	148	1.00
			XSHL	17	0	148	1.00
			YSHL	3	2	-80	1.00
			YSHL	0	1	-80	1.00
			XSVL	9	8	100	1.00
			XSVL	13	12	100	1.00
			YSVL	9	10	338	1.00
			YSVL	12	11	338	1.00




te

XTLC500

0442

name	p1	p2	units	scale
XOLC	4	17	170	1.00
YOLC	14	11	105	1.00
XTLC	8	4	580	2.09
XTLC	17	13	580	2.09
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	100	1.00
XSVL	13	12	100	1.00
YSVL	9	10	338	1.00
YSVL	12	11	338	1.00




60

1650


60


WLRPCAU


name	p1	p2	units	scale
X0LC	4	17	170	1.00
Y0LC	14	11	319	3.04
XTLC	8	4	278	1.00
XTLC	17	13	278	1.00
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	100	1.00
XSVL	13	12	100	1.00
YSVL	9	10	552	1.63
YSVL	12	11	552	1.63




name	p1	p2	units	scale
X0LC	4	17	170	1.00
Y0LC	14	11	3	0.03
XTLC	8	4	278	1.00
XTLC	17	13	278	1.00
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	100	1.00
XSVL	13	12	100	1.00
YSVL	9	10	288	0.85
YSVL	12	11	288	0.85




te	YSHL0	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>278</td><td>1.00</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>278</td><td>1.00</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>0</td><td>-0.00</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>0</td><td>-0.00</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>100</td><td>1.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>100</td><td>1.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	278	1.00	XTLC	17	13	278	1.00	YTLC	2	10	1000	1.00	XSHL	3	4	148	1.00	XSHL	17	0	148	1.00	YSHL	3	2	0	-0.00	YSHL	0	1	0	-0.00	XSVL	9	8	100	1.00	XSVL	13	12	100	1.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	278	1.00																																																																					
XTLC	17	13	278	1.00																																																																					
YTLC	2	10	1000	1.00																																																																					
XSHL	3	4	148	1.00																																																																					
XSHL	17	0	148	1.00																																																																					
YSHL	3	2	0	-0.00																																																																					
YSHL	0	1	0	-0.00																																																																					
XSVL	9	8	100	1.00																																																																					
XSVL	13	12	100	1.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
60	1046	60	WLRPCA U																																																																						

te	YSHL140	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>278</td><td>1.00</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>278</td><td>1.00</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>1000</td><td>1.00</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>-280</td><td>3.50</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>-280</td><td>3.50</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>100</td><td>1.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>100</td><td>1.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	278	1.00	XTLC	17	13	278	1.00	YTLC	2	10	1000	1.00	XSHL	3	4	148	1.00	XSHL	17	0	148	1.00	YSHL	3	2	-280	3.50	YSHL	0	1	-280	3.50	XSVL	9	8	100	1.00	XSVL	13	12	100	1.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	278	1.00																																																																					
XTLC	17	13	278	1.00																																																																					
YTLC	2	10	1000	1.00																																																																					
XSHL	3	4	148	1.00																																																																					
XSHL	17	0	148	1.00																																																																					
YSHL	3	2	-280	3.50																																																																					
YSHL	0	1	-280	3.50																																																																					
XSVL	9	8	100	1.00																																																																					
XSVL	13	12	100	1.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
60	1046	60	WLRPCA U																																																																						


name	p1	p2	units	scale
XOLC	4	17	170	1.00
YOLC	14	11	105	1.00
XTLC	8	4	278	1.00
XTLC	17	13	278	1.00
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	100	1.00
XSVL	13	12	100	1.00
YSVL	9	10	438	1.30
YSVL	12	11	438	1.30



name	p1	p2	units	scale
XOLC	4	17	170	1.00
YOLC	14	11	105	1.00
XTLC	8	4	232	0.83
XTLC	17	13	232	0.83
YTLC	2	10	1000	1.00
XSHL	3	4	148	1.00
XSHL	17	0	148	1.00
YSHL	3	2	-80	1.00
YSHL	0	1	-80	1.00
XSVL	9	8	146	1.46
XSVL	13	12	146	1.46
YSVL	9	10	105	0.31
YSVL	12	11	105	0.31



te	YTLC594	0442	name	p1	p2	units	scale
			XOLC	4	17	170	1.00
			YOLC	14	11	105	1.00
			XTLC	8	4	278	1.00
			XTLC	17	13	278	1.00
			YTLC	2	10	1168	1.17
			XSHL	3	4	148	1.00
			XSHL	17	0	148	1.00
			YSHL	3	2	-80	1.00
			YSHL	0	1	-80	1.00
			XSVL	9	8	100	1.00
			XSVL	13	12	100	1.00
			YSVL	9	10	338	1.00
			YSVL	12	11	338	1.00

te	YTLC436	0442	<table><tr><th>name</th><th>p1</th><th>p2</th><th>units</th><th>scale</th></tr><tr><td>XOLC</td><td>4</td><td>17</td><td>170</td><td>1.00</td></tr><tr><td>YOLC</td><td>14</td><td>11</td><td>105</td><td>1.00</td></tr><tr><td>XTLC</td><td>8</td><td>4</td><td>278</td><td>1.00</td></tr><tr><td>XTLC</td><td>17</td><td>13</td><td>278</td><td>1.00</td></tr><tr><td>YTLC</td><td>2</td><td>10</td><td>852</td><td>0.85</td></tr><tr><td>XSHL</td><td>3</td><td>4</td><td>148</td><td>1.00</td></tr><tr><td>XSHL</td><td>17</td><td>0</td><td>148</td><td>1.00</td></tr><tr><td>YSHL</td><td>3</td><td>2</td><td>-80</td><td>1.00</td></tr><tr><td>YSHL</td><td>0</td><td>1</td><td>-80</td><td>1.00</td></tr><tr><td>XSVL</td><td>9</td><td>8</td><td>100</td><td>1.00</td></tr><tr><td>XSVL</td><td>13</td><td>12</td><td>100</td><td>1.00</td></tr><tr><td>YSVL</td><td>9</td><td>10</td><td>338</td><td>1.00</td></tr><tr><td>YSVL</td><td>12</td><td>11</td><td>338</td><td>1.00</td></tr></table>	name	p1	p2	units	scale	XOLC	4	17	170	1.00	YOLC	14	11	105	1.00	XTLC	8	4	278	1.00	XTLC	17	13	278	1.00	YTLC	2	10	852	0.85	XSHL	3	4	148	1.00	XSHL	17	0	148	1.00	YSHL	3	2	-80	1.00	YSHL	0	1	-80	1.00	XSVL	9	8	100	1.00	XSVL	13	12	100	1.00	YSVL	9	10	338	1.00	YSVL	12	11	338	1.00
name	p1	p2	units	scale																																																																					
XOLC	4	17	170	1.00																																																																					
YOLC	14	11	105	1.00																																																																					
XTLC	8	4	278	1.00																																																																					
XTLC	17	13	278	1.00																																																																					
YTLC	2	10	852	0.85																																																																					
XSHL	3	4	148	1.00																																																																					
XSHL	17	0	148	1.00																																																																					
YSHL	3	2	-80	1.00																																																																					
YSHL	0	1	-80	1.00																																																																					
XSVL	9	8	100	1.00																																																																					
XSVL	13	12	100	1.00																																																																					
YSVL	9	10	338	1.00																																																																					
YSVL	12	11	338	1.00																																																																					
																																																																									
60	1046	60	WLRPCA U																																																																						