AGENTIC CODING CLAUDE CODE I



Build Production-Grade Enterprise Apps

AGENDA

Install Claude Code

Install Git, Cloud Code (CC), Bun, and VS Code.

Create a Project

Create a project directory with a Next.js app and ask CC to explain its functionality.

Create a .env File with an API Key

Create a .env file containing your Anthropic API key so the UIGen app can generate React components.

Configure Claude Code

Run `/config` to configure CC and `/model` to select the AI model to use.

Sessions and Context

Run `/context` to manage the context window for the current session and `/clear` to start a new session.

Permissions

Control whether Claude asks your approval before editing files or running commands.


Docker Sandboxes

Docker sandboxes provide disposable, isolated environments for coding agents, so your host machine remains untouched.

Commands Review


Review of commands discussed in this session.

INSTALL CLAUDE CODE




- Install Git at git-scm.com/install/ if you don't have it already.
- Run **irm https://claude.ai/install.ps1 | iex** in Windows PowerShell to install Claude Code. (Refer to code.claude.com/docs/en/overview.)
- Run **claude -help** to ensure Claude Code is installed properly.
- Subscribe to the Claude Pro plan at $22/month.
- Run **claude** to start Claude Code in Windows PowerShell.
- Choose the **Claude account with a subscription**.
- You are logged in. Press **Enter** to continue.
- Install Visual Studio Code at code.visualstudio.com/Download and install Claude Code for VS Code.
- Run **powershell -c "irm bun.sh/install.ps1|iex"** to install Bun.
- Make sure Bun is added to the PATH.

CREATE A PROJECT




- Create a project directory.
- Launch **claude** in the project dir **C:\Users\your_name\ClaudeCode**.
- Download **uigen.zip** from https://anthropic.skilljar.com/claude-code-in-action/301615. and extract it as a subdirectory of your project directory.
- Ensure you have Node.js installed locally. In the project directory, **run npm run setup** to install dependencies and set up a local SQLite database.
- Run **$ PORT=3008 bun run dev** to start the dev server on port 3008 with Bun.
- Claude Code finds that the project is in the **uigen** subdirectory.
- Ask Claude Code: **Explore the uigen codebase and tell me about its functionality**.
- Claude Code answers that **UIGen is an AI-powered React component generator with a live preview, and gives details of its core loop, key features, and data model**.

CREATE A .ENV FILE WITH AN API KEY




- **Create a .env file with your Anthropic API key so the UIGen app actually generates React components.**
  - **Ask Claude: Why should I create a .env file with an API key for the UIGen app to generate React components?**
  - **It answers: The component generation is an LLM inference call that runs on Anthropic's servers, and those calls are authenticated and metered/billed per token. The API key is how Anthropic identifies and bills your account.**
- **Get an API key at https://platform.claude.com/settings/keys.**
- **Once you've created a key, set it up for UIGen: cd C:\Users\your_name\ClaudeCode\uigen"ANTHROPIC_API_KEY=sk-ant-your-actual-key-here" | Out-File -FilePath .env -Encoding utf8; npm run dev.**
- **This creates C:\Users\your_name\ClaudeCode\uigen\.env with your ANTHROPIC_API_KEY.**
- **Now start the UIGen app to pick up the key: Run ! cd C:\Users\ your_name\ClaudeCode\uigen; npm run dev.**
- **Open http://localhost:3000 in your browser.**
- **Submit a prompt: Create a button named "Start the Course".**



CONFIGURE CLAUDE CODE


- **Start Windows PowerShell.**
- **Run cd Users\ your_name\ClaudeCode.**
- **Run claude.**
- **Run /config to view and modify configuration options.**
- **Use arrow keys to move to Theme and enter to select an option.**
- **Enter to confirm the selection or escape to cancel and close the menu.**
- **Run /model to choose the AI model you want to use from Sonnet, Opus, and Haiku.**

SESSIONS AND CONTEXT




- **Run /context to view and manage what files and content are loaded into Claude's context window for the current session.**
  - **The context window has a limited size.**
  - **If you run out of space, Claude Code will compact the conversation: It will generate a summary of the conversation, including some instructions (for itself) on how to proceed once the compaction process is over.**
  - **Some details from the conversation will get lost.**
- **Run /clear to start a new session with an empty context window.**
- **Run /resume to return to a previous session.**
- **Run /rewind to rewind (undo) to an earlier point in the conversation, same as ESC + ESC.**
- **Run /usage to view how much of your plan's quota you've consumed in the current billing period.**

PERMISSIONS




- CC asks you for permission for a file edit (or a git add, a git commit, and so on).
- You may choose **yes** to grant the permission once or choose the second option to permanently grant this permission.
- You can hit **Shift-Tab** to switch from the default mode to the accept edits mode to automatically accept file edits in your project.

DOCKER SANDBOXES



- **Install Windows Subsystem for Linux by running wsl -install in Windows PowerShell if you don't have it already.**
- **Install Docker Desktop on Windows at https://docs.docker.com/desktop/setup/install/windows-install if you don't have it already.**
- **Run docker --version to ensure that Docker is installed successfully.**
- **Run docker sandbox run claude to run the CC project in a Docker sandbox (in Bypass Permission mode).**
  - **Docker sandboxes provide disposable, isolated environments purpose-built for coding agents.**
  - **Each agent runs in an isolated version of your development environment, so when it installs packages, modifies configurations, deletes files, or runs Docker containers, your host machine remains untouched.**

COMMANDS REVIEW



- **claude => Start a new Claude Code session.**
- **ESC => Cancel the current generation in Claude Code.**
- **ESC + ESC => Restore the code prior to the last action.**
- **ARROW keys => Cycle through options.**
- **/help => List available commands and get usage help.**
- **/model => Choose the active model for the current session.**
- **/clear => Clear session context window (i.e., start a new session).**
- **/compact => Compact (summarize) the current session context history and clear it thereafter.**
- **/config => Open interactive settings menu.**
- **/context => View statistics about current context window & context usage.**
- **/usage => View current usage for your active plan.**
- **/rewind => Rewind (undo) to an earlier point in the conversation, same as ESC + ESC.**
- **/permissions => View and update/change permissions.**
- **docker sandbox run claude => Run the CC project in a Docker sandbox.**

THANK YOU

Dr. June Sung Park

june@kosta-online.com

www.kosta-online.com