

Use Cases and state of the App

Verified against the current source: `App.tsx` route table, `NavBar` navigation, 37 migration files, and the existence or absence of every file cited. Items marked **verified live** were additionally exercised in a running app against the database, signed in as that role.

Status key ■ works • ■ present, not behaviourally verified • ■ broken • ■ not built • ■ removed by design

Persona: Coach

(primary user)

	Use case	Status	Evidence
C1	Sign up, onboard, pick club/team/role	■	Verified live on a fresh account: <code>provision_my_profile</code> wrote <code>profiles</code> + <code>coach_details</code> (club, team, role) and auto-generated a unique <code>invite_code</code> in one atomic call
C2	Add a player to my squad manually	■	<code>CoachAddPlayer</code> inserts <code>squad_players</code> ; RLS correct
C3	View my squad	■	<code>CoachSquadPage</code>
C4	Assess a player on 6 sliders → band	■	<code>CoachAssess</code> ; <code>coach_rating</code> is a generated column; RLS correct
C5	View a player's assessment history	■	<code>CoachPlayerProfilePage</code>
C6	Log a training/match session	■	<code>coach_sessions</code> ; RLS correct
C7	Log a match on behalf of a player	■	<code>log_match_for_player</code> SECURITY DEFINER RPC, used by <code>CoachQuickMatchLog</code> and <code>CoachAddSession</code> . This is now the only path a match enters the system
C8	Share my TRK-XXXX code to connect a player	■	Verified live: the coach profile shows a real code (e.g. <code>TRK-ALEX</code>) read from <code>profiles.invite_code</code> and formatted by <code>formatCoachCode</code> . Both a direct lookup and <code>get_coach_id_by_invite_code</code> resolve it to the coach's <code>user_id</code>
C9	Recognise / award a player	■	Verified live: renders the real squad with band pills and week/month/season tabs. Awards flow through to the player's passport

C10	Schedule	■	Verified live: calendar renders, today highlighted, event-type legend, clear empty state, plus an AI "import from text or club website" entry point
C11	AI assistant	■	Verified live and context-aware : knew the coach's team (U15s, City FC Academy), named real squad players in its answer, and rendered a PitchDiagram with movement arrows
C12	Coach progress dashboard	■	components/coach/CoachProgress.tsx exists but is referenced nowhere — dead tree
C13	See a player's character progress	■	Planned. No code exists

Coach reality: the coach product is complete and coherent. A coach can onboard, build a squad, assess on six dimensions, log sessions, log matches for their players, share a working invite code that genuinely links an athlete, and recognise behaviour. Everything the product asks of the coach, the coach can do today.

Persona: Athlete

(kids)

	Use case	Status	Evidence
A1	Sign up and onboard as a player	■	Verified live on a fresh account: 3-step form wrote profiles + player_details (DOB, position, club, age group, shirt) atomically
A2	Connect to my coach via TRK code	■	Verified live against the database. link_player_to_coach strips the TRK- prefix case-insensitively and trims, so TRK-ALEX , ALEX , trk-alex and TRK-ALEX all resolve to the same squad row; TRK-NOPE is rejected with Invalid coach code . Idempotent — re-linking returns the existing row rather than duplicating
A3	Browse my match history + detail	■	PlayerMatches , PlayerMatchDetail — populated by the coach (C7)
A4	See my band result	■	Rating engine, well covered by tests
A5	See my coach's assessment + private note	■	PlayerFeedback.tsx (664 lines) reads coach_assessments + coach_assessment_notes at /player/feedback/:assessmentId ; RLS policy Players read own assessments
A6	Evolution Card	■	PlayerEvolutionCard.tsx (960 lines) aggregating matches , coach_assessments , recognition_awards , player_details . A primary nav tab ("Card") — this is the athlete's progression surface

A7	Passport	■	Verified live — career totals, season history and recognition all render. The card is a fixed 390px so the exported PNG is identical on every device, which overflowed a 375px viewport; fixed (866949a) by scaling the card visually while <code>captureCard()</code> drops the transform for the <code>html2canvas</code> call, so exports keep full geometry. No overflow at 375px or 320px
A8	Invite my parent	■	Built and verified live (5c91efe). The invite and <code>invite_token</code> were always created correctly, but nothing delivered them. A "Parent access" card on the player profile now lists pending and accepted invites and shares a <code>/parent-invite?token=...</code> link via the native share sheet, clipboard, or revealed text if both fail. New <code>create_parent_invite</code> RPC allows adding a parent after signup; idempotent and case-insensitive. The link pre-fills the parent's email read-only, guaranteeing the match that links them to the child
A9	Profile	■	<code>PlayerProfilePage</code>
A10	Self-log a match	■	Removed by design. <code>PlayerLogForm.tsx</code> no longer exists; no "Log" tab in the player nav. Matches come from the coach
A11	Create / track goals	■	Removed by design. No goals files, routes, or nav entry. The Evolution Card serves this purpose
A12	Earn / see medals	■	Removed. <code>MedalType</code> remains in <code>types.ts</code> ; recognition is now the coach-driven path
A13	Character: per-session moment (learn → apply → act)	■	Planned. No code exists
A14	Character: my growth, streaks, values	■	Planned. Separate axis on the card — never merged into the performance band

Athlete reality: the athlete's experience is now coherent as a **receiving** one — matches, band, coach feedback, and an Evolution Card that carries progression. What the athlete has no reason to open the app for **between** matches is anything of their own. That is the deliberate gap the character feature is designed to fill, and it is the only place the product asks the child to work.

Persona: Parent

	Use case	Status	Evidence
P1	Accept invite, create account, link to child	■	Verified live: a parent signing up with the invited address was linked to the correct child in <code>player_parent_links</code> . Linking is idempotent — <code>link_parent_to_players_by_email</code> returned 0 because <code>provision_my_profile</code> had already created the link

P2	See child's season band	■	RLS policy <code>Parents can read linked child matches: user_id IN (SELECT player_user_id FROM player_parent_links WHERE parent_user_id = auth.uid())</code>
P3	See child's match feed	■	Same policy — the previously reported wall is gone
P4	Alerts	■	<code>ParentAlerts</code> implements a subset of the specced types; the underlying query is no longer blocked. Not yet exercised live
P5	See coach assessments + awards	■	UI existed but returned 0 rows — no parent policy. Fixed by migration <code>20260612000001</code> (helper <code>squad_player_is_my_child</code>) granting parent SELECT on <code>coach_assessments</code> and <code>recognition_awards</code> . Applied to the database. The coach's private note stays player-only
P6	Profile	■	<code>ParentProfilePage</code>
P7	See child's goals	■	Removed by design, with goals

Parent reality: the parent journey is now complete — sign up, link to the child, and see matches, season view, coach assessments and awards. Both previously reported walls (matches, then assessments) were missing RLS policies behind finished UI, not missing features.

Persona: Club / Academy admin

	Use case	Status	Evidence
K1	Sign up, create the organization	■	<code>organizations</code> table with unique <code>join_code</code> , created via <code>provision_my_profile</code>
K2	Coaches join via academy code	■	<code>join_organization()</code> / <code>get_org_id_by_join_code()</code> RPCs; <code>coach_details.organization_id</code>
K3	View coaches in the organization	■	<code>ClubCoaches</code> , org-scoped RLS
K4	View squads across the org	■	<code>ClubSquads</code>
K5	Org dashboard, band distribution	■	<code>ClubHome</code> . Bug found and fixed (3bd1507): the headline read "TOTAL PLAYERS 1" above squads summing to 29 — it counted linked accounts while the squads counted roster rows

K6	Radar analytics	■	Verified live: renders with its threshold rule stated (avg ≥ 7.5 , 2+ assessments, last 60 days) and an empty state that explains why it is empty
K7	Club profile, manage join code	■	ClubProfile

Club reality: a working, org-scoped read layer. Visibility is opt-in — a club sees only coaches who joined with its code — and there is no direct player management, by design.

Planned, not built

	Item	Status	Note
N1	Character feature — values, flashcards, scenarios, real-world challenges	■	Additive. Coach stays primary; this is the athlete's active role
N2	Character corner on the player card	■	Separate axis. Must never feed the 0–10 performance band
N3	Terms of service, privacy policy, parental consent	■	No matches anywhere in source. Blocker for real users given minors' data
N4	Billing / payments	■	No Stripe/Paddle/checkout code. Cannot take money today

The honest summary

All four personas now work. The previous assessment's headline findings — "a teenager logs into a void" and "the parent sees nothing, forever" — no longer hold: the athlete receives coach feedback and carries an Evolution Card, and the parent's RLS wall has been fixed.

With self-logging and goals deliberately removed, **there is no longer a broken loop in the app**. The coach logs, the athlete receives, the parent observes. What remains is not a defect list but a build list:

1. **The character feature** — the athlete's only active role, and the reason for them to open the app between matches. Gated on the sports psychologist review.
2. **Legal and billing layers** — required before real users or revenue, independent of features. Gated on the lawyer conversation.
3. **Parent alerts (P4)** — the last feature never exercised live.

There are no open defects. Every fault found in this round was fixed and verified.

Closed since the previous revision

- P5 — parent access to assessments and awards (migration [20260612000001](#), applied).

- **Housekeeping** — `MatchLog.tsx` and `CoachProgress.tsx` deleted (orphaned, unreferenced).
- **Verification sweep** — C9, C10, C11, A7 and K6 exercised live against the database. None was silently broken; the P5 pattern did not repeat. C11 proved stronger than documented: it is squad-aware and renders pitch diagrams.
- **K5 club dashboard** — "TOTAL PLAYERS 1" displayed above squads summing to 29. Fixed (`3bd1507`).

End-to-end chain — verified this session

A complete coach → player → parent chain was created from scratch against the live database (with email confirmation temporarily disabled), and every link held:

1. **Coach signs up** → `profiles` + `coach_details`, unique `invite_code` auto-generated.
2. **Player signs up entering TRK-<code>** → `profiles` + `player_details`.
3. **Player appears in that coach's squad** → `squad_players` row whose `coach_user_id` matches the new coach exactly, with name, position, shirt number and age group copied across.
4. **Parent email at signup** → `parent_invites` row, status `pending`.
5. **Parent signs up with that address** → `player_parent_links` row pointing at the right child.

This is the relationship backbone of the product and had never previously been exercised end to end. Code matching is tolerant of `TRK-` prefix, case and surrounding whitespace, and every step is idempotent — repeating it returns the existing row rather than creating a duplicate.

Signup / onboarding — verified this session

- **Password rules did not match Supabase.** Every signup path checked only length while the server also required upper, lower, digit and symbol, so realistic passwords were rejected with a raw character-set dump. Fixed (`fd1a30e`) via `src/lib/password.ts`.
- **Email confirmation is ON.** New accounts must click a link before they can sign in ("Email not confirmed"), so a fresh coach → player → parent chain cannot be completed in a test run without either mailbox access or temporarily disabling confirmation.
- **DevSetupPage will fail on a fresh Supabase project** — it seeds with `TrakDev123`, which has no symbol. Existing dev accounts predate the policy and still work. Not changed: altering it would break the logins currently in use.

Open observations, not yet investigated

- The passport rendered **two identical "Player of the Week" entries** — possibly duplicate rows in `recognition_awards`, possibly a render duplication.
- A **U11s squad exists in the data**, but `AGE_GROUPS` in `constants.ts` starts at U13. The app holds data for an age group it does not officially offer — relevant to the character feature's age banding.

Change log — this round

Commit	Change
<code>f144688</code>	Parent access to assessments and awards unblocked (P5); dead code removed
<code>3bd1507</code>	Club dashboard "TOTAL PLAYERS 1" contradicted squads summing to 29

866949a	Passport no longer scrolls sideways; PNG export geometry preserved
14976b2, 42e43c3	Dev seed made idempotent — it had duplicated data on every run
7c1593b	Dead goals code removed (<code>PlayerGoals.tsx</code> , <code>lib/goals.ts</code> , seed block)
80826d3	Cleanup script for duplicate rows from earlier seed runs (since applied)
fd1a30e	Signup password rules aligned with what Supabase actually enforces
5c91efe	A8 — players can now deliver a parent invite via a shareable link

Two database migrations were applied by hand: 20260612000001 (parent read access) and 20260613000001 (parent invite sharing).

Method note

Policies and files were confirmed to **exist** in source; they were not exercised against a live database. Items marked ■ are present but not behaviourally verified.