

# LAPTOP REQUEST MANAGEMENT SYSTEM

## ServiceNow Application Development Project

### Project Documentation

This document presents the design, development, implementation, and testing of the Laptop Request Management System, a custom ServiceNow application developed to automate the laptop request lifecycle within an organization.

### The application includes:

- Custom Application Development
- Custom Tables & Fields
- User, Role, Group & Department Management
- Access Control Lists (ACLs)
- UI Policies
- Client Scripts
- Business Rules
- Flow Designer Automation
- Email Notifications
- Reports & Dashboards
- End-to-End Testing

### Developed By

**Kosuri Thanuja**

**Computer science and Engineering**

**Platform:** ServiceNow

**Application Type:** Custom Scoped Application

**Project:** Laptop Request Management System

**Documentation Version:** 1.0

**Year:** 2026

# **Project Overview**

## **Laptop Request Management System**

### **Overview**

The Laptop Request Management System is a custom application developed on the ServiceNow platform to automate the process of requesting, approving, assigning, and tracking laptops within an organization.

Traditionally, laptop requests are handled manually through emails or spreadsheets, which can lead to delays, poor visibility, and inefficient asset management. This application digitalizes the entire workflow, enabling employees to submit laptop requests while allowing managers and IT teams to process and track them efficiently.

### **Key Features**

- Employee laptop request submission
- Manager approval workflow
- IT support assignment
- Laptop inventory management
- Role-based access using ACLs
- Form validation using UI Policies
- Client-side automation with Client Scripts
- Server-side automation using Business Rules
- Workflow automation with Flow Designer
- Email notifications
- Reports and Dashboards
- End-to-end request tracking

### **Technologies Used**

- **Platform:** ServiceNow
- **Application Type:** Custom Scoped Application
- **Modules Used:** Studio, Tables, Forms, ACLs, UI Policies, Client Scripts, Business Rules, Flow Designer, Reports, Dashboards, Email Notifications

### **Project goal**

To develop a secure ServiceNow application that automates the laptop

request and approval process, ensuring efficient request management.

## Table of Contents:

| S.No | Topic                       | Page No. |
|------|-----------------------------|----------|
| 1    | Cover Page                  | 1        |
| 2    | Project Overview            | 2        |
| 3    | Table of Contents           | 3        |
| 4    | Introduction to ServiceNow  | 4        |
| 5    | Project Objectives          | 5        |
| 6    | Business Requirement        | 6        |
| 7    | Application Creation        | 7        |
| 8    | Custom Table Creation       | 8        |
| 9    | Field Configuration         | 9        |
| 10   | User Management             | 10       |
| 11   | Department Configuration    | 11       |
| 12   | Group Configuration         | 12       |
| 13   | Role Creation               | 13       |
| 14   | Access Control Lists (ACLs) | 14       |

|    |                      |    |
|----|----------------------|----|
| 15 | UI Policies          | 15 |
| 16 | Client Scripts       | 16 |
| 17 | Business Rules       | 17 |
| 18 | Flow Designer        | 18 |
| 19 | Email Notifications  | 19 |
| 20 | Reports              | 20 |
| 21 | Dashboard            | 21 |
| 22 | Testing & Validation | 22 |
| 23 | Conclusion           | 23 |
| 24 | Future Enhancements  | 24 |

# **Introduction to ServiceNow**

ServiceNow is a cloud-based digital workflow platform that helps organizations automate business processes and improve operational efficiency. It provides applications for IT Service Management (ITSM), IT Operations Management (ITOM), HR, Customer Service, Security Operations, and custom application development.

One of the key features of ServiceNow is its low-code/no-code development environment, which enables developers to create custom applications with minimal coding. It also offers powerful capabilities such as workflow automation, role-based security, reporting, dashboards, and database management.

For this project, the ServiceNow platform was used to develop a custom Laptop Request Management System that automates the process of requesting, approving, assigning, and tracking laptops within an organization.

## **Benefits of ServiceNow**

- Cloud-based platform
- Low-code/No-code development
- Workflow automation
- Role-based security
- Reporting and dashboards
- Easy integration with enterprise applications



Figure 5.1: ServiceNow Platform

# Phase 1: Requirement Analysis & Planning

## Sections Included

- Business Objective
- Functional Scope
- Record Producer Configuration
- Stakeholder Mapping
- Execution Roadmap

# **Business Requirement**

## **Description**

Every organization requires an efficient system to manage employee laptop requests. Traditional methods such as emails, phone calls, or spreadsheets often result in delays, lack of transparency, and difficulty in tracking request status.

To overcome these challenges, the **Laptop Request Management System** was developed using the **ServiceNow** platform. The application automates the complete request lifecycle—from request submission and manager approval to IT assignment and final laptop allocation—ensuring a secure, organized, and efficient process.

## **Existing System**

- Laptop requests were managed manually.
- Approval process was time-consuming.
- Request status was difficult to track.
- High chances of data duplication and errors.
- No centralized system for managing laptop requests.

## **Proposed System**

- Employees can submit laptop requests online.
- Managers can review and approve requests.
- IT Support can assign laptops efficiently.
- Request status can be tracked at every stage.
- Reports and dashboards provide complete visibility.

## **Expected Outcome**

The proposed solution provides a centralized, secure, and automated laptop request management process that improves productivity, reduces manual effort, and enhances request

tracking.

## **Laptop Request Process Flow:**

Employee

Submit Laptop Request

Manager Approval

IT Support Assignment

Laptop Allocation

Request Completed

Figure 7.1: Laptop Request Management System Workflow



# Phase 2: Backend Development & Configuration

## Sections Included

- Data Architecture
- Approval Table Relationship
- Record Producer Configuration

# Application Creation

## Description

The first step in the development of the **Laptop Request Management System** was creating a **custom scoped application** in ServiceNow Studio. A scoped application provides an isolated environment where all application components such as tables, modules, scripts, workflows, and security configurations can be developed and managed independently.

The application was created with the name **Laptop Request Management** to automate the complete laptop request process within an organization.

## Steps Performed

1. Logged in to the ServiceNow Developer Instance.
2. Opened **ServiceNow Studio**.
3. Created the **Laptop Request Management** scoped application.
4. Configured all required application components.
5. Verified the successful creation of the application.




Figure 8.1: Laptop Request Management Application in ServiceNow Studio

## **Result**

The **Laptop Request Management** application was successfully created in ServiceNow Studio. It provided a centralized development environment for implementing all modules, workflows, security configurations, automation, and reporting features.

## **Custom Table Creation**

### **Description**

Tables are the foundation of every ServiceNow application, as they store and organize application data. In the **Laptop Request Management System**, custom tables were created to manage laptop requests and maintain laptop inventory information. These tables enable efficient storage, retrieval, and processing of request and asset data throughout the application.

### **Tables Created**

#### **1. Laptop Request**

This table stores all laptop requests submitted by employees, including requester details, approval status, assigned group, assigned user, and request state.

#### **2. Laptop Inventory**

This table maintains the inventory of available laptops, including brand, RAM, storage, operating system, serial number, laptop type, and allocation status.

### **Purpose of Custom Tables**

- Store laptop request information.
- Maintain laptop inventory records.
- Enable workflow automation.

- Support approval and assignment processes.
- Improve data organization and tracking.

Figure 9.1 shows the configuration for the 'Laptop Request' table in ServiceNow Studio. The 'Table Columns' tab is selected, showing a list of columns. The columns are defined as follows:

| Column label     | Type          | Reference        | Max length | Default value                              | Display |
|------------------|---------------|------------------|------------|--------------------------------------------|---------|
| Assigned to      | Reference     | User             | 32         |                                            | false   |
| Created by       | String        | length           | 40         |                                            | false   |
| Assigned Group   | Reference     | Laptop Request   | 32         |                                            | false   |
| Purpose          | String        | length           | 40         |                                            | false   |
| Requested Date   | Date/Time     | length           | 40         |                                            | false   |
| Created          | Date/Time     | length           | 40         |                                            | false   |
| Number           | String        | length           | 40         | {javascript:global.getNewOrNumberPadded()} | false   |
| Approved Status  | Choice        | length           | 255        | Requested                                  | false   |
| Manager          | Reference     | User             | 32         |                                            | false   |
| State            | Choice        | length           | 255        |                                            | false   |
| Updates          | Integer       | length           | 40         |                                            | false   |
| Sys ID           | Sys ID (GUID) | length           | 32         |                                            | false   |
| Requested Laptop | Reference     | Laptop Inventory | 32         |                                            | false   |
| Comments         | Journal Input | length           | 255        |                                            | false   |
| Laptop Type      | String        | length           | 40         |                                            | false   |
| Assigned Group   | Reference     | Group            | 32         |                                            | false   |
| Updated          | Date/Time     | length           | 40         |                                            | false   |
| Updated by       | String        | length           | 40         |                                            | false   |
| Requested for    | Reference     | User             | 32         |                                            | false   |

Figure 9.1: Laptop Request Table

Figure 9.2 shows the configuration for the 'Laptop Inventory' table in ServiceNow Studio. The 'Table Columns' tab is selected, showing a list of columns. The columns are defined as follows:

| Column label     | Type                | Reference | Max length | Default value                              | Display |
|------------------|---------------------|-----------|------------|--------------------------------------------|---------|
| Created          | Date/Time           | length    | 40         |                                            | false   |
| Employee Name    | Reference           | User      | 32         |                                            | false   |
| BAM              | Choice              | length    | 40         |                                            | false   |
| Brand            | Choice              | length    | 40         |                                            | false   |
| Updates          | Integer             | length    | 40         |                                            | false   |
| Updated by       | String              | length    | 40         |                                            | false   |
| Storage          | Choice              | length    | 40         |                                            | false   |
| Laptop Type      | String              | length    | 40         |                                            | false   |
| Updated          | Date/Time           | length    | 40         |                                            | false   |
| Sys ID           | Sys ID (GUID)       | length    | 32         |                                            | false   |
| Department       | String (Full UTF-8) | length    | 40         |                                            | false   |
| Status           | Choice              | length    | 40         |                                            | false   |
| Created by       | String              | length    | 40         |                                            | false   |
| Number           | String              | length    | 40         | {javascript:global.getNewOrNumberPadded()} | false   |
| Serial Number    | String              | length    | 40         |                                            | false   |
| Operating System | Choice              | length    | 40         |                                            | false   |

Figure 9.2: Laptop Inventory Table

## Result

The Laptop Request Management application was successfully created in ServiceNow Studio and served as the foundation for

developing all project components.

## **Field Configuration**

### **Description**

After creating the custom tables, the required fields were configured to capture and manage laptop request and inventory information. Each field was designed to store specific data and support the approval workflow, asset management, and reporting process.

The fields were created with appropriate data types such as **String, Reference, Choice, Date/Time, Boolean, and Integer** based on the business requirements.

### **Fields Configured in Laptop Request Table**

- Requested For
- Manager
- Requested Date
- Laptop Type
- Purpose
- Approved Status
- Assigned Group
- Assigned To
- State
- Comments

### **Fields Configured in Laptop Inventory Table**

- Laptop Name
- Brand

- RAM
- Storage
- Operating System
- Serial Number
- Laptop Type
- Status
- Employee Name

## Purpose of Field Configuration

- Capture employee request details.
- Store laptop inventory information.
- Track approval and assignment status.
- Maintain accurate asset records.
- Support workflow automation.

The screenshot shows the ServiceNow interface for configuring a dictionary entry. The page title is "Dictionary Entry - Assigned Group". The breadcrumb trail is "Dictionary Entry - Assigned Group". The page contains a form for configuring the dictionary entry. The form has two main sections: "Reference Specification" and "Choice List Specification".

**Reference Specification:**

- \* Table: Laptop Request [x\_1959826\_laptop\_o\_lapd...]
- \* Type: Reference
- \* Column label: Assigned Group
- \* Column name: assigned\_group

**Choice List Specification:**

- Application: Laptop Request Management
- Active: ☒
- Function field: ☐
- Mandatory: ☐
- Display: ☐
- Read only option: -- None --

**Choice List Specification:**

- Choice: -- None --

**Related Links:**

- Show Table
- Run Point Scan
- Advanced view

**Access Controls:**

- Choices
- Attributes
- Labels (1)

Figure 10.1: Laptop Request Table Fields

## **Requested For**

This reference field stores the details of the employee who submits the laptop request. It links the request to the appropriate user record.

## **Manager**

This reference field identifies the reporting manager responsible for reviewing and approving the laptop request.

## **Approved Status**

This choice field indicates the current approval stage of the request, such as Pending, Approved, or Rejected.

## **Assigned Group**

This reference field specifies the team responsible for processing the request, such as the IT Support group.

## **State**

This choice field tracks the progress of the request throughout its lifecycle, from submission to completion.

The screenshot shows the ServiceNow interface for the 'Dictionary Entry - RAM' form. The form is titled 'Dictionary Entry - RAM' and includes a search bar and navigation links. The main form area contains several fields and sections:

- Table:** Laptop Inventory [x\_1959826\_laptop\_0\_u\_i\_...]
- Type:** Choice
- Column label:** RAM
- Column name:** ram
- Application:** Laptop Request Management
- Active:** ☒
- Function field:** ☐
- Mandatory:** ☐
- Display:** ☐
- Read only option:** -- None --

Below the main form area, there is a 'Choice List Specification' section with a 'Default Value' tab. It contains a text box with the instruction: 'Displays a list of suggested values in a Choice list. In the Advanced view you can select the Choice table and the Choice field to take choice values from, plus a Dependent field.' Below this is a 'Choice' dropdown menu with the value 'Dropdown without -- None -- (must specify a default value)'. At the bottom, there are buttons for 'Create Choice List', 'Delete Column', and 'Update'. A 'Related Links' section includes links for 'Show Table', 'Run Print Scan', and 'Advanced view'. At the very bottom, there are tabs for 'Access Controls', 'Choices (4)', 'Attributes', and 'Labels (1)'.

Figure 10.2: Laptop Inventory Table Fields

## **Laptop Name**

This field stores the name or model of the laptop available in the inventory.

## **Brand**

This field specifies the laptop manufacturer, such as Dell, HP, or Lenovo.

## **RAM**

This field records the RAM capacity of the laptop to help allocate devices based on user requirements.

## **Storage**

This field stores the storage capacity of the laptop, such as 256 GB SSD or 512 GB SSD.

## **Operating System**

This field specifies the operating system installed on the laptop, such as Windows 11 or Ubuntu.

## **Serial Number**

This field stores the unique serial number of each laptop for asset identification and tracking.

## **Status**

This field indicates whether the laptop is Available, Assigned, Under Maintenance, or Retired.

## **Result**

The fields for both **Laptop Request** and **Laptop Inventory** tables were successfully configured with appropriate data types and properties, enabling accurate data management, efficient request processing, and effective inventory tracking.



# **User Management**

## **Description**

User Management is an essential part of the Laptop Request Management System. Different users were created in ServiceNow to represent employees, managers, IT support staff, and asset managers. Each user was assigned to the appropriate department, group, and role to ensure secure access and proper execution of business processes.

## **Users Created**

| <b>User Name</b> | <b>Department</b> | <b>Group</b> | <b>Role</b>          |
|------------------|-------------------|--------------|----------------------|
| Sravani          | IT                | Asset Team   | Laptop Asset Manager |
| Harshitha        | IT                | IT Support   | Laptop IT Support    |
| Deepthi          | Finance           | Manager      | Laptop Manager       |
| Asha             | HR                | Employee     | Laptop Employee      |
| Jyothi           | Finance           | Employee     | Laptop Employee      |

# Purpose of User Management

- Create users for different organizational roles.
- Assign users to the correct departments.
- Associate users with appropriate groups.
- Provide role-based access to application features.
- Support workflow execution and approval processes.

## Users

### Employee

Employees can submit laptop requests and monitor the status of their requests.

### Manager


Managers review and approve or reject laptop requests submitted by employees.

### IT Support

IT Support personnel process approved requests and assign laptops to employees.

### Asset Manager

The Asset Manager maintains the laptop inventory and manages laptop allocation records.

The image is a screenshot of the ServiceNow 'Users' list view. The top navigation bar includes 'servicenow', 'All', 'Favorites', 'History', 'Workspaces', 'Admin', and a 'Users' button with a star icon. A search bar is on the right. Below the navigation bar, there's a filter bar with 'Users' selected and an 'Updated' dropdown. The main area shows a table of users with columns: 'User ID', 'Name', 'Email', 'Active', 'Created', and 'Updated'. Each column has a search input field. The table contains six rows of user data.

| User ID         | Name            | Email                     | Active | Created             | Updated             |
|-----------------|-----------------|---------------------------|--------|---------------------|---------------------|
| Search          | Search          | Search                    | Search | Search              | Search              |
| Shravani Asset  | Shravani Asset  | shravani.asset@gmail.com  | true   | 2026-07-10 01:31:02 | 2026-07-10 01:43:19 |
| Harshitha IT    | Harshitha IT    | harshitha.it@gmail.com    | true   | 2026-07-10 01:29:34 | 2026-07-10 01:42:30 |
| Deepthi Manager | Deepthi Manager | deepthi.manager@gmail.com | true   | 2026-07-09 23:52:30 | 2026-07-10 01:41:28 |
| Asha employee   | Asha employee   | asha.employee@gmail.com   | true   | 2026-07-09 23:51:18 | 2026-07-10 01:39:49 |
| Jyothi employee | Jyothi employee | jyothi.employee@gmail.com | true   | 2026-07-09 23:49:47 | 2026-07-10 01:38:58 |

Figure 11.1: User Records in ServiceNow

The screenshot shows the ServiceNow user configuration interface for a user named 'Deepthi Manager'. The page is divided into two main sections: user details on the left and integration settings on the right. The user details section includes fields for User ID (Deepthi Manager), First name (Deepthi), Last name (Manager), Title (empty), Department (Finance), Password needs reset (unchecked), Locked out (unchecked), Active (checked), Identity type (Human), and Internal Integration User (unchecked). The integration settings section includes Email (deepthi.manager@gmail.com), Language (None), Calendar integration (Outlook), Time zone (System (America/Los Angeles)), Date format (System (2026-08-19)), Business phone (empty), Mobile phone (empty), and Photo (Click to add...).

Figure 11.2: Sample User Configuration

## **Result**

The required users were successfully created and assigned to their respective departments, groups, and roles, enabling secure access and smooth execution of the Laptop Request Management workflow.

## **Department Configuration**

### **Description**


Departments were created to organize users based on their functional responsibilities within the organization. Each user was assigned to the appropriate department to ensure proper request routing, approval management, and reporting. Department configuration helps maintain a structured organizational hierarchy within the Laptop Request Management System.

## Departments Created

| Department Name | Purpose                                                                      |
|-----------------|------------------------------------------------------------------------------|
| IT              | Manages application administration, laptop inventory, and technical support. |
| HR              | Represents employees requesting laptops and HR-related operations.           |
| Finance         | Manages financial department users and approval activities.                  |
| Sales           | Represents employees working in the sales department.                        |
| Operations      | Represents users involved in operational activities.                         |

## Purpose of Department Configuration

- Organize users into business units.
- Support role and group assignment.
- Improve approval workflow.
- Enable department-wise reporting.
- Maintain organizational structure.



| Name            | ID   | Primary contact | Department head | Description            | Updated             |
|-----------------|------|-----------------|-----------------|------------------------|---------------------|
| Operations      |      | (empty)         | (empty)         |                        | 2026-07-10 01:36:06 |
| Sales           |      | (empty)         | (empty)         |                        | 2026-07-10 01:35:49 |
| Human Resources |      | (empty)         | (empty)         |                        | 2026-07-10 01:35:35 |
| Finance         |      | (empty)         | (empty)         |                        | 2026-07-10 01:34:48 |
| Sales           | 0054 | (empty)         | Neily Jakuboski | Sales and Marketing    | 2012-02-17 23:01:40 |
| IT              | 0076 | (empty)         | David Loo       | Information Technology | 2012-02-17 23:01:28 |

Figure 12.1: Figure 12.1: Department List in ServiceNow

The screenshot shows the ServiceNow interface for configuring a department. The top section has input fields for Name (Finance), ID, Description, Department head, and Primary contact. Below this is a table of users assigned to the department.

| User ID         | Name            | Email                     | Active | Created             | Updated             |
|-----------------|-----------------|---------------------------|--------|---------------------|---------------------|
| Deepthi Manager | Deepthi Manager | deepthi.manager@gmail.com | true   | 2026-07-09 23:52:30 | 2026-07-10 01:41:28 |
| Jyothi employee | Jyothi employee | jyothilemployee@gmail.com | true   | 2026-07-09 23:49:47 | 2026-07-10 01:38:58 |

Figure 12.2: Department Configuration in ServiceNow

## Result

The required departments were successfully created and configured in ServiceNow. Each department was assigned to the appropriate users, enabling organized user management and supporting the laptop request approval workflow.

## Group Configuration

### Description

Groups were created in the **Laptop Request Management System** to organize users based on their responsibilities. Each group performs a specific function in the laptop request process, such as request approval, technical support, or asset management. Assigning users to groups ensures efficient task assignment and workflow execution.

### **Groups Created**

| Group Name | Purpose                                     |
|------------|---------------------------------------------|
| Employee   | Allows employees to submit laptop requests. |

|            |                                                  |
|------------|--------------------------------------------------|
| Manager    | Reviews and approves employee laptop requests.   |
| IT Support | Processes approved requests and assigns laptops. |
| Asset Team | Manages laptop inventory and asset allocation.   |

## **Purpose of Group Configuration**

- Organize users based on job responsibilities.
- Simplify task assignment.
- Support approval workflow.
- Improve request processing.
- Enable secure access through group membership.

## **Explanation of Groups:**

### **Employee Group**

This group contains employees who can submit laptop requests and track their request status.

### **Manager Group**

This group consists of managers who review and approve or reject laptop requests.

### **IT Support Group**

This group is responsible for processing approved requests and assigning laptops to employees.

### **Asset Team Group**

This group manages laptop inventory, asset allocation, and record maintenance.

| Name         | Description                                  | Active | Manager         | Parent  | Updated             |
|--------------|----------------------------------------------|--------|-----------------|---------|---------------------|
| ITSM App-Dev | Team Develops Iteration Applications in...   | true   | Tash Oubrovskia | (empty) | 2031-06-03 08:33:33 |
| Nimsoft desk |                                              | true   | (empty)         | (empty) | 2029-12-21 00:52:01 |
| Asset Team   | Manages laptop inventory and asset alloc...  | true   | (empty)         | (empty) | 2026-07-10 01:51:07 |
| Managers     | Users who approve laptop requests            | true   | (empty)         | (empty) | 2026-07-10 01:50:00 |
| Employees    | Users who request laptops                    | true   | (empty)         | (empty) | 2026-07-10 01:49:17 |
| IT Support   | Handles laptop requests and laptop assign... | true   | (empty)         | (empty) | 2026-07-10 01:48:28 |

Figure 13.1: Group List in ServiceNow

Group Configuration for Asset Team

Name: Asset Team  
 Manager: [Search]  
 Group email: [Text]  
 Parent: [Search]  
 Description: Manages laptop inventory and asset allocation

Update Delete

Roles Group Members (1) Groups

User [Search]

Group = Asset Team

| User          |
|---------------|
| Sriyani Asset |

Figure 13.2: Group Configuration in ServiceNow.

## Result

The required groups were successfully created and configured in ServiceNow. Users were assigned to the appropriate groups, enabling efficient request handling, approval management, and laptop allocation within the application.

## Role Creation

### Description

Roles were created in the **Laptop Request Management System** to implement **Role-Based Access Control (RBAC)**. Each role grants specific permissions based on the user's responsibilities, ensuring that users can access only the features and records required for their job. This improves application security and prevents unauthorized access.

# Phase 4: Business Rule Creation, Security & Validation

## Sections Included

- Business Rule Creation
- Role Creation
- Group Creation & User Mapping
- Access Control List (ACL) Configuration
- Security & Functional Validation



## Roles Created

| Role Name            | Purpose                                                                  |
|----------------------|--------------------------------------------------------------------------|
| Laptop Employee      | Allows employees to submit and view their laptop requests.               |
| Laptop Manager       | Allows managers to review and approve or reject laptop requests.         |
| Laptop IT Support    | Allows IT Support users to process approved requests and assign laptops. |
| Laptop Asset Manager | Allows asset managers to manage laptop inventory and allocation records. |

## Purpose of Role Creation

- Implement role-based security.
- Restrict unauthorized access.
- Provide permissions based on responsibilities.
- Secure application data.
- Support approval and assignment workflows.

## Explanation of Important Roles

### Laptop Employee

This role enables employees to create laptop requests, view their own requests, and track the request status.

### Laptop Manager


This role allows managers to review, approve, or reject laptop requests submitted by employees.

## Laptop IT Support

This role allows IT Support users to assign laptops, update request status, and complete request processing.

## Laptop Asset Manager

This role provides access to manage laptop inventory, maintain asset records, and monitor laptop availability.



| Name                                    | Description                                                                                                                 | Elevated privilege |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------|
| x_1959826_laptop_0.user                 | Default user role                                                                                                           | false              |
| x_1959826_laptop_0.laptop_manager       | Allows employees to submit and view their laptop requests.                                                                  | false              |
| x_1959826_laptop_0.laptop_it_support    | Allows IT support users to process laptop requests and assign laptops.                                                      | false              |
| x_1959826_laptop_0.laptop_employee      | Allows employees to submit and view their laptop requests.                                                                  | false              |
| x_1959826_laptop_0.laptop_asset_manager | Allows asset team members to manage laptop inventory and laptop assignments.                                                | false              |
| x_1959826_laptop_0.IT_support           | Allows IT Support users to handle laptop requests, update approved status, assign laptops, and manage technical activities. | false              |
| x_1959826_laptop_0.IT Support           | Allows HR users to view and manage employee-related laptop request information and user details.                            | false              |
| x_1959826_laptop_0.HR                   | Allows Asset Team users to manage laptop inventory, assign available devices, and maintain asset records.                   | false              |
| x_1959826_laptop_0.Asset Team           | Default admin role                                                                                                          | false              |
| x_1959826_laptop_0.admin                |                                                                                                                             |                    |

Figure 14.1: Roles List in ServiceNow



Role: x\_1959826\_laptop\_0.IT Support

Suffix: IT Support

Name: x\_1959826\_laptop\_0.IT Support

Assignable by:

Description: Allows IT Support users to handle laptop requests, update approved status, assign laptops, and manage technical activities.

Application: Laptop Request Management

Elevated privilege: ☐

Update Delete

Figure 14.2: Role Configuration in ServiceNow

## Access Control Lists (ACLs)

### Description

Access Control Lists (ACLs) are security rules in ServiceNow that control which users can **read, create, write, delete, or execute** records and fields within an application. ACLs ensure that only authorized users can access or modify data based on their assigned roles.

In the **Laptop Request Management System**, ACLs were implemented to secure request records and ensure that users could perform only the actions permitted by their roles.

## **ACLs Implemented**

| <b>ACL Type</b> | <b>Operation</b> | <b>Purpose</b>                                          |
|-----------------|------------------|---------------------------------------------------------|
| Read ACL        | Read             | Allows authorized users to view laptop request records. |
| Write ACL       | Write            | Restricts record modification to authorized users.      |
| Create ACL      | Create           | Allows employees to create new laptop requests.         |

## **Roles Used in ACL**

The following roles were used to control access within the application:

- Laptop Employee
- Laptop Manager
- Laptop IT Support
- Laptop Asset Manager
- Admin

Each role was assigned specific permissions to ensure secure and role-based access.

# Important ACL Configuration

## Read ACL

The Read ACL allows users with the appropriate roles to view laptop request records according to their responsibilities.

## Write ACL

The Write ACL restricts record modification. In this project, only **Laptop IT Support** users were allowed to update the **Approved Status** field after manager approval.

## Create ACL

The Create ACL allows employees to submit new laptop requests while preventing unauthorized record creation.

## Purpose of ACLs

- Protect sensitive application data.
- Implement role-based access control.
- Prevent unauthorized record modifications.
- Restrict field updates based on user roles.
- Improve application security.

| servicenow                                  |               |           |        |        |            |                     |  |
|---------------------------------------------|---------------|-----------|--------|--------|------------|---------------------|--|
| All Favorites History Workspaces Admin      |               |           |        |        |            |                     |  |
| Access Controls Updated Search              |               |           |        |        |            |                     |  |
| Search                                      |               |           |        |        |            |                     |  |
| Name                                        | Decision Type | Operation | Type   | Active | Updated by | Updated             |  |
| x_1959826_laptop_0_laptop_request.approv... | Allow If      | write     | record | true   | admin      | 2026-08-01 03:01:45 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | write     | record | true   | admin      | 2026-08-01 02:31:47 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | write     | record | true   | admin      | 2026-08-01 01:58:03 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | create    | record | true   | admin      | 2026-08-01 01:49:52 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-08-01 01:03:37 |  |
| x_1959826_laptop_0_laptop_request.approv... | Allow If      | write     | record | true   | admin      | 2026-08-01 00:49:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | write     | record | true   | admin      | 2026-08-01 00:48:17 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | delete    | record | true   | admin      | 2026-07-10 03:16:25 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-07-10 03:16:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-07-10 03:16:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-07-10 03:16:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | create    | record | true   | admin      | 2026-07-10 03:16:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | create    | record | true   | admin      | 2026-07-10 03:16:24 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-07-10 03:16:23 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | create    | record | true   | admin      | 2026-07-10 03:16:23 |  |
| x_1959826_laptop_0_laptop_request           | Allow If      | read      | record | true   | admin      | 2026-07-10 03:16:23 |  |
| x_1959826_laptop_0_u_laptop_inventory       | Allow If      | delete    | record | true   | admin      | 2026-07-10 02:45:48 |  |
| x_1959826_laptop_0_u_laptop_inventory       | Allow If      | write     | record | true   | admin      | 2026-07-10 02:45:47 |  |
| x_1959826_laptop_0_u_laptop_inventory       | Allow If      | write     | record | true   | admin      | 2026-07-10 02:45:47 |  |

Figure 15.1: ACL's List

servicenow

All Favorites History Workspaces

Access Control - x\_1959826\_laptop\_0\_laptop\_request

Search

Access Control

x\_1959826\_laptop\_0\_laptop\_request

Type

record

Operation

read

Admin overrides

☒

Decision Type

Allow If

Protection policy

-- None --

Name

x\_1959826\_laptop\_0\_laptop\_request

Description

Allow read for records in x\_1959826\_laptop\_0\_laptop\_request, for users with role IT Support.

Application

Laptop Request Management

Active

☒

Advanced

☐

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.

2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

More Info

Requires role

1 to 1 of 1

Role

IT Support

Figure 15.2: Read ACL Configuration

servicenow

All Favorites History Workspaces

Access Control - x\_1959826\_laptop\_0\_laptop\_request.approv...

Search

Access Control

x\_1959826\_laptop\_0\_laptop\_request.approved\_status

Type

record

Operation

write

Admin overrides

☒

Decision Type

Allow If

Protection policy

-- None --

Name

x\_1959826\_laptop\_0\_laptop\_request.approved\_status

Description

Allow write for approved\_status in x\_1959826\_laptop\_0\_laptop\_request, for users with role x\_1959826\_laptop\_0\_laptop\_manager.

Application

Laptop Request Management

Active

☒

Advanced

☐

Conditions

Access Control Rules have two decision types, and these types will behave differently depending on conditions.

1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.

2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.

More Info

Requires role

1 to 1 of 1

Role

x\_1959826\_laptop\_0\_laptop\_manager

## **Challenges Faced**

During ACL implementation, the following issues were encountered:

- **Security Constraints Prevented Access** error while testing.
- **Approved Status** field was initially read-only for the IT Support user.
- Multiple Write ACLs caused permission conflicts.
- Users were unable to update records until the correct roles and ACL configuration were applied.

## **Solution**

The ACL configuration was reviewed and updated by assigning the correct roles and permissions. The Write ACL was configured to allow only the **Laptop IT Support** role to modify the **Approved Status** field. After verifying the ACL settings and testing with different users, role-based access worked successfully.

## **Result**

The Access Control Lists were successfully implemented in the **Laptop Request Management System**. Role-based security was enforced, ensuring that only authorized users could create, view, and modify records. The ACL configuration enhanced application security while maintaining efficient workflow execution.

## **UI Policy**

### **Description**

A **UI Policy** is a client-side configuration in ServiceNow that

dynamically controls the behaviour of form fields without writing complex scripts. UI Policies can make fields **mandatory**, **read-only**, or **visible/invisible** based on specific conditions.

In the **Laptop Request Management System**, UI Policies were implemented to improve data accuracy and provide a better user experience during laptop request submission.

## UI Policy Implemented

| UI Policy Name         | Table          | Purpose                                                                 |
|------------------------|----------------|-------------------------------------------------------------------------|
| Make Purpose Mandatory | Laptop Request | Ensures that users provide a reason before submitting a laptop request. |

## Purpose of UI Policy

- Improve form usability.
- Ensure mandatory information is entered.
- Reduce incomplete requests.
- Minimize manual validation.
- Enhance user experience.

## UI Policy Action

The implemented UI Policy performs the following action:

- **Purpose** field becomes **Mandatory** during laptop request submission.

This ensures that every employee specifies the reason for requesting a laptop before submitting the request.




Figure 16.1: UI Policy Configuration

## Result

The UI Policy was successfully implemented in the **Laptop Request** table. The **Purpose** field became mandatory, ensuring that all laptop requests include the required justification before submission.

## Client Scripts

### Description

Client Scripts are used to execute JavaScript on the client side to control form behaviour and improve user interaction. They help validate user input, display messages, and dynamically update form fields without reloading the page.

In the **Laptop Request Management System**, Client Scripts were implemented to improve form usability and provide instant feedback to users during laptop request submission.



## Client Scripts Implemented

| Client Script          | Type     | Purpose                                                                                  |
|------------------------|----------|------------------------------------------------------------------------------------------|
| onLoad Client Script   | onLoad   | Displays a welcome message when the Laptop Request form is opened.                       |
| onChange Client Script | onChange | Executes when the Laptop Type field changes and provides immediate feedback to the user. |

### Purpose of Client Scripts

- Improve user experience.
- Validate user input on the client side.
- Display messages and alerts.
- Perform actions instantly without refreshing the page.
- Reduce unnecessary server requests.

### Client Script Explanation

#### onLoad Client Script

The **onLoad Client Script** runs automatically when the Laptop Request form is opened. It displays a welcome message to inform users that they are creating a new laptop request.

#### onChange Client Script

The **onChange Client Script** is triggered whenever the **Laptop Type** field is modified. It provides immediate feedback to users whenever they change the selected laptop type.




Figure 17.1: onLoad Client Script




Figure 17.2: onChange Client Script

## Result

The Client Scripts were successfully implemented to enhance user interaction and improve the overall usability of the Laptop Request form by providing immediate validation and feedback.

# **Business Rules**

## **Description**

Business Rules are server-side scripts in ServiceNow that execute automatically when records are inserted, updated, deleted, queried, or displayed. They help automate business processes, enforce business logic, maintain data consistency, and reduce manual effort.

In the **Laptop Request Management System**, a Business Rule was created to automate record processing and ensure that newly created laptop requests followed the required workflow.

## **Business Rule Implemented**

| <b>Business Rule Name</b> | <b>Table</b>   | <b>When</b>   | <b>Purpose</b>                                                   |
|---------------------------|----------------|---------------|------------------------------------------------------------------|
| Default Approved Status   | Laptop Request | Before Insert | Automatically sets the initial approval status for new requests. |

## **Purpose of Business Rule**

- Automate record processing.
- Reduce manual work.
- Ensure consistent data.
- Apply business logic automatically.
- Improve workflow efficiency.


## Business Rule Concept

A Business Rule runs on the **server side** whenever a specified database operation occurs. Unlike Client Scripts, Business Rules do not interact directly with the user interface. Instead, they automatically update records, validate data, or perform background processing based on predefined conditions.

In this project, the Business Rule automatically initializes the laptop request so that every request enters the approval workflow with the correct status.

## Business Rule Explanation

The Business Rule executes before a new laptop request record is inserted into the database. It automatically sets the **Approved Status** (or the field you configured) to its default value, ensuring that every request follows the same approval process.



The screenshot shows the ServiceNow interface for configuring a Business Rule. The page title is "Business Rule - Set Approval Status". The rule is named "Set Approval Status" and is applied to the "Laptop Request [x\_1959826\_1...]" table. The rule is set to run "Before" the "Insert" operation. The "Active" checkbox is checked, and the "Advanced" checkbox is also checked. The "When to run" tab is selected, showing the "When" dropdown set to "before" and the "Order" set to "100". The "Actions" tab is also visible, showing the "Insert" checkbox checked, "Update" unchecked, "Delete" unchecked, and "Query" unchecked. A blue banner at the top of the configuration area states "the specified conditions are met. [More Info](#)".

Figure 18.1: Business Rule Configuration

# Phase 3: Workflow Development & Execution

## Sections Included

- Flow Designer Setup

# Flow Designer

## Description

Flow Designer is a low-code automation tool in ServiceNow that automates business processes without requiring extensive scripting. It enables workflows to execute automatically when predefined conditions are met, improving efficiency and reducing manual intervention.

In the **Laptop Request Management System**, Flow Designer was used to automate the laptop request lifecycle, including request approval, assignment to the IT Support team, and updating the request status.

## **Flow Implemented**

| Flow Name                    | Purpose                                               |
|------------------------------|-------------------------------------------------------|
| Laptop Request Approval Flow | Automates the approval and laptop assignment process. |

## Flow Trigger

The flow is triggered automatically when a new **Laptop Request** record is created.

## Flow Actions

### **1. Manager Approval**

The laptop request is sent to the reporting manager for approval. The manager reviews the request and either approves or rejects it.

## **2. Assign to IT Support**

Once approved, the request is automatically assigned to the **IT Support** group for further processing.

## **3. Update Request State**

The request status is automatically updated to reflect the current stage of processing, such as **Pending Approval**, **Laptop Assigned**, or **Completed**.

## **Purpose of Flow Designer**

- Automate approval workflow.
- Reduce manual effort.
- Assign requests automatically.
- Update request status.
- Improve operational efficiency.

## **Flow Concept**

The flow starts when an employee submits a laptop request. It automatically routes the request to the manager for approval. After approval, the request is assigned to the IT Support team, and the request status is updated. This automation ensures a smooth and consistent request process.




Figure 19.1: Laptop Request Approval Flow

# Email Notification

## Description

Email Notifications are used in ServiceNow to automatically send email messages when predefined events occur. They help keep users informed about request updates without requiring manual communication.

In the **Laptop Request Management System**, an email notification was configured to automatically notify the employee when the laptop request is approved.

## Notification Details

| Property          | Value                   |
|-------------------|-------------------------|
| Notification Name | Laptop Request Approved |
| Table             | Laptop Request          |



|             |                           |
|-------------|---------------------------|
| Application | Laptop Request Management |
| Status      | Active                    |
| Recipient   | Requested For             |

## **Purpose of Email Notification**

- Automatically notify employees when their laptop request is approved.
- Improve communication between users and administrators.
- Reduce manual follow-up.
- Keep users informed about request status.
- Enhance the overall request management process.

## **Notification Concept**

When a laptop request is approved, ServiceNow automatically triggers the configured email notification. The notification is sent to the **Requested For** user, informing them that their request has been approved and the process will continue with laptop allocation.

ServiceNow All Favorites History Workspaces Admin Notification - Laptop Request Approved

Notification [system: email, active] Laptop Request Approved

Use Notifications to notify users about specific activities in ServiceNow, such as updates to incidents or change requests. Notifications allow administrators to specify:

- When to send the notification
- Who receives the notification
- What content is in the notification

Name: Laptop Request Approved Application: Laptop Request Management

\* Table: Laptop Request [u\_1959826\_laptop\_req...] Active: ☒

Mandatory: ☐ \* Category: Uncategorized

A digest combines and summarizes multiple updates for a single or multiple target records within a set time interval. Allow Digest: ☐

When to send Who will receive What it will contain

Notifications can be sent to specific Users and Groups or to User/Groups in fields on the record that generated this notification.

Users:  Groups:

Users/Groups in fields:  Subscribable: ☐

Requested for

Preview Notification Update Delete

Figure 20.1: Laptop Request Approved Email Notification Configuration

## Result

The email notification was successfully configured to automatically inform the employee after the laptop request was approved, improving communication and ensuring timely updates.

## Reports

### Description

Reports are used in ServiceNow to analyze and visualize application data in graphical format. They help administrators monitor laptop requests, understand request trends, and generate useful insights for decision-making.

In the Laptop Request Management System, reports were created to display laptop request information based on **Approved Status** using graphical charts.

## Report Configuration

| Report Name                        | Type      | Table          | Group By        |
|------------------------------------|-----------|----------------|-----------------|
| Laptop Requests by Approved Status | Pie Chart | Laptop Request | Approved Status |

## Purpose of Reports

- Monitor laptop request status.
- Display request distribution visually.
- Improve data analysis.
- Support decision-making.
- Track approval progress.

## Report Concept

The report retrieves records from the **Laptop Request** table and groups them according to the **Approved Status** field. The data is displayed as a **Pie Chart**, allowing administrators to quickly identify the number of Approved, Rejected, Requested, and Pending requests.

## Report Explanation

The **Laptop Requests by Approved Status** report categorizes all laptop requests based on their approval status.

The chart displays:

- Approved Requests
- Rejected Requests

- Requested Requests
- Pending Requests

This visualization helps administrators monitor the progress of laptop requests and identify the current status distribution.




Figure 21.1: Pie Chart Report – Laptop Requests by Approved Status

## **Result**

The report was successfully created to visualize laptop request approval status. It provides an easy-to-understand graphical representation of request distribution, helping administrators monitor the approval process efficiently.

## **Dashboard**

### **Description**

The Dashboard provides a centralized interface that combines multiple reports and performance indicators into a single view. It enables administrators to monitor laptop request activities and analyze important metrics without opening

individual reports.

In the Laptop Request Management System, a custom dashboard was created to display request statistics and graphical reports in one place.

## **Dashboard Components**

| <b>Widget</b>        | <b>Purpose</b>                                    |
|----------------------|---------------------------------------------------|
| Pie Chart            | Displays request distribution by Approved Status. |
| Bar Chart            | Displays laptop request status summary.           |
| Employee-wise Report | Displays requests associated with employees.      |
| Single Score Widget  | Displays the total number of laptop requests.     |

## **Purpose of Dashboard**

- Centralize important reports.
- Monitor laptop requests in real time.
- Display graphical summaries.
- Improve decision-making.
- Track application performance.

# Dashboard Concept

The dashboard combines multiple reports and widgets into a single interface, providing users with a comprehensive overview of the Laptop Request Management System. It enables administrators to quickly monitor request statistics, approval status, employee requests, and the total number of records.

## Dashboard Explanation

The dashboard includes:

- A **Pie Chart** showing request distribution by approval status.
- **Bar Charts** displaying request statistics.
- A **Single Score** widget showing the total number of laptop requests.
- Multiple visual reports that help monitor system performance.




Figure 22.1: Laptop Request Management Dashboard

# Phase 5: Deployment, Final Presentation & Conclusion

## Sections Included

- Steps Performed

## **Result**

The dashboard was successfully created to present reports and key performance indicators in a single interface. It provides administrators with a clear and interactive overview of the laptop request process, improving monitoring and decision-making.

## **Testing & Validation**

### **Description**

Testing and Validation were performed to ensure that all modules of the Laptop Request Management System functioned correctly according to the project requirements. Each feature was tested individually to verify its functionality, security, automation, and overall performance.

### **Test Cases**

| Test Case                         | Expected Result                  | Status |
|-----------------------------------|----------------------------------|--------|
| Employee submits a laptop request | Request created successfully     | Pass   |
| Manager approves the request      | Approval status updated          | Pass   |
| IT Support assigns the laptop     | Assigned Group and State updated | Pass   |



|                         |                                                 |      |
|-------------------------|-------------------------------------------------|------|
| Business Rule execution | Default values assigned correctly               | Pass |
| UI Policy validation    | Mandatory fields enforced                       | Pass |
| Client Script execution | Messages and field behaviour work correctly     | Pass |
| ACL validation          | Only authorized users can access/update records | Pass |
| Flow Designer execution | Workflow triggered successfully                 | Pass |
| Email Notification      | Notification sent to the user after approval    | Pass |
| Reports and Dashboard   | Data displayed correctly                        | Pass |

## **Purpose of Testing**

- Verify application functionality.
- Ensure security through ACLs.
- Validate automation processes.
- Confirm accurate report generation.


- Check overall system performance.

## **Testing Concept**

Testing was carried out after implementing each module of the application. Functional testing verified the request lifecycle, while security testing ensured that only authorized users could perform specific operations. Automation, notifications, reports, and dashboards were also validated to confirm that the application met all business requirements.

## **Testing Results**

All implemented features were tested successfully. The application correctly handled laptop request submission, approval, assignment, notifications, security validation, and reporting without any functional issues.



The screenshot displays the ServiceNow interface for a 'Laptop Request' (REQ01028). The form is filled out with the following details:

- Number: REQ01028
- Requested for: jyothis employee
- Manager: Deepthi Manager
- Requested Date: 2026-08-02 05:25:23
- \* Purpose: need for gaming
- Approved Status: Requested
- Assigned Group: (empty)
- Assigned to: (empty)
- Comments: (empty text area)
- State: Pending Approval
- Laptop Type: High Performance Laptop


The form includes an 'Update' button at the top right and a 'New section 1' header at the bottom. The ServiceNow logo and navigation tabs (All, Favorites, History, Process Mining Workspace) are visible at the top.

Figure 23.1: Laptop Request Submitted Successfully

- Successfully created Laptop Request
- Approved Request
- Completed Request / Workflow Execution.

## Result

The Laptop Request Management System passed all functional and security tests. Every module operated as expected, ensuring a secure, automated, and efficient request manage



The screenshot displays the ServiceNow interface for a 'Laptop Request - LREQ01028'. The form includes the following fields:

- Number: LREQ01028
- Requested for: jyothis employee
- Manager: Deepthi Manager
- Requested Date: 2026-08-02 05:25:23
- \* Purpose: need for gaming
- Approved Status: Approved
- Assigned Group: IT Support
- Assigned to:
- Comments:
- State: Pending Approved
- Laptop Type: High Performance Laptop

Below the form, there is a section titled 'New section 1' with an 'Update' button.

Figure 23.2: Laptop Request Approved Successfully

## Explanation for the documentation

### **Laptop Request Approved Successfully**

This screenshot shows that the manager has approved the laptop request. Once the approval is completed, the request proceeds to the next stage of the workflow, where it is assigned to the IT Support team for laptop allocation. The approval status is automatically updated, ensuring that the request lifecycle progresses without manual intervention.

# Phase 6: Conclusion

## Sections Included

- Conclusion

The screenshot displays a ServiceNow form for a 'Laptop Request' with the ID 'LREQ01028'. The form is titled 'Laptop Request - LREQ01028' and includes an 'Update' button. The form fields are as follows:

| Field           | Value                   |
|-----------------|-------------------------|
| Number          | LREQ01028               |
| Requested for   | jyothis employee        |
| Manager         | Deepthi Manager         |
| Requested Date  | 2026-08-02 05:25:23     |
| * Purpose       | need for gaming         |
| Approved Status | Approved                |
| Assigned Group  | IT Support              |
| Assigned to     |                         |
| Comments        |                         |
| State           | Laptop Assigned         |
| Laptop Type     | High Performance Laptop |

Below the form, there is a section titled 'New section 1' with an 'Update' button.

Figure 23.3: Workflow Completed Successfully

## Result

The workflow automation was successfully completed, ensuring that every laptop request followed the predefined approval and assignment process. The automated workflow improved efficiency, maintained process consistency, and reduced manual effort.

## Conclusion

The **Laptop Request Management System** was successfully developed using the **ServiceNow** platform. The application automates the complete laptop request lifecycle, including request creation, manager approval, laptop assignment, inventory management, security, reporting, dashboards, and email notifications.

Through this project, practical knowledge was gained in creating custom applications, tables, forms, roles, groups, ACLs, UI Policies, Client Scripts, Business Rules, Flow Designer workflows, reports, dashboards, and notifications. The project demonstrates the effective use of ServiceNow to automate

business processes and improve operational efficiency.

## **Future Enhancements**

### **Future Enhancements**

The following enhancements can be implemented in future versions of the application:

- Add a laptop return management process.
- Integrate barcode or QR code scanning for inventory tracking.
- Develop a mobile-friendly interface for request submission.
- Implement AI-based laptop recommendations based on user requirements.
- Integrate with procurement systems for automatic laptop ordering.
- Generate advanced analytical reports and performance dashboards.
- Integrate Microsoft Teams or SMS notifications for faster communication.