

```
MariaDB [user]> CREATE TABLE user(userID int,name varchar(255),tell varchar(255),age
int,birthday Date,departmentID int,stationID int);
Query OK, 0 rows affected (0.63 sec)
```

```
MariaDB [user]> ALTER TABLE user ADD FOREIGN KEY(stationID) REFERENCES
station(stationID);
Query OK, 0 rows affected (1.13 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
MariaDB [user]> ALTER TABLE user ADD FOREIGN KEY(departmentID) REFERENCES
department(departmentID);
Query OK, 0 rows affected (2.40 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
MariaDB [user]> INSERT INTO station(stationID,stationName) VALUES(1,'九段下');
Query OK, 1 row affected (0.11 sec)
```

```
MariaDB [user]> INSERT INTO station(stationID,stationName) VALUES(2,'永田町');
Query OK, 1 row affected (0.06 sec)
```

```
MariaDB [user]> INSERT INTO station(stationID,stationName) VALUES(3,'渋谷');
Query OK, 1 row affected (0.11 sec)
```

```
MariaDB [user]> INSERT INTO station(stationID,stationName) VALUES(4,'神保町');
Query OK, 1 row affected (0.08 sec)
```

```
MariaDB [user]> INSERT INTO station(stationID,stationName) VALUES(5,'上井草');
Query OK, 1 row affected (0.05 sec)
```

```
MariaDB [user]> INSERT INTO department(departmentID,departmentName) VALUES(1,'開
発部');
Query OK, 1 row affected (0.13 sec)
```

```
MariaDB [user]> INSERT INTO department(departmentID,departmentName) VALUES(2,'営
業部');
Query OK, 1 row affected (0.08 sec)
```

```
MariaDB [user]> INSERT INTO department(departmentID,departmentName) VALUES(3,'総
務部');
Query OK, 1 row affected (0.08 sec)
```

```
MariaDB [user]> INSERT INTO user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES(1,'田中 実','012-345-6789',30,'1994-02-01',3,1);
Query OK, 1 row affected (0.05 sec)
```

```
MariaDB [user]> INSERT INTO user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES(2,'鈴木 茂','090-1122-3344',37,'1987-08-12',3,4);
Query OK, 1 row affected (0.16 sec)
```

```
MariaDB [user]> INSERT INTO user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES(3,'鈴木 実','080-5566-7788',24,'2000-12-24',2,5);
Query OK, 1 row affected (0.06 sec)
```

```
MariaDB [user]> INSERT INTO user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES(4,'佐藤 清','012-0987-6543',19,'2005-08-01',1,5);
Query OK, 1 row affected (1.29 sec)
```

```
MariaDB [user]> INSERT INTO user(userID,name,tell,age,birthday,departmentID,stationID)
VALUES(5,'高橋 清','090-9900-1234',24,'2000-12-24',3,5);
Query OK, 1 row affected (0.08 sec)
```

```
cal XAMPP for Windows - mysql -u KOBAYASHIKENTO -p
```

userID	name	tell	age	birthday	departmentID	stationID
1	田中 実	012-345-6789	30	1994-02-01	3	1
2	鈴木 茂	090-1122-3344	37	1987-08-12	3	4
3	鈴木 実	080-5566-7788	24	2000-12-24	2	5
4	佐藤 清	012-0987-6543	19	2005-08-01	1	5
5	高橋 清	090-9900-1234	24	2000-12-24	3	5

```
5 rows in set (0.39 sec)
```

```
MariaDB [user]> select * from department;
```

departmentID	departmentNAME
1	開発部
2	営業部
3	総務部

```
3 rows in set (0.03 sec)
```

```
MariaDB [user]> select * from station;
```

stationID	stationNAME
1	九段下
2	永田町
3	渋谷
4	神保町
5	上井草