## Code untuk membuat Crud

```
$this->set Tbl Master( TBL PUSKESMAS);
 $this->set_Table(_TBL_PROPINSI);
 $this->set Table( TBL KOTA);
 $this->set_Table(_TBL_DISTRIK);
$this->set_Open_Tab('Data Puskesmas');
           $this->addField(array('field'=>'id', 'type'=>'int', 'show'=>false, 'size'=>4));
$this->addField(array('nmtb1'=>$this->tb1_kota,'field'=>'id_prop', 'input'=>'combo', 'save'=>false, 'combo'=>$this->
cbo_propinsi, 'search'=>true, 'size'=>10));
$this->addField(array('nmtb1'=>$this->tb1_distrik,'field'=>'id_kota', 'input'=>'combo', 'save'=>false, 'combo'=>$this->
            cbo kota, 'search'=>true, 'size'=>10));
 $this->addField(array('field'=>'id distrik', 'input'=>'combo', 'combo'=>$this->cbo kecamatan, 'search'=>true, 'size'=>10
     $this->addField(array('field'=>'picture', 'input'=>'upload','path'=>'wilayah', 'size'=>10));
            $this->addField(array('field'=>'id_pusdatin', 'required'=>true, 'search'=>true, 'size'=>10));
           $this->addField(array('field'=>'puskesmas', 'search'=>true, 'size'=>40));
$this->addField(array('field'=>'jabatan', 'search'=>true, 'size'=>40));
            $this->addField(array('field'=>'nama_kontak', 'search'=>true, 'size'=>40));
            \verb| \$this-> addField(array('field'=>'alamat', 'input'=>'multitext', 'size'=>300)); \\
           $\fishis->addField(array('field'=>'telp', 'size'=>20));
$\this->addField(array('field'=>'email', 'size'=>30));
           %this->addField(array('field'=>'hp', 'size'=>20));
$this->addField(array('field'=>'lat', 'size'=>20));
           $\this->addField(array('field'=>'lng', 'size'=>20));
$\this->addField(array('field'=>'aktif', 'type'=>'string', 'input'=>'boolean', 'search'=>true, 'size'=>20));
$\this->addField(array('field'=>'peta', 'type'=>'free', 'input'=>'free', 'mode'=>'o', 'size'=>20));
$\this->addField(array('field'=>'peta', 'type'=>'free', 'mode'=>'free', 'mode'=>'o', 'size'=>20));
$\this->addField(array('field'=>'peta', 'type'=>'free', 'mode'=>'free', 'mode'=>
 $this->set Close Tab();
```

```
switch ($type) {
   case "manual_input":
       $content = $manual input;
       break;
   case 'string':
    case 'text':
       $content = $span start;
       if($row['size']==100){
           $size = '100%';
       $content .= form_input($label,$isi," size=$row[size] class='form-control $error $align $typeahead
        $class_upper' $onChange $disabled $readOnly $placeholder id=$label $autofocus style='width:$size
        !important; ' ");
        if (!empty($disabled)){
           $content .= form_hidden($label,$isi);
       $content .= $span_end;
    case 'text tags':
       $content = $span_start;
       $content .= form_input($label,$isi," size=$row[size] class='form-control $error $align' $disabled
        data-role='tagsinput' $placeholder id=$label $autofocus ");
       if (!empty($disabled)){
           $content .= form_hidden($label,$isi);
       $content .= $span_end;
       break;
case 'multitext':
    case 'multitext:sms':
   $jmlhuruf=intval($row['size'])-intval(strlen($isi));
```



## **Puskesmas**

