

```

13
14 • INSERT INTO orders VALUES
15 (70001,150.50,'2012-10-05',3005,5002),
16 (70009,270.65,'2012-09-10',3001,5005),
17 (70002,65.26,'2012-10-05',3002,5001),
18 (70004,110.50,'2012-08-17',3009,5003),
19 (70007,948.50,'2012-09-10',3005,5002),
20 (70005,2400.60,'2012-07-27',3007,5001),
21 (70008,5760.00,'2012-09-10',3002,5001),
22 (70010,1983.43,'2012-10-10',3004,5006),
23 (70003,2480.40,'2012-10-10',3009,5003),
24 (70012,250.45,'2012-06-27',3008,5002),
25 (70011,75.29,'2012-08-17',3003,5007),
26 (70013,3045.60,'2012-04-25',3002,5001);
27
28 • SELECT * FROM orders WHERE purch_amt > 2000;
29

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ord_no	purch_amt	ord_date	customer_id	salesman_id
70003	2480.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
NULL	NULL	NULL	NULL	NULL

orders 1 x

#	Time	Action	Message
1	14:51:20	CREATE DATABASE IF NOT EXISTS orders	1 row(s) affected, 1
2	14:51:22	USE orders	0 row(s) affected
3	14:51:23	DROP TABLE IF EXISTS orders	0 row(s) affected
4	14:51:25	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cu...	0 row(s) affected
5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005)...	12 row(s) affected F
6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned

```

56 • SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(purch_amt) >
57
58 • SELECT customer_id,SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SUM(purch_amt)
59

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

salesman_id	total_sales
5002	1349.45
5001	11271.11271.46
5003	2590.90
5005	270.65
5006	1983.43
5007	75.29

Result 5 x

#	Time	Action	Message
3	14:51:23	DROP TABLE IF EXISTS orders	0 row(s) affected
4	14:51:25	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ...	0 row(s) affected
5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005)...	12 row(s) affected Records: 12 D
6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned
7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned
8	14:52:09	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned
9	14:52:29	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned
10	14:52:33	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
total_revenue			
17541.18			

Result 3

Output

Action Output

#	Time	Action	Message
1	14:51:20	CREATE DATABASE IF NOT EXISTS orders	1 row(s)
2	14:51:22	USE orders	0 row(s)
3	14:51:23	DROP TABLE IF EXISTS orders	0 row(s)
4	14:51:25	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cu...	0 row(s)
5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005)...	12 row(s)
6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s)
7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s)
8	14:52:09	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s)

FROM orders

Result Grid	Filter Rows:	Edit:	Export/Import:	Wrap Cell Content:
ord_no	purch_amt	ord_date	customer_id	salesman_id
70002	65.26	2012-10-05	3002	5001
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
NULL	NULL	NULL	NULL	NULL

orders 2

Output

Action Output

#	Time	Action	Message
1	14:51:20	CREATE DATABASE IF NOT EXISTS orders	1 row(s) affected
2	14:51:22	USE orders	0 row(s) affected
3	14:51:23	DROP TABLE IF EXISTS orders	0 row(s) affected
4	14:51:25	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, cu...	0 row(s) affected
5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005)...	12 row(s) affected
6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned
7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
salesman_id	total_sales		
5001	11271.46		

Result 6

Output

Action Output

#	Time	Action	N
4	14:51:25	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ...	0
5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,5005)...	12
6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4
7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4
8	14:52:09	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1
9	14:52:29	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1
10	14:52:33	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6
11	14:53:01	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(p...	1

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_id	total_purchase
▶	3002	8870.86
	3009	2590.90
	3007	2400.60
	3004	1983.43
	3005	1099.00

Result 7 ×

Output

Action Output

#	Time	Action	Message
✓ 5	14:51:26	INSERT INTO orders VALUES (70001,150.50,'2012-10-05',3005,5002), (70009,270.65,'2012-09-10',3001,500...	12 row(s) affected Rec
✓ 6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned
✓ 7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned
✓ 8	14:52:09	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned
✓ 9	14:52:29	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned
✓ 10	14:52:33	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned
✓ 11	14:53:01	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(p...	1 row(s) returned
✓ 12	14:53:23	SELECT customer_id,SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SU...	5 row(s) returned

```

67 SELECT salesman_id,COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUNT(*) >= 4;
68 SELECT ord_date,MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING MAX(purch_amt) > 2000;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	ord_date	highest_purchase
▶	2012-10-10	2480.40
	2012-07-27	2400.60
	2012-09-10	5760.00
	2012-04-25	3045.60

Result 8 ×

Output

Action Output

#	Time	Action	Message
✓ 6	14:51:30	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned
✓ 7	14:51:52	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned
✓ 8	14:52:09	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned
✓ 9	14:52:29	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned
✓ 10	14:52:33	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned
✓ 11	14:53:01	SELECT salesman_id,SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING SUM(p...	1 row(s) returned
✓ 12	14:53:23	SELECT customer_id,SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVING SU...	5 row(s) returned
✓ 13	14:53:44	SELECT ord_date,MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING MAX(p...	4 row(s) returned

K.Mohith-2520030520