




Sheet: /		
File: Root.kicad_sch		
Title:		
Size: USLetter	Date: 2021-05-13	Rev: 1.0
KiCad E.D.A. kicad (6.0.1)		Id: 1/9







Sheet: /TX module/Camera 1/
File: _Camera.kicad_sch

Title: Camera module

Size: USLetter | Date: 2021-05-13
KiCad E.D.A. kicad (6.0.1)

Rev: 1.0
Id: 3/9




Sheet: /TX module/Camera 2/
File: _Camera.kicad_sch

Title: Camera module

Size: USLetter Date: 2021-05-13
KiCad E.D.A. kicad (6.0.1)

Rev: 1.0
Id: 4/9




LP2_LANE0_N is re-routed
MIPI2_LANE1 pins are swapped
MIPI1_CLK are re-routed

Sheet: /TX module/FPGA module TX/
File: _B2B_Connectors_TX.kicad_sch

Title: FPGA B2B connectors

Size: USLetter Date: 2022-04-03
KiCad E.D.A. kicad (6.0.1)

Rev: 1.1
Id: 5/9










Sheet: /RX module/FPGA module RX/
File: _B2B_Connectors_RX.kicad_sch

Title: FPGA B2B connectors

Size: USLetter Date: 2021-05-13
KiCad E.D.A. kicad (6.0.1)

Rev: 1.0
Id: 7/9





Sheet: /RX module/Raspberry Pi CM4/Raspberry Pi CM4 Interface/
File: _RPi_CM4_Interface.kicad_sch

Title: Raspberry Pi CM4 High-speed interface

Size: USLetter Date: 2021-05-13
KiCad E.D.A. kicad (6.0.1)

Rev: 1.0
Id: 9/9