CLAUDE CODE · REMOTION

The Motion-Graphics Starter Kit

Turn Claude Code into your own motion-graphics studio — then level it up with proven prompts.

Made with ♥ for you by **Pouya Eti** · YouTube **@pouyaeti** · brought to you by **Rangy AI**

What is this?

This is a two-part prompt guide for making animated graphics with AI. It uses **Claude Code** (Anthropic's coding agent) together with **Remotion** — a tool that builds real video from code — so you can create titles, lower thirds, overlays, callouts and effects, then export them with transparency into **any editor** (Premiere, Final Cut, CapCut, After Effects, DaVinci). No motion-design software or experience required.

Part 1 — The Starter Prompt: paste it into Claude Code (in an empty folder) and it builds a clean, working project with neutral example graphics and all the export commands. From there you just describe what you want in plain English and Claude builds it.

Part 2 — Pro Prompts: a set of copy-paste follow-up requests that reliably produce more premium results — smoother animation, real sound design, and cleaner effects. Use them whenever a graphic feels flat.

▸ Part 1 — The Starter Prompt

Paste everything in the box below into Claude Code, in an empty folder.

↓ This whole prompt is on its own page — select it all and copy in one go.

```
Set up a new motion-graphics project using Remotion (React-based programmatic video) so
I can design animated graphics and export them into any video editor. Keep the visual
design simple and neutral — I want a clean, working starting point I can take in my own
direction, NOT a finished style.

1. SCAFFOLD  Initialize a Remotion + TypeScript project in the current folder
   (latest Remotion). Install and verify it runs.

2. CANVAS  Put shared video settings in one place: default 1920x1080 at 30fps, but
   make resolution and fps trivial to change (I may switch to 4K / 60fps).

3. STRUCTURE  src/Root.tsx (registers compositions), src/compositions/ (one file
   per graphic), public/ (fonts, images, audio), out/ (renders).

4. STARTER COMPOSITIONS (keep them minimal — I'll design my own look). Four examples,
   each with a clean enter AND exit so nothing pops or cuts mid-animation, using
   useCurrentFrame, interpolate, spring and Easing:
   a) Title card  b) Lower third  c) Kinetic text  d) Transparent overlay demo (badge on
   a TRANSPARENT background). Give each a zod schema + defaultProps so I can edit it live.

5. TRANSPARENCY + EXPORT  Overlays must render with a real alpha channel. Put these
   commands in the README:
     - MP4:            npx remotion render <id> out/<id>.mp4 --codec=h264 --crf=18
     - Transparent:    npx remotion render <id> out/<id>.mov --codec=prores \
                         --prores-profile=4444 --pixel-format=yuva444p10le --image-
format=png
     - PNG sequence:   npx remotion render <id> out/<id>/frame-%04d.png --image-format=png
   Add an npm "studio" script for the live preview.

6. README  Explain: how to preview (npm run studio); how to add a new graphic
   (component + register in Root.tsx with id, fps/size, zod schema, defaultProps); the
   render commands; and tips (keep text in the title-safe area; always give animations a
   full enter and exit; trim leading silence on sound effects).

7. NICE TO HAVE  Load a Google font via @remotion/google-fonts; show how to add a
   sound effect with <Audio src={staticFile("...")} /> inside a <Sequence>.

When done, launch the Studio and summarize what you built and the commands I'll use most.
```

▸ Part 2 — Pro Prompts (level up any graphic)

When a graphic feels flat, paste one of these. They work for any style or topic — just describe your element and add the request.

Animation & motion

> “Make every element animate in (from off-screen or from opacity 0), hold, then animate fully out before the clip ends — so nothing pops in abruptly or gets cut off mid-motion.”

→ The single biggest upgrade: clean, complete enter/exit is what separates polished from amateur.

> “Avoid robotic linear motion. Add anticipation (a tiny wind-up), a little overshoot, then a settle — use spring or eased curves.”

> “Stagger the elements so they enter one after another a few frames apart, not all at once.”

→ Cascading reveals feel intentional and let the eye follow along.

> “While the graphic holds on screen, add subtle life — a gentle float, a soft glow pulse, or a slow shine sweep.”

> “If it demonstrates a click or tap, animate a cursor moving in, pressing with a small ripple, then leaving — so the action reads as real.”

Effects & style

> “Keep effects clean and modern — prefer geometric light (a flash, an expanding ring, thin light streaks, soft glints, a glow/bloom) over emoji or clip-art particles.”

> “Add one tasteful animated accent — like light traveling around a border, or a slow gradient shift — for a premium feel without clutter.”

> “Give results a payoff moment: the winner or key number gets a brief celebration (a scale pop, a glow, a few particles, a sound) so it lands.”

Readability & layout

> “Keep key text inside the title-safe area (about 10% margins) and legible over busy footage — add a subtle shadow, a scrim, or a backing shape.”

> “Auto-fit the text: shrink long text and wrap it cleanly so nothing overflows its container or gets clipped.”

> “Use a clear hierarchy — one bold focal element, with supporting text smaller and lower-contrast.”

Sound design

> “Add synced sound: a soft whoosh on entrance, a click/pop on key actions, a chime on success, and a swish on exit. Trim the silence at the start of each file so the hit lands exactly on its frame, and keep levels balanced (no clipping).”

> “For typing or counting, use one continuous soft sound over the whole duration instead of a harsh effect repeated per character or number.”

Reusable & on-brand

> “Make it fully data-driven — expose text, colors, numbers and images as props with a schema, so I can reuse and restyle it without editing code.”

> “Define my brand once (accent colors, font, corner radius) and apply it consistently to every graphic.”

> “Support a real image via a prop with a clean placeholder fallback, so it looks right before and after I add my own assets.”

Workflow & iteration

> “Render a still at a key frame first so I can check the look before rendering the whole clip.”

→ Saves time — review a single frame instead of waiting on a full render.

> “Show me 2–3 style variations so I can pick a direction before you polish one.”

> “Match the timing to the content — give about a second per short line to read, and keep the whole graphic within the length I ask for.”

Export for any editor

> “Export overlays as a transparent ProRes 4444 .mov (with alpha) for editors, or a PNG sequence for CapCut; export full scenes as MP4 (H.264, crf 18).”

Things you can ask Claude to build

- Title cards · lower thirds (name + role) · animated logo / intro sting
- Like / Subscribe / Comment / Share reminders · "watch this" card · "link in description" pop-up
- Comparison scoreboard · before/after reveal · animated chart · stat callout
- "New / just dropped" badge · prompt box · countdown / timer · end screen · captions

Made with ♥ for you by Pouya Eti

Brought to you by **Rangy AI · rangy.ai**

All your AI image tools in one app · Follow on YouTube @pouyaeti

Made with Claude Code + Remotion. Part 1 builds your studio; Part 2 makes it look pro. Design it your way.