ENGINEERING CONTROL SERIES

ProSEIT

ProSEIT PAEP

Design-to-Code Handoff Standard

Controlled UX Design, Claude Design Handoff & Claude Code Production Realisation

DOCUMENT ID	PROSEIT-STD-PMRA-AF-006-DCH01	**VERSION**	1.0
ISSUE DATE	23 September 2026	**STATUS**	Review-ready controlled implementation standard
OWNER	Solutions Architect & Main Product Owner	**DEVELOPING ORGANISATION**	PROSEIT ORGANISATION OF SOFTWARE PROFESSIONALS LTD
PARENT ARCHITECTURE	PAEP v1.1 - PROSEIT-STD-PMRA-AF-006	**PARENT EXECUTION PROTOCOL**	PAEP-EQP-01 v1.1
PRIMARY DESIGN TOOL	Claude Design under controlled design work orders	**IMPLEMENTATION AGENT**	Claude Code under repository/CI controls

PURPOSE OF THIS COPY: Establishes the mandatory design-to-code control for PAEP design-significant user experiences so visual intent, responsive behaviour, accessibility, states, component mapping and provenance are approved before Claude Code production implementation begins.

Document Control

Field	Controlled Value
Document title	ProSEIT PAEP Design-to-Code Handoff Standard
Document ID	PROSEIT-STD-PMRA-AF-006-DCH01 / PAEP-DCH-01
Version	1.0
Status	Review-ready controlled implementation standard
Effective date	Upon Product Owner / Architecture approval
Parent architecture	PAEP v1.1 - PROSEIT-STD-PMRA-AF-006
Parent execution protocol	ProSEIT PAEP Claude Engineering Execution & Quality Assurance Protocol v1.1 - PAEP-EQP-01
Implementation baseline	PAEP-IB-01 v1.0
Initial roadmap	PAEP-IR-01 v1.0
Main-text formatting	12 pt body text; every new enumerated list restarts at lowercase Roman (i)
Prompt formatting	Claude Design and Claude Code prompts are visually separated from normative body text
Code formatting	Code/configuration snippets are presented in monospace shaded blocks

Revision History

Version	Date	Disposition	Principal Change
1.0	23 Sep 2026	Review candidate	Initial controlled design-to-code handoff standard; formalises the PAEP-EQP-01 v1.1 amendment and introduces design classification, design work orders, controlled handoff manifests,

Version	Date	Disposition	Principal Change
			implementation conformance and design deviation controls.

Approval and Decision Rights

Decision Domain	Primary Authority	Required Evidence / Review
PAEP architecture and package/security boundaries	Solutions Architect	PAEP v1.1, ADRs, architecture review
Product experience priorities and design acceptance	Main Product Owner	Approved design work package and handoff review
Design-system standards and UX consistency	Frontend Platform Council / Quality Lead	Token/component mapping, accessibility and UX evidence
Claude Design exploration execution	Design/engineering team operating Claude Design	Design brief, provenance, iterations and controlled export
Claude Code production implementation	Engineering team operating Claude Code	Approved handoff, tests, QA logs and conformance evidence
Security/privacy acceptance	Security and Assurance Authority / authorised reviewer	Threat model contribution, negative tests, sensitive-data review
Release acceptance	Solutions Architect + Main Product Owner	Implementation QA, UAT, deviations, compatibility and release evidence

Contents

PART I — FOUNDATION AND CONTROL POSITION	Section 17 — Design Review and Approval Gate
Section 1 — Purpose, Scope and Status	Section 18 — Claude Code Implementation Contract
Section 2 — Normative Relationship and Source Hierarchy	Section 19 — Design Deviation and Change Control
Section 3 — Design-to-Code Principles	Section 20 — Quality Assurance and Fix-Until-Pass

Section 4 — Roles and Decision Rights	Section 21 — Visual Conformance and Regression Evidence
Section 5 — Work Classification and Handoff Trigger	Section 22 — Evidence Repository and Traceability
PART II — DESIGN WORK PACKAGE	**PART V — PROVENANCE, STATUS AND ADOPTION**
Section 6 — Design Brief and Design Work Order	Section 23 — Clean-Room Provenance and Licensing
Section 7 — Claude Design Execution Controls	Section 24 — Handoff Status Model
Section 8 — Required Design Artifacts	Section 25 — Adoption and Evolution
Section 9 — Controlled Handoff Bundle	Section 26 — Initial Application to IB2-IB4
Section 10 — PAEP Component and Token Mapping	Appendix A — Design Work Package Template
PART III — UX, QUALITY AND SPECIAL PROFILES	Appendix B — Handoff Manifest Example
Section 11 — Responsive and Adaptive Design	Appendix C — Claude Design Prompt Template
Section 12 — Accessibility and Usability Intent	Appendix D — Claude Code Implementation Prompt Template
Section 13 — Security, Privacy and Trust Constraints	Appendix E — Acceptance Checklist
Section 14 — Reporting and Analytics Design Profile	Appendix F — Design Deviation Record
Section 15 — Offline/PWA and Conflict Design Profile	Appendix G — Validation Matrix
Section 16 — Internationalisation and RTL	Appendix H — References
PART IV — REVIEW, IMPLEMENTATION AND ACCEPTANCE	Approval and Activation Record

PART I — FOUNDATION AND CONTROL POSITION

Section 1 — Purpose, Scope and Status

This Standard defines how PAEP design-significant user experiences move from requirements and design exploration into production Angular implementation. It introduces an explicit design approval and handoff boundary so Claude Design, Claude Code and human reviewers operate within clear responsibilities. The Standard does not alter PAEP architecture; it operationalises the design-to-code amendment in PAEP-EQP-01 v1.1.

1.1 Purpose

(i) preserve a traceable chain from user task and requirement through approved design intent to production implementation and acceptance;

(ii) ensure Claude Design explores experiences using the PAEP design system without acquiring architecture, security, backend or release authority;

(iii) ensure Claude Code implements approved experiences using PAEP components, tokens, contracts and repository controls rather than copying prototype code as production code;

(iv) make responsive behaviour, accessibility intent, states, content, data assumptions and deviations explicit before implementation;

(v) require fix-until-pass conformance evidence where implementation differs from the approved design intent; and

(vi) preserve clean-room provenance and repeatable handoff evidence for later maintenance, procurement diligence and product adoption.

1.2 Scope

The Standard applies to enterprise shell screens, dashboards, reporting workspaces, data-heavy operational screens, mobile/field workflows, offline conflict experiences, AI/agent workspaces, new navigation/information-architecture patterns, new cross-product interaction patterns, and other PAEP work classified as design-significant. It also

defines a lighter path for design extensions and a direct-code path for bounded maintenance that introduces no new experience decision.

1.3 Non-goals

(i) This Standard does not replace PAEP v1.1, PAEP-IB-01, ADRs, backend domain specifications or the Claude Engineering Execution & Quality Assurance Protocol.

(ii) This Standard does not authorise Claude Design to decide package boundaries, persistence models, authentication, tenant isolation, entitlements, fiscal logic, reporting data authority or deployment security.

(iii) This Standard does not require every primitive component change to use Claude Design.

(iv) This Standard does not require literal pixel equality where PAEP responsiveness, accessibility, content expansion or browser rendering requires adaptive implementation.

Section 2 — Normative Relationship and Source Hierarchy

Where design intent conflicts with a higher architectural or quality control, the higher control prevails. The design shall be revised or a governed exception shall be raised; Claude Code shall not implement the conflict silently.

(i) PAEP v1.1 governs platform architecture, design foundations, reusable component architecture, security, accessibility, reporting, portability and release controls.

(ii) PAEP-IB-01 governs concrete repository, package, contract, runtime-configuration and implementation boundaries.

(iii) PAEP-EQP-01 v1.1 governs Claude execution, fix-until-pass QA, traceability, evidence and acceptance.

(iv) Approved ADRs and product/workflow specifications govern authorised decisions within their scope.

(v) This Standard governs design classification, design work orders, handoff artifacts, design approval, implementation conformance and design deviations.

(vi) The current bounded work-package prompt may narrow scope but may not relax any higher control.

CONFLICT RULE: A design cannot override PAEP architecture. When the approved visual/interaction concept requires an architectural change, the design work package becomes BLOCKED until an ADR or architecture decision resolves the issue.

Section 3 — Design-to-Code Principles

(i) Design intent before production code — significant new experiences are reviewed before Claude Code commits production implementation.

(ii) PAEP vocabulary first — design uses approved tokens, components and enterprise patterns before introducing new primitives.

(iii) States are part of the design — loading, empty, validation, permission, edition, error, offline/conflict and recovery states are designed when applicable.

(iv) Adaptive rather than desktop-shrunk — narrow-screen behaviour is explicitly designed rather than inferred from a desktop canvas.

(v) Accessible by design — keyboard/focus, semantics, contrast, error recovery and alternative representations are considered before code.

(vi) Backend authority remains intact — designs may present access, workflow and reporting state but may not imply client-side authority.

(vii) Prototype code is non-authoritative — exported HTML/CSS/JavaScript may demonstrate intent but does not define PAEP production structure.

(viii) Deviations are visible — material implementation departures are recorded, reviewed and either corrected or accepted through controlled change.

(ix) Clean-room provenance is retained — design prompts and artifacts avoid copied proprietary source/assets or distinctive implementation replication.




Figure 1. Controlled PAEP design-to-code flow.

Section 4 — Roles and Decision Rights

Role	Primary Responsibility	May Not
Main Product Owner	Prioritises user/business outcomes; accepts significant experience intent and product release	Override security/architecture controls without governed decision
Solutions Architect	Protects PAEP architecture, package/trust boundaries and exceptions	Delegate architecture authority to design tooling
Frontend Platform Council / Quality Lead	Maintains design-system coherence, UX/a11y standards and design review evidence	Treat visual preference as authority to weaken mandatory quality gates
Claude Design	Explores wireframes, mockups, prototypes, responsive variants and design intent within the brief	Define backend authority, package structure, security policy or release approval
Claude Code	Implements approved intent in Angular/PAEP and runs required QA	Silently redesign approved interactions or copy prototype code around PAEP controls
Security / Assurance Reviewer	Reviews sensitive data, authentication, tenant and trust implications	Use client-side concealment as an authorization control
Representative users / UAT participants	Validate task clarity, efficiency and usability where required	Approve architecture exceptions

Section 5 — Work Classification and Handoff Trigger

Every UI work package shall be classified before implementation. Classification determines whether Claude Design and a controlled handoff are mandatory.

Class	Typical Work	Required Route
D1 — Design Significant	New enterprise shell pattern; executive/reporting workspace; complex data-heavy workflow; mobile field workflow; offline conflict resolution; AI/agent workspace; new navigation/IA; new cross-product interaction pattern	Full Design Work Package → Claude Design → design review → approved handoff → Claude Code
D2 — Design Extension	New screen composed primarily from approved PAEP patterns but with a new task arrangement, responsive composition or domain presentation	Light Design Work Package → annotated design/variants → review → Claude Code
D3 — Direct-Code Maintenance	Defect fix; token correction; accessibility correction; refactor with unchanged UX; already-approved component variant with no new interaction decision	Claude Code may implement directly under PAEP-EQP-01; visual regression and affected tests remain mandatory

5.1 Escalation rule

(i) A D3 task becomes D2 or D1 if implementation discovers a new user-flow, layout, interaction, responsive or component-design decision.

(ii) A D2 task becomes D1 if it introduces a new reusable pattern, new shell/reporting behaviour, material accessibility trade-off or multi-state workflow.

(iii) Claude Code shall stop and request reclassification when a work package cannot be completed without making an unapproved design decision.

PART II — DESIGN WORK PACKAGE

Section 6 — Design Brief and Design Work Order

A Design Work Package (DWP) is the controlled input to Claude Design. It should be concise enough to guide exploration while specific enough to prevent arbitrary visual invention.

6.1 Required DWP fields

Field	Required Content
DWP ID / version	Unique identifier and controlled version
Related requirement IDs	Functional, quality, accessibility, security and reporting requirements
User / primary task	Who performs the task and the outcome they need
Context	Product, tenant/project/site context and navigation location
Screen/workflow IDs	Stable identifiers for each screen or flow step
PAEP design-system baseline	Token/component version to use
Viewport profiles	Desktop, tablet and narrow/mobile profiles required
Required states	Loading, empty, populated, validation, permission, edition, error, offline/conflict, recovery as applicable
Data assumptions	Read-only description of required data and freshness; no database schema authority
Accessibility intent	Keyboard flow, focus, semantics, announcements, non-colour cues, alternative representation
Content/i18n	Message keys, long-text expectation, locale/RTL applicability
Acceptance criteria	Objective design-review criteria and known constraints

6.2 Design brief quality rule

(i) State the user task and business outcome before describing visual composition.

(ii) Reference existing PAEP patterns and components when known.

(iii) Do not request arbitrary third-party template imitation or direct reproduction of proprietary screens.

(iv) Identify unavailable decisions as open questions instead of prompting Claude Design to invent architecture or business rules.

(v) Separate mandatory requirements from exploratory preferences.

Section 7 — Claude Design Execution Controls

Claude Design is used to explore and communicate experience intent. Anthropic supports team design systems, interactive prototypes and handoff bundles to Claude Code; PAEP uses those capabilities as design tooling while retaining its own controlled manifest and approval evidence.

(i) Load or reference the accepted PAEP design-system baseline where the Claude Design environment supports it.

(ii) Use the approved DWP as the primary brief; do not broaden the workflow without recording the new scope.

(iii) Explore alternatives where useful, but identify the selected candidate explicitly before handoff.

(iv) Produce required viewport variants and required operational states, not only the populated desktop state.

(v) Use domain-realistic sample content that does not expose confidential production data.

(vi) Keep generated prototype logic non-authoritative; security, domain validation and workflow permission decisions remain represented as assumptions or backend-provided state.

(vii) Retain the prompt/brief version and a provenance reference for the final selected design.

(viii) Export or package the final design in a form Claude Code can inspect, while also creating the PAEP handoff manifest defined in Section 9.

CLAUDE DESIGN — CONTROLLED DESIGN WORK ORDER

You are designing a PAEP user experience under ProSEIT architecture governance.

Use the attached DWP and the accepted PAEP design system as the controlling design inputs.

Do not create or change backend authority, package boundaries, authentication, tenant rules, entitlements, fiscal logic or reporting data authority.

Produce the required viewport variants and all required states. Reuse PAEP components/tokens where available and identify any genuinely missing reusable pattern.

Record open questions instead of inventing unsupported business or architecture rules. Prepare the selected design for controlled handoff using the PAEP handoff manifest.

Section 8 — Required Design Artifacts

(i) Screen/workflow inventory with stable screen IDs and version.

(ii) Desktop, tablet and narrow/mobile variants where required by the DWP.

(iii) Annotated information hierarchy and primary/secondary actions.

(iv) All required UI states and transitions applicable to the workflow.

(v) PAEP component mapping and any proposed new component/pattern.

(vi) Responsive adaptation rules, including data-table and complex-visual behaviour.

(vii) Keyboard/focus and accessibility intent for complex interactions.

(viii) Content/message-key inventory, including empty/error/permission messages and localisation considerations.

(ix) Data-assumption notes that identify information needed without prescribing database or private transport structures.

(x) Asset inventory with ownership/provenance and alternative text intent where applicable.

(xi) Open questions, rejected alternatives where materially relevant, and approval record.

Section 9 — Controlled Handoff Bundle

The handoff bundle is the controlled bridge between design and implementation. A native Claude Design handoff bundle may be included, but the PAEP handoff manifest is the authoritative inventory of what was approved and what Claude Code must implement.




Figure 2. Mandatory content surrounding the PAEP handoff manifest.

9.1 Minimum bundle structure

REFERENCE FOLDER STRUCTURE

```
handoff/HOF-IB3-001/
├── handoff.manifest.yaml
├── design-brief.md
├── screens/
│   ├── SCR-SHELL-001-desktop.png
│   ├── SCR-SHELL-001-tablet.png
│   └── SCR-SHELL-001-mobile.png
├── prototype/              # optional design reference
├── interaction-notes.md
├── component-map.md
├── accessibility-intent.md
├── content-keys.md
├── assets/
├── provenance.md
├── approvals.md
└── deviations/             # empty at initial approval
```

9.2 Bundle integrity

(i) The manifest shall identify every screen/flow artifact by ID and version.

(ii) The implementation work package shall reference the exact approved handoff version.

(iii) Changes after approval shall increment the handoff version or create an approved deviation record.

(iv) Assets without clear ownership/provenance shall not move into production implementation.

(v) Prototype HTML, CSS or JavaScript is reference material unless separately reviewed and accepted as PAEP-conforming production code.

Section 10 — PAEP Component and Token Mapping

The design handoff shall map visible/interactive elements to existing PAEP primitives wherever practical. This prevents each product screen from becoming a local design system.

Design Element	Preferred Production Mapping	Control
Typography	PAEP semantic type tokens	No ad-hoc per-screen type scale
Spacing/layout	PAEP spacing/layout tokens and approved grid/container patterns	Avoid raw values where semantic token exists
Actions	PAEP button/action components	All focus/loading/destructive states preserved
Forms	PAEP form controls/field wrapper	Labels, errors, locale formats, read-only/dirty states
Tables/data views	PAEP table/data patterns + server paging/virtualisation rules	Explicit narrow-screen strategy
Overlays	PAEP dialog/drawer/popover	Focus trap/restore, escape and mobile sizing
Feedback	PAEP alert/toast/progress/status patterns	Persistent vs transient semantics maintained
Reporting visuals	PAEP analytics abstraction	No vendor chart object in public contracts

10.1 Missing pattern rule

(i) If the design requires a pattern not available in PAEP, the handoff shall mark it as PROPOSED NEW PATTERN rather than silently styling a local component.

(ii) A proposed reusable pattern requires design-system review before it is treated as a shared PAEP primitive.

(iii) Product-specific composition may remain product-owned when reuse is not established.

PART III — UX, QUALITY AND SPECIAL PROFILES

Section 11 — Responsive and Adaptive Design

(i) Design intent shall preserve task, context and meaning across approved viewport profiles rather than merely scaling dimensions.

(ii) Critical content shall remain usable at the PAEP controlled narrow viewport target; exceptions require an accessible alternative for inherently two-dimensional content.

(iii) Enterprise tables shall specify a narrow-screen approach such as priority columns, summary cards, drill-down detail or bounded internal scrolling.

(iv) Primary actions shall remain discoverable without whole-page horizontal scrolling.

(v) Hover-only affordances are prohibited for essential functionality.

(vi) Long translated labels, browser zoom and touch target requirements shall be represented in the design or its acceptance notes.

Section 12 — Accessibility and Usability Intent

(i) Complex interactions shall identify expected keyboard sequence and focus entry/restoration behaviour.

(ii) Dialogs, drawers, menus, grids and command interfaces shall identify accessible names, roles, status/error announcement intent and escape/recovery behaviour.

(iii) Design shall not use colour alone to communicate status, selection, validation or risk.

(iv) Forms shall show label/help/error relationships and error-recovery intent.

(v) Critical workflows shall include representative-user validation before release where PAEP-EQP-01 requires it.

(vi) Charts and complex visuals shall identify an accessible summary or tabular alternative where visual encoding alone would prevent equivalent access.

Section 13 — Security, Privacy and Trust Constraints

(i) Designs may hide or disable unavailable actions for usability, but shall not imply that client-side hiding is the authorization control.

(ii) Designs shall not display secrets, private storage paths, privileged tokens or sensitive payloads merely because they are convenient for a prototype.

(iii) Impersonation/support mode, tenant context, offline/sync state and other high-risk context shall be visibly distinguishable where applicable.

(iv) File preview/upload designs shall assume server authorization, validation and scanning.

(v) Analytics and reporting designs shall assume server-authoritative datasets, metrics, tenant filters and export authorization.

(vi) Cached/offline sensitive information shall be minimised and its lifecycle governed by the security/offline profile rather than visual design convenience.

Section 14 — Reporting and Analytics Design Profile

Power BI-class interaction goals are supported through PAEP analytics contracts and governed reporting services. Design intent may be rich, but it shall preserve metric governance, tenant isolation, performance and accessible alternatives.

(i) Identify dataset/report context, freshness, filters, metrics, dimensions and permitted drill paths without exposing SQL or database structures.

(ii) Design KPI cards, cross-filtering, drill-down/drill-through, saved views, table/pivot experiences and export job status as governed interactions.

(iii) Provide loading, no-data, partial-data, permission, failed-query and stale/freshness states.

(iv) For dense visualisations, specify responsive simplification or alternative views rather than forcing desktop dashboards onto narrow screens.

(v) Provide accessible labels/summaries and a tabular representation where required.

(vi) Keep any visualization-vendor-specific configuration inside implementation adapters rather than the handoff contract.

Section 15 — Offline/PWA and Conflict Design Profile

(i) Design shall distinguish online/current, local draft, queued, synced, conflict and failed states where the workflow is offline-enabled.

(ii) Queued and local-only work shall not be visually indistinguishable from server-accepted state.

(iii) Conflict resolution shall make both attempted local change and authoritative server state understandable to the user.

(iv) Logout, tenant switch, device handover and service-worker update scenarios shall expose unsynchronised-work risk when applicable.

(v) Offline presentation does not grant permission to bypass backend rules; the design should communicate deferred validation where relevant.

Section 16 — Internationalisation and RTL

(i) Design artifacts shall use externalisable content/message keys for reusable UI rather than embedding production strings as structural assumptions.

(ii) Layouts shall tolerate language expansion and explicit business date/number/currency contexts.

(iii) Activated RTL profiles shall verify layout direction, directional icons, form flow, table behaviour and mixed-direction content.

(iv) Long-text variants should be included for screens where clipping or layout collapse is a material risk.

PART IV — REVIEW, IMPLEMENTATION AND ACCEPTANCE

Section 17 — Design Review and Approval Gate

A D1 handoff is not Ready for Claude Code until the design review records PASS or an approved exception for every applicable gate.

Gate	Minimum Evidence	Outcome
Requirement coverage	Every screen/state traces to DWP requirement IDs	PASS / FAIL
PAEP design-system conformity	Component/token map; proposed new patterns isolated	PASS / FAIL
Responsive intent	Required viewport variants and adaptation rules	PASS / FAIL
Accessibility intent	Keyboard/focus/error/status/ alternative representation notes	PASS / FAIL
Security/trust	No client-authority, secret, tenant or data-boundary conflict	PASS / FAIL

Gate	Minimum Evidence	Outcome
State completeness	Required loading/empty/error/permission/offline/conflict/recovery states	PASS / FAIL
Content/i18n	Content keys and long-text/RTL applicability recorded	PASS / FAIL
Provenance	Prompts/source references/assets/ownership recorded	PASS / FAIL
Open decisions	No unresolved decision required for production implementation	PASS / BLOCKED

17.1 Design approval statuses

(i) DRAFT — design exploration is in progress and not implementable as a controlled baseline.

(ii) REVIEW — candidate design is under review; Claude Code may prepare technical analysis but shall not treat it as approved production intent.

(iii) APPROVED FOR IMPLEMENTATION — required design gates pass and exact handoff version is recorded.

(iv) BLOCKED — unresolved architecture, security, product or design decision prevents implementation.

(v) SUPERSEDED — a later controlled handoff version replaces the design.

Section 18 — Claude Code Implementation Contract

Claude Code receives the approved handoff as an implementation input, not as authority to bypass PAEP architecture. Production code shall be reconstructed using PAEP packages, semantic tokens, Angular engineering rules and controlled contracts.

(i) Read the approved HOF manifest, DWP, relevant PAEP source-of-truth sections and existing tests before editing.

(ii) Map each approved screen element and interaction to PAEP components/tokens or record a proposed/missing pattern.

(iii) Implement required states and viewport behaviours, not only the default populated desktop screenshot.

(iv) Do not copy prototype code wholesale when it violates Angular package structure, accessibility, security, state-management or token rules.

(v) Run all mandatory architecture, type, unit/component, accessibility, visual, responsive, security and performance gates applicable to the work package.

(vi) Generate a Design Conformance Report that identifies matched intent, justified technical adaptations and any design deviations.

(vii) Stop and escalate when implementation requires a design, architecture or product decision absent from the approved handoff.

CLAUDE CODE — CONTROLLED DESIGN IMPLEMENTATION

Implement the attached approved PAEP handoff package exactly within the controlling PAEP architecture and repository rules.

The design defines approved experience intent; it does not override package boundaries, backend authority, security, accessibility, contracts or runtime configuration controls.

Reuse PAEP components and semantic tokens. Treat prototype HTML/CSS/JavaScript as design reference only unless separately approved as production-conforming code.

Implement all required states and responsive variants. If a requirement is ambiguous or cannot be implemented without a new design/architecture decision, stop and report BLOCKED.

Run the specified QA commands, repair failures without weakening the criteria, rerun affected regression gates, and produce the Design Conformance Report and retained evidence.

Section 19 — Design Deviation and Change Control

19.1 What counts as a material deviation

(i) change to information hierarchy, primary task path or action priority;

(ii) change to responsive adaptation that affects task completion or context;

(iii) new component/pattern not identified in the approved handoff;

(iv) removal or substantial alteration of a required state;

(v) change to accessibility/focus/keyboard behaviour;

(vi) change to content/terminology with business meaning;

(vii) change that exposes or conceals data, permissions, tenant context or sync/freshness information; or

(viii) implementation choice that changes approved analytics, drill, filter or export interaction.

19.2 Deviation procedure

(i) Record a Design Deviation Record (DDR) with the handoff and screen IDs.

(ii) State the reason, user impact, architecture/quality impact and proposed treatment.

(iii) Classify the deviation as correction-required, design-update-required or acceptable adaptation.

(iv) Obtain the applicable design/product/architecture decision before marking the deviation resolved.

(v) Update the approved design/handoff version when the accepted deviation changes the baseline intent.

Section 20 — Quality Assurance and Fix-Until-Pass




Figure 3. Design conformance uses the same mandatory fix-until-pass discipline as PAEP engineering QA.

(i) Every mandatory acceptance criterion uses PASS/FAIL/BLOCKED, not “mostly complete”.

(ii) When a criterion fails, Claude Code shall diagnose and fix the root cause without weakening the test or silently changing the design baseline.

(iii) After a fix, rerun the failed gate and all affected regression gates.

(iv) Visual differences caused by approved responsive/accessibility adaptation are assessed against design intent and recorded, not automatically treated as defects.

(v) Final acceptance requires both executable QA evidence and required human design/product review.

Section 21 — Visual Conformance and Regression Evidence

(i) Capture representative screenshots for the approved viewport profiles and material states.

(ii) Compare hierarchy, component identity, semantic token use, spacing/rhythm, content, state behaviour and responsive adaptation against the approved handoff.

(iii) Use visual-regression tooling for stable component/shell baselines; approve intentional changes explicitly.

(iv) Do not use pixel equality as the sole acceptance criterion because font rendering, browser differences, localisation and responsive adaptation may create legitimate variation.

(v) Where design intent cannot be represented by screenshot comparison alone, retain interaction/video/test evidence as appropriate.

Section 22 — Evidence Repository and Traceability

CONTROLLED EVIDENCE STRUCTURE

```
evidence/design-handoff/HOF-IB3-001/
├── dwp/
├── design-export/
├── handoff.manifest.yaml
├── design-review/
├── implementation/
├── qa/
│   ├── a11y/
│   ├── visual/
│   ├── responsive/
│   ├── security/
│   └── performance/
├── deviations/
├── conformance-report.md
└── acceptance.md
```

(i) Every handoff package shall trace to requirement IDs and implementation work-package IDs.

(ii) Every implementation acceptance report shall identify the exact handoff version used.

(iii) Deviation records shall be linked both to the design and to the implementing commit/work package.

(iv) Final release evidence shall preserve the accepted design baseline and implementation conformance record for critical workflows.

PART V — PROVENANCE, STATUS AND ADOPTION

Section 23 — Clean-Room Provenance and Licensing

(i) Design briefs and prompts shall describe capabilities, tasks and PAEP-specific product intent rather than request replication of proprietary commercial-template screens.

(ii) Proprietary template source, theme files, assets or distinctive implementation artifacts shall not be inserted into PAEP design or handoff bundles.

(iii) Approved open-source or licensed design assets shall retain source, licence and approval evidence.

(iv) Claude Design-generated assets/code shall be reviewed before adoption and linked to the design provenance record.

(v) External inspiration may inform capabilities and interaction requirements, but the final PAEP design rationale shall demonstrate independent composition and implementation.

Section 24 — Handoff Status Model

Status	Meaning	Implementation Effect
DRAFT	Design or handoff incomplete	Claude Code shall not treat as approved intent
REVIEW	Candidate awaiting controlled review	Technical feasibility analysis allowed; production implementation not accepted
APPROVED FOR IMPLEMENTATION	Design gates passed and version fixed	Claude Code may implement under referenced work package
IMPLEMENTED	Production implementation exists but QA/acceptance may remain	Not equivalent to accepted
PASS	Automated/manual conformance gates pass	Ready for required human acceptance
ACCEPTED	Authorised reviewer records acceptance	Controlled baseline may be used/released
BLOCKED	Decision/evidence missing	Stop affected implementation
SUPERSEDED	Replaced by newer approved version	Do not use for new work

Section 25 — Adoption and Evolution

(i) Adopt this Standard first for IB3 enterprise shell, reporting workspace and other D1 experiences after the initial IB2 design-system kernel is accepted.

(ii) Onboard Claude Design to the accepted PAEP design system rather than a provisional or untested token/component set.

(iii) Use the first handoff packages to refine the manifest and evidence templates without weakening mandatory fields.

(iv) Promote repeated product-specific patterns into shared PAEP components/domain kits only after reuse and governance criteria are met.

(v) Version the Standard when handoff tooling or PAEP architecture changes materially; tooling convenience shall not silently change the controlled artifacts.

Section 26 — Initial Application to IB2-IB4

Milestone	Design-to-Code Application	Exit Evidence
IB2 — Foundation/Core Components	Use Claude Code directly for bounded primitives; use design review for new foundational visual/interaction patterns. Establish PAEP design-system source for Claude Design after acceptance.	Token/component tests, UI-lab examples, visual/a11y evidence, accepted design-system baseline
IB3 — Enterprise Shell	D1 mandatory: Claude Design explores shell/navigation/workspace responsive states; approved HOF required before production shell implementation.	Approved shell handoff + Claude Code conformance + QA
IB4 — Integration experiences	Use D1/D2 for login/session expiry, permission, file, workflow, realtime and error experiences where new interaction intent is required. Backend contracts remain independent.	Approved interaction handoffs where applicable + integration/security evidence

Appendix A — Design Work Package Template

DWP TEMPLATE

DWP ID: DWP-IB3-001
Version: 1.0
Work class: D1 — Design Significant
Related requirements: [REQ-...]
Primary user/task: [...]
Product/context: [...]
Screen/workflow IDs: [SCR-...]
PAEP design-system baseline: [...]
Required viewports: [desktop, tablet, narrow-mobile]
Required states: [loading, empty, populated, error, permission, offline...]
Accessibility intent: [...]
Data assumptions: [...]
Content/i18n: [...]
Acceptance criteria: [DAC-...]
Open questions: [...]

Appendix B — Handoff Manifest Example

YAML MANIFEST EXAMPLE

```
handoffId: HOF-IB3-001
version: 1.0
status: APPROVED_FOR_IMPLEMENTATION
dwpId: DWP-IB3-001
requirements:
  - REQ-SHELL-001
screens:
  - id: SCR-SHELL-001
    viewports: [desktop, tablet, narrow-mobile]
    states: [default, loading, permission, offline]
componentMap:
  - designElement: primaryNavigation
    paepTarget: '@proseit/paep-enterprise/navigation'
accessibility:
  keyboardFlow: 'see accessibility-intent.md'
assets:
  - id: ASSET-LOGO-001
    provenance: approved-brand-asset
designApproval:
  approvedBy: '[name/role]'
  approvedDate: '[date]'
openDecisions: []
```

Appendix C — Claude Design Prompt Template

CLAUDE DESIGN — TEMPLATE

Context: You are creating design intent for [DWP ID] under PAEP v1.1 and PAEP-DCH-01.

Objective: Design [screen/workflow] for [user/task].

Use: [PAEP design-system baseline], [requirements], [content/data assumptions].

Required outputs: [viewports], [states], component mapping, interaction notes, accessibility intent and open questions.

Constraints: do not redefine architecture/security/backend authority; do not replicate proprietary template implementations; use PAEP components/tokens first.

Before handoff: verify the design-review checklist and package the selected design with a PAEP handoff manifest.

Appendix D — Claude Code Implementation Prompt Template

CLAUDE CODE — TEMPLATE

Context: Implement [work-package ID] from approved handoff [HOF ID/version] under PAEP v1.1, PAEP-IB-01, PAEP-EQP-01 v1.1 and PAEP-DCH-01.

Permitted change boundary: [packages/directories].

Implementation: map approved design elements to PAEP components/tokens; implement all required states/viewports and accessibility behaviour.

Prohibitions: do not copy prototype code around PAEP architecture; do not create unapproved design decisions; do not weaken tests or security/accessibility controls.

QA: run [commands]. Repair until every mandatory criterion passes. Retain screenshots/logs and the Design Conformance Report.

Stop condition: report BLOCKED if the handoff conflicts with architecture or lacks a material design/product decision.

Appendix E — Acceptance Checklist

Check	Acceptance Question
Traceability	Does the handoff identify DWP, requirements, screen IDs and exact version?
Design-system conformity	Are approved PAEP tokens/components mapped and proposed new patterns isolated?
States	Are all applicable loading/empty/validation/permission/edition/error/offline/conflict/recovery states defined?
Responsive	Are required viewport variants and adaptation rules explicit?
Accessibility	Are keyboard/focus/semantics/error/status/alternative representations defined where applicable?
Security/trust	Does design avoid client-only authority, secrets, private paths and unsafe data assumptions?
Content/i18n	Are content keys, long-text and RTL/locale considerations represented?
Reporting/offline special profile	Are applicable rich-reporting or sync/conflict controls satisfied?
Provenance	Are prompts, assets, source references and approvals retained?
Implementation conformance	Does production code use PAEP architecture and match approved intent?
Deviations	Are all material deviations recorded and resolved?
Evidence	Do automated/manual QA and acceptance records exist?

Appendix F — Design Deviation Record

DESIGN DEVIATION RECORD

DDR ID: DDR-HOF-IB3-001-01
Handoff: HOF-IB3-001 v1.0
Screen/flow: SCR-SHELL-001
Detected during: implementation | QA | review
Description: [...]
Reason: technical constraint | accessibility | responsive adaptation | design change | defect correction
User impact: [...]
Architecture/security impact: [...]
Proposed treatment: correct implementation | update design | accept adaptation
Decision authority: [...]
Decision: APPROVED | REJECTED | BLOCKED
Resulting handoff version: [...]

Appendix G — Validation Matrix

This Standard was proofed against the controlled PAEP corpus before issue. The matrix records the principal conflict checks performed.

Validation Area	Checked Against	Result
Architecture authority	PAEP v1.1 Sections 3-5, 10-12, 17	Conforms: design tooling receives no architecture/security authority
Design-system/component model	PAEP v1.1 Sections 6-8 and PAEP-IB-01 Sections 12, 17	Conforms: token/component mapping and ui-lab baseline preserved
Claude execution model	PAEP-EQP-01 v1.1	Conforms: bounded prompts, DoR/DoD, fix-until-pass and evidence retained
Reporting	PAEP v1.1 Section 27 and PAEP-IB-01 Sections 15-16	Conforms: design uses governed datasets/metrics; no SQL/vendor public contract
Offline/PWA	PAEP v1.1 Section 14	Conforms: explicit local/queued/synced/conflict/failed meaning preserved
Security/backend authority	PAEP v1.1 Sections 11 and 17	Conforms: server authority preserved; client presentation is not authorization
Responsive/accessibility	PAEP v1.1 Sections 6.2, 16 and implementation baseline Section 12	Conforms: adaptive viewports, 320px intent, keyboard/focus and alternative representations required

Validation Area	Checked Against	Result
Clean-room provenance	PAEP v1.1 Section 19 and PAEP-EQP-01 Section 22	Conforms: proprietary-source copying prohibited; generated design/code evidence retained
Anthropic tooling capability	Anthropic, Introducing Claude Design, 17 Apr 2026	Consistent: Claude Design supports team design systems, prototypes and handoff bundles to Claude Code; PAEP remains tool-independent at the control-record level

Appendix H — References

(i) ProSEIT Organisation of Software Professionals Ltd, ProSEIT Angular Experience Platform (PAEP) v1.1, PROSEIT-STD-PMRA-AF-006.

(ii) ProSEIT Organisation of Software Professionals Ltd, PAEP Implementation Architecture & Repository Baseline v1.0, PAEP-IB-01.

(iii) ProSEIT Organisation of Software Professionals Ltd, PAEP Implementation Roadmap IB0-IB2 v1.0, PAEP-IR-01.

(iv) ProSEIT Organisation of Software Professionals Ltd, PAEP Claude Engineering Execution & Quality Assurance Protocol v1.1, PAEP-EQP-01.

(v) Anthropic, “Introducing Claude Design by Anthropic Labs,” 17 April 2026; describes team design-system use, interactive prototypes and handoff bundles to Claude Code.

(vi) W3C, Web Content Accessibility Guidelines (WCAG) 2.2, as inherited by PAEP v1.1.

Approval and Activation Record

Complete this record only after the Standard has been reviewed against PAEP v1.1, PAEP-IB-01 and PAEP-EQP-01 v1.1. Activation establishes the controlled handoff method; it does not transfer architecture, security or release authority to Claude Design or Claude Code.

Control Field	Recorded Value
Standard ID	PROSEIT-STD-PMRA-AF-006-DCH01 / PAEP-DCH-01
Version	1.0

Control Field	Recorded Value
Architecture review	[INSERT REFERENCE AND DATE]
Product Owner acceptance	[INSERT REFERENCE AND DATE]
Frontend/UX review	[INSERT REFERENCE AND DATE]
Security/quality review	[INSERT REFERENCE AND DATE]
Effective date	[INSERT]
Next review date	[INSERT]

Authorised Signatures

Solutions Architect / Main Product Owner — signature and date:

_____

Frontend Platform / UX Lead — signature and date:

_____

Security / Quality reviewer — name, capacity, signature and date:

_____