ITA0448-STATISTICS AND R PROGRAMMING FOR VECTORIZED EXPRESSIONS

DAY 3 ASSESSMENT

NAME : Koushik S

REG NO : 192121150

1. How to use the cbind() and rbind() in data frame for the fields city and

zipcode datas using vector and data frame.

Create a vectors:

cbind() function:

Output:

city zipcode

[1] delhi 123456

[2] bangalore 789654

[3] chennai 698748

[4] mumbai 456986

rbind() function:

Output:

city zipcode

[1] delhi 123456

[2] bangalore 789654

[3] chennai 698748

[4] mumbai 456986

[5] punjab 456978

[6] kerala 569875

CODE:

```
> # create a vector for city
> city_vec = c('delhi', 'bangalore', 'chennai', 'mumbai')
> # create a vector for zip code
> zip_vec = c(123456, 789654, 698748, 456986)
> # use cbind() to create a data frame
> cbind_df = data.frame(city = city_vec, zipcode = zip_vec)
> # view the output
> print(cbind_df)
      city zipcode
1    delhi  123456
2 bangalore  789654
3  chennai  698748
4   mumbai  456986
> # create a new data frame to add rows
> rbind_df = data.frame(city = c('punjab', 'kerala'),
+              zipcode = c(456978, 569875))
> # use rbind() to add rows to the existing data frame
```

```
> final_df = rbind(cbind_df, rbind_df)
> # view the output
> print(final_df)
       city zipcode
1     delhi  123456
2 bangalore  789654
3   chennai  698748
4   mumbai  456986
5   punjab  456978
6   kerala  569875
```

2. Create First Dataset with variables

• surname

• nationality

Create Second Dataset with variables

• surname

• movies

The common key variable is surname. How to merge both data and check if the

dimensionality is 7x3.

Output:

surname nationality title

1 Hitchcock UK Psycho

2 Hitchcock UK North by Northwest

3 Polanski Poland Chinatown

4 Scorsese US Taxi Driver

5 Spielberg US Super 8

6 Spielberg US Catch Me If You Can

7 Tarantino US Reservoir Dogs

CODE:

import pandas as pd


```python
# create the first dataset
df1 = pd.DataFrame({
    'surname': ['Hitchcock', 'Polanski', 'Scorsese'],
    'nationality': ['UK', 'Poland', 'US']
})
# create the second dataset
df2 = pd.DataFrame({
    'surname': ['Hitchcock', 'Spielberg', 'Tarantino'],
    'movies': ['Psycho, North by Northwest', 'Super 8, Catch Me If You Can', 'Reservoir Dogs']
})
```

```python
# merge the two datasets
merged_df = pd.merge(df1, df2, on='surname')

# split the 'movies' column into separate rows
merged_df = merged_df.assign(movies=merged_df['movies'].str.split(', ')).explode('movies')

# add a 'title' column based on the 'movies' column
merged_df = merged_df.assign(title=merged_df['movies'])

# remove the 'movies' column
merged_df = merged_df.drop('movies', axis=1)

# reorder the columns
merged_df = merged_df[['surname', 'nationality', 'title']]
# check the dimensionality of the merged dataset
assert merged_df.shape == (7, 3)
# view the final output
print(merged_df)
```

3. Write a R program to create an empty data frame.

Output:

[1] "Structure of the empty dataframe:"

'data.frame': 0 obs. of 5 variables:

$ Ints : int

$ Doubles : num

$ Characters: chr

$ Logicals : logi

$ Factors : Factor w/ 0 levels:

NULL

<u>CODE:</u>

```
> # create an empty data frame
> empty_df <- data.frame(Ints = integer(),
+               Doubles = numeric(),
+               Characters = character(),
+               Logicals = logical(),
+               Factors = factor(levels = character()))
> # print the structure of the empty data frame
> cat("Structure of the empty dataframe:\n")
Structure of the empty dataframe:
> str(empty_df)
'data.frame':  0 obs. of  5 variables:
 $ Ints      : int
```

$ Doubles   : num
$ Characters: chr
$ Logicals : logi
$ Factors   : Factor w/ 0 levels:

4. Write a R program to create a data frame from four given vectors

name = c('Anastasia', 'Dima', 'Katherine', 'James', 'Emily', 'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas')

score = c(12.5, 9, 16.5, 12, 9, 20, 14.5, 13.5, 8, 19)

attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1)

qualify = c('yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes')

Output:

[1] "Original data frame:"

[1] "Anastasia" "Dima" "Katherine" "James" "Emily" "Michael"

[7] "Matthew" "Laura" "Kevin" "Jonas"

[1] 12.5 9.0 16.5 12.0 9.0 20.0 14.5 13.5 8.0 19.0

[1] 1 3 2 3 2 3 1 1 2 1

[1] "yes" "no" "yes" "no" "no" "yes" "yes" "no" "no" "yes"

	name	score	attempts	qualify
1	Anastasia	12.5	1	yes
2	Dima	9.0	3	no
3	Katherine	16.5	2	yes
4	James	12.0	3	no
5	Emily	9.0	2	no
6	Michael	20.0	3	yes
7	Matthew	14.5	1	yes
8	Laura	13.5	1	no
9	Kevin	8.0	2	no
10	Jonas	19.0	1	yes

CODE:

```
> # create the vectors
> name <- c('Anastasia', 'Dima', 'Katherine', 'James', 'Emily', 'Michael',
'Matthew', 'Laura', 'Kevin', 'Jonas')
> score <- c(12.5, 9, 16.5, 12, 9, 20, 14.5, 13.5, 8, 19)
> attempts <- c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1)
> qualify <- c('yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes')
```

```
> # create a data frame from the vectors
> df <- data.frame(name, score, attempts, qualify)
> # print the original data frame
> cat("Original data frame:\n")
Original data frame:
> print(df)
      name score attempts qualify
1  Anastasia  12.5      1     yes
2       Dima   9.0      3      no
3  Katherine  16.5      2     yes
4      James  12.0      3      no
5      Emily   9.0      2      no
6    Michael  20.0      3     yes
7    Matthew  14.5      1     yes
8      Laura  13.5      1      no
9      Kevin   8.0      2      no
10     Jonas  19.0      1     yes
```

5. Write a R program to extract specific column from a data frame using column

name.

Output:

[1] "Original data frame:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3	Katherine	16.5	2	yes

4	James	12.0	3	no

5	Emily	9.0	2	no

6	Michael	20.0	3	yes

7	Matthew	14.5	1	yes

8	Laura	13.5	1	no

9	Kevin	8.0	2	no

10	Jonas	19.0	1	yes

[1] "Extract Specific columns:"

exam_data.name exam_data.score

1	Anastasia	12.5

2	Dima	9.0

3	Katherine	16.5

4	James	12.0

5	Emily	9.0

6	Michael	20.0

7	Matthew	14.5

8	Laura	13.5

9	Kevin	8.0

10 Jonas 19.0

<u>CODE:</u>

```
> # Create data frame
> name = c('Anastasia', 'Dima', 'Katherine', 'James', 'Emily', 'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas')
> score = c(12.5, 9, 16.5, 12, 9, 20, 14.5, 13.5, 8, 19)
> attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1)
> qualify = c('yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes')
> exam_data = data.frame(name, score, attempts, qualify)
> # Print original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(exam_data)
        name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0        3      no
3  Katherine  16.5        2     yes
4      James  12.0        3      no
5      Emily   9.0        2      no
6    Michael  20.0        3     yes
7    Matthew  14.5        1     yes
8      Laura  13.5        1      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
> # Extract specific columns
> cat("\nExtract Specific columns:\n")

Extract Specific columns:
> extracted_data = data.frame(name = exam_data$name, score = exam_data$score)
```

```
>print(extracted_data)
      name score
1  Anastasia  12.5
2       Dima   9.0
3  Katherine  16.5
4      James  12.0
5      Emily   9.0
6    Michael  20.0
7    Matthew  14.5
8      Laura  13.5
9      Kevin   8.0
10     Jonas  19.0
```

6. Write a R program to extract first two rows from a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Extract first two rows:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

CODE:

```
# Create the data frame
> name <- c('Anastasia', 'Dima', 'Katherine', 'James', 'Emily', 'Michael',
  'Matthew', 'Laura', 'Kevin', 'Jonas')
> score <- c(12.5, 9, 16.5, 12, 9, 20, 14.5, 13.5, 8, 19)
> attempts <- c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1)
> qualify <- c('yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes')
> exam_data <- data.frame(name, score, attempts, qualify)
> # Display the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(exam_data)
       name score attempts qualify
1 Anastasia  12.5        1     yes
2      Dima   9.0        3      no
3 Katherine  16.5        2     yes
4     James  12.0        3      no
5     Emily   9.0        2      no
```

```
6    Michael 20.0      3    yes
7    Matthew 14.5      1    yes
8     Laura 13.5      1    no
9     Kevin  8.0     2    no
10     Jonas 19.0      1    yes
> # Extract the first two rows
> cat("Extract first two rows:\n")
Extract first two rows:
> exam_data[1:2,]
      name score attempts qualify
1 Anastasia 12.5      1    yes
2    Dima  9.0      3    no
```

7. Write a R program to extract 3rd and 5th rows with 1st and 3rd columns from a

given data frame.

Output:

[1] "Original data frame:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Extract 3rd and 5th rows with 1st and 3rd columns : "

name attempts

3 Katherine 2

5 Emily 2

CODE:

```
> # Create the original data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+               score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+               attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+               qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
      name score attempts qualify
```

```
1  Anastasia 12.5      1    yes
2      Dima  9.0      3    no
3  Katherine 16.5      2    yes
4      James 12.0      3    no
5      Emily  9.0     2    no
6    Michael 20.0      3    yes
7    Matthew 14.5      1    yes
8      Laura 13.5      1    no
9      Kevin  8.0     2    no
10     Jonas 19.0      1    yes
> # Extract 3rd and 5th rows with 1st and 3rd columns
> df_extracted <- df[c(3, 5), c(1, 3)]
> # Print the extracted data frame
> cat("Extract 3rd and 5th rows with 1st and 3rd columns:\n")
Extract 3rd and 5th rows with 1st and 3rd columns:
> print(df_extracted)
      name attempts
3 Katherine      2
5    Emily      2
```

8. Write a R program to add a new column in a given data frame

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "New data frame after adding the 'country' column:"

name score attempts qualify country

1 Anastasia 12.5 1 yes USA

2 Dima 9.0 3 no USA

3 Katherine 16.5 2 yes USA

4 James 12.0 3 no USA

5 Emily 9.0 2 no USA

6 Michael 20.0 3 yes USA

7 Matthew 14.5 1 yes USA

8 Laura 13.5 1 no USA

9 Kevin 8.0 2 no USA

10 Jonas 19.0 1 yes USA

CODE:

```
> # Create data frame
> name = c('Anastasia','Dima','Katherine','James','Emily','Michael','Matthew','Laura','Kevin','Jonas')
> score = c(12.5,9,16.5,12,9,20,14.5,13.5,8,19)
> attempts = c(1,3,2,3,2,3,1,1,2,1)
> qualify = c('yes','no','yes','no','no','yes','yes','no','no','yes')
> exam_data = data.frame(name, score, attempts, qualify)
> # Print original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(exam_data)
       name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0        3      no
3  Katherine  16.5        2     yes
4      James  12.0        3      no
5      Emily   9.0        2      no
6    Michael  20.0        3     yes
7    Matthew  14.5        1     yes
8      Laura  13.5        1      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
> # Extract specific columns
> cat("\nExtract Specific columns:\n")

Extract Specific columns:
> extracted_data = data.frame(name = exam_data$name, score = exam_data$score)
```

```
> print(extracted_data)
      name score
1  Anastasia 12.5
2      Dima  9.0
3  Katherine 16.5
4      James 12.0
5      Emily  9.0
6    Michael 20.0
7    Matthew 14.5
8      Laura 13.5
9      Kevin  8.0
10     Jonas 19.0
>
>
> # Create the data frame
> name <- c('Anastasia','Dima','Katherine','James','Emily','Michael',
'Matthew','Laura','Kevin','Jonas')
> score <- c(12.5,9,16.5,12,9,20,14.5,13.5,8,19)
> attempts <- c(1,3,2,3,2,3,1,1,2,1)
> qualify <- c('yes','no','yes','no','no','yes','yes','no','no','yes')
> exam_data <- data.frame(name,score,attempts,qualify)
> # Display the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(exam_data)
      name score attempts qualify
1  Anastasia 12.5      1     yes
2      Dima  9.0      3      no
3  Katherine 16.5      2     yes
4      James 12.0      3      no
5      Emily  9.0      2      no
```

```
6    Michael 20.0      3    yes
7    Matthew 14.5      1     yes
8     Laura 13.5      1     no
9     Kevin  8.0     2    no
10    Jonas 19.0      1    yes
> # Extract the first two rows
> cat("Extract first two rows:\n")
Extract first two rows:
> exam_data[1:2,]
      name score attempts qualify
1 Anastasia  12.5      1    yes
2    Dima  9.0     3    no
>
>
> # Create the original data frame
> df <- data.frame(name = c("Anastasia","Dima","Katherine","Jame
s","Emily","Michael","Matthew","Laura","Kevin","Jonas"),
+          score = c(12.5,9.0,16.5,12.0,9.0,20.0,14.5,13.5,8.0,1
9.0),
+          attempts = c(1,3,2,3,2,3,1,1,2,1),
+          qualify = c("yes","no","yes","no","no","yes","yes","no","n
o","yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
      name score attempts qualify
1 Anastasia  12.5      1    yes
2    Dima  9.0     3    no
3 Katherine  16.5      2    yes
4    James 12.0      3     no
```

```
5     Emily  9.0      2     no
6    Michael 20.0      3    yes
7    Matthew 14.5      1    yes
8     Laura 13.5       1     no
9     Kevin  8.0       2     no
10     Jonas 19.0      1    yes
> # Extract 3rd and 5th rows with 1st and 3rd columns
> df_extracted <- df[c(3, 5), c(1, 3)]
> # Print the extracted data frame
> cat("Extract 3rd and 5th rows with 1st and 3rd columns:\n")
Extract 3rd and 5th rows with 1st and 3rd columns:
> print(df_extracted)
      name attempts
3 Katherine       2
5    Emily        2
>
>
> # create the original data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily",
+                    "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+           score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+           attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+           qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # add a new column "country" with value "USA"
> df$country <- "USA"
> # print the original and new data frames
> cat("Original dataframe:\n")
Original dataframe:
```

```
>print(df)
        name score attempts qualify country
1  Anastasia 12.5      1     yes    USA
2      Dima  9.0       3      no    USA
3  Katherine 16.5      2     yes    USA
4     James 12.0       3      no    USA
5     Emily  9.0       2      no    USA
6    Michael 20.0      3     yes    USA
7    Matthew 14.5      1     yes    USA
8     Laura 13.5       1      no    USA
9     Kevin  8.0       2      no    USA
10    Jonas 19.0       1     yes    USA
>cat("\nNew data frame after adding the 'country' column:\n")

New data frame after adding the 'country' column:
>print(df)
        name score attempts qualify country
1  Anastasia 12.5      1     yes    USA
2      Dima  9.0       3      no    USA
3  Katherine 16.5      2     yes    USA
4     James 12.0       3      no    USA
5     Emily  9.0       2      no    USA
6    Michael 20.0      3     yes    USA
7    Matthew 14.5      1     yes    USA
8     Laura 13.5       1      no    USA
9     Kevin  8.0       2      no    USA
10    Jonas 19.0       1     yes    USA
```

9. Write a R program to add new row(s) to an existing data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "After adding new row(s) to an existing data frame:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

11 Robert 10.5 1 yes

12 Sophia 9.0 3 no

CODE:

```
> # create original data frame
> df <- data.frame(
+    name = c("Anastasia","Dima","Katherine","James","Emily","Michael","Matthew","Laura","Kevin","Jonas"),
+    score = c(12.5,9.0,16.5,12.0,9.0,20.0,14.5,13.5,8.0,19.0),
+    attempts = c(1,3,2,3,2,3,1,1,2,1),
+    qualify = c("yes","no","yes","no","no","yes","yes","no","no","yes")
+ )
> # print original data frame
> cat("Original data frame:\n")
Original data frame:
> print(df)
      name score attempts qualify
1  Anastasia  12.5      1     yes
2      Dima   9.0      3      no
3  Katherine  16.5      2     yes
```

```
4      James 12.0       3      no
5      Emily  9.0       2      no
6    Michael 20.0       3     yes
7    Matthew 14.5       1     yes
8      Laura 13.5       1      no
9      Kevin  8.0       2      no
10     Jonas 19.0       1     yes
> # create new rows to add
> new_rows <- data.frame(
+   name = c("Robert", "Sophia"),
+   score = c(10.5, 9.0),
+   attempts = c(1, 3),
+   qualify = c("yes", "no")
+ )
> # add new rows to existing data frame
> df <- rbind(df, new_rows)
> # print updated data frame
> cat("After adding new row(s) to an existing data frame:\n")
After adding new row(s) to an existing data frame:
> print(df)
        name score attempts qualify
1  Anastasia 12.5        1     yes
2       Dima  9.0        3      no
3  Katherine 16.5        2     yes
4      James 12.0        3      no
5      Emily  9.0        2      no
6    Michael 20.0        3     yes
7    Matthew 14.5        1     yes
8      Laura 13.5        1      no
9      Kevin  8.0        2      no
10     Jonas 19.0        1     yes
```

```
11   Robert  10.5    1    yes
12   Sophia  9.0     3    no
```

10. Write a R program to drop column(s) by name from a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

score attempts

1 12.5 1

29.03

316.52

412.03

59.02

620.03

714.51

813.51

98.02

1019.01

CODE:

```
> # create the original data frame
> df <- data.frame(
+   name = c("Anastasia","Dima","Katherine","James","Emily","Mic
hael","Matthew","Laura","Kevin","Jonas"),
+   score = c(12.5,9.0,16.5,12.0,9.0,20.0,14.5,13.5,8.0,19.0),
+   attempts = c(1,3,2,3,2,3,1,1,2,1),
+   qualify = c("yes","no","yes","no","no","yes","yes","no","no","yes")
+ )
> # print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
       name score attempts qualify
1  Anastasia  12.5       1     yes
2      Dima   9.0       3      no
3 Katherine  16.5       2     yes
```

```
4      James 12.0      3    no
5      Emily  9.0      2    no
6     Michael 20.0     3    yes
7     Matthew 14.5     1    yes
8      Laura 13.5      1    no
9      Kevin  8.0      2    no
10     Jonas 19.0      1    yes
> # drop column(s) by name
> df <- df[, !names(df) %in% c("qualify")]
> # print the resulting data frame
> cat("\nAfter dropping column(s) by name:\n")

After dropping column(s) by name:
> print(df)
        name score attempts
1  Anastasia 12.5       1
2       Dima  9.0       3
3  Katherine 16.5       2
4      James 12.0       3
5      Emily  9.0       2
6    Michael 20.0       3
7    Matthew 14.5       1
8      Laura 13.5       1
9      Kevin  8.0       2
10     Jonas 19.0       1
```

11. Write a R program to drop row(s) by number from a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

name score attempts qualify

1 Anastasia 12.5 1 yes

3 Katherine 16.5 2 yes

5 Emily 9.0 2 no

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

CODE:

```r
> # Create a data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+           score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+           attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+           qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
        name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0        3      no
3  Katherine  16.5        2     yes
4      James  12.0        3      no
5      Emily   9.0        2      no
6    Michael  20.0        3     yes
7    Matthew  14.5        1     yes
8      Laura  13.5        1      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
> # Drop row(s) by number
> df <- df[-c(2, 4),]
> # Print the modified data frame
> cat("Modified dataframe after dropping row(s):\n")
Modified dataframe after dropping row(s):
```

```
>print(df)
      name score attempts qualify
1  Anastasia  12.5      1    yes
3  Katherine  16.5      2    yes
5      Emily   9.0      2     no
6    Michael  20.0      3    yes
7    Matthew  14.5      1    yes
8      Laura  13.5      1     no
9      Kevin   8.0      2     no
10     Jonas  19.0      1    yes
```

12. Write a R program to sort a given data frame by multiple column(s).

Output:

[1] "Original data frame:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "data frame after sorting 'name' and 'score' columns:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

5 Emily 9.0 2 no

4 James 12.0 3 no

10 Jonas 19.0 1 yes

3 Katherine 16.5 2 yes

9 Kevin 8.0 2 no

8 Laura 13.5 1 no

7 Matthew 14.5 1 yes

6 Michael 20.0 3 yes

CODE:

```
> df <- data.frame(
+   name = c("Anastasia","Dima","Katherine","James","Emily","Michael","Matthew","Laura","Kevin","Jonas"),
+   score = c(12.5,9.0,16.5,12.0,9.0,20.0,14.5,13.5,8.0,19.0),
+   attempts = c(1,3,2,3,2,3,1,1,2,1),
+   qualify = c("yes","no","yes","no","no","yes","yes","no","no","yes")
```

```
+ )
> # print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
        name score attempts qualify
1  Anastasia 12.5        1     yes
2       Dima  9.0        3      no
3  Katherine 16.5        2     yes
4      James 12.0        3      no
5      Emily  9.0        2      no
6    Michael 20.0        3     yes
7    Matthew 14.5        1     yes
8      Laura 13.5        1      no
9      Kevin  8.0        2      no
10     Jonas 19.0        1     yes
> # sort the data frame by 'name' and 'score' columns
> df_sorted <- df[order(df$name, df$score),]
> # print the sorted data frame
> cat("dataframe after sorting 'name' and 'score' columns:\n")
dataframe after sorting 'name' and 'score' columns:
> print(df_sorted)
        name score attempts qualify
1  Anastasia 12.5        1     yes
2       Dima  9.0        3      no
5      Emily  9.0        2      no
4      James 12.0        3      no
10     Jonas 19.0        1     yes
3  Katherine 16.5        2     yes
9      Kevin  8.0        2      no
8      Laura 13.5        1      no
```

```
7   Matthew  14.5    1    yes
6   Michael  20.0    3    yes
```

13. Write a R program to create inner, outer, left, right join(merge) from given two data frames.

Output:

[1] "Left outer Join:"

numid

110

211

312

414

[1] "Right outer Join:"

numid

111

212

313

415

[1] "Outer Join:"

num id
1 10
2 11
3 12
4 13
5 14
6 15

[1] "Cross Join:"

num id.x num id.y
1 12 13
2 14 13
3 10 13
4 11 13

5 12 15
6 14 15
7 10 15
8 11 15
9 12 11

10 14 11

11 10 11

12 11 11

13 12 12

14 14 12

15 10 12

16 11 12

CODE:

```
> # create first data frame
> df1 <- data.frame(numid = c(10,11,12,14),
+              value = c(100,200,300,400))
> # create second data frame
> df2 <- data.frame(numid = c(11,12,13,15),
+              price = c(10,20,30,40))
> # perform left outer join
> left_join <- merge(df1, df2, by = "numid", all.x = TRUE)
> cat("Left outer Join:\n")
Left outer Join:
> print(left_join)
  numid value price
1   10   100   NA
2   11   200   10
3   12   300   20
4   14   400   NA
> # perform right outer join
> right_join <- merge(df1, df2, by = "numid", all.y = TRUE)
> cat("Right outer Join:\n")
```

Right outer Join:
```
> print(right_join)
  numid value price
1   11   200    10
2   12   300    20
3   13    NA    30
4   15    NA    40
> # perform outer join
> outer_join <- merge(df1, df2, by = "numid", all = TRUE)
> cat("Outer Join:\n")
Outer Join:
> print(outer_join)
  numid value price
1   10   100    NA
2   11   200    10
3   12   300    20
4   13    NA    30
5   14   400    NA
6   15    NA    40
> # perform cross join
> cross_join <- merge(df1, df2, by = NULL)
> cat("Cross Join:\n")
Cross Join:
> print(cross_join)
  numid.x value numid.y price
1      10   100      11    10
2      11   200      11    10
3      12   300      11    10
4      14   400      11    10
5      10   100      12    20
6      11   200      12    20
```

```
7      12   300     12   20
8      14   400     12   20
9      10   100     13   30
10     11   200     13   30
11     12   300     13   30
12     14   400     13   30
13     10   100     15   40
14     11   200     15   40
15     12   300     15   40
16     14   400     15   40
```

14. Write a R program to replace NA values with 3 in a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "After removing NA with 3, the said dataframe becomes:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 3 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

CODE:

```
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+           score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+           attempts = c(1, 3, 2, 3, 2, 3, 1, NA, 2, 1),
```

```
+                qualify = c("yes","no","yes","no","no","yes","yes","no","n
o","yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
      name score attempts qualify
1  Anastasia 12.5      1     yes
2      Dima  9.0      3      no
3  Katherine 16.5      2     yes
4      James 12.0      3      no
5      Emily  9.0      2      no
6    Michael 20.0      3     yes
7    Matthew 14.5      1     yes
8      Laura 13.5     NA      no
9      Kevin  8.0      2      no
10     Jonas 19.0      1     yes
> # Rename the 'name' column to 'student_name'
> colnames(df)[1] <- "student_name"
> # Print the updated data frame
> cat("\nChange column-name 'name' to 'student_name' of the said
dataframe:\n")

Change column-name 'name' to 'student_name' of the said datafra
me:
> print(df)
   student_name score attempts qualify
1    Anastasia 12.5      1     yes
2        Dima  9.0      3      no
3    Katherine 16.5      2     yes
4        James 12.0      3      no
```

```
5        Emily   9.0     2    no
6      Michael  20.0      3    yes
7      Matthew  14.5      1    yes
8        Laura  13.5     NA    no
9        Kevin   8.0     2    no
10       Jonas  19.0      1    yes
```

15. Write a R program to change a column name of a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Change column-name 'name' to 'student_name' of the said dataframe:"

student_name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

CODE:

```
# create the original data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+           score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+           attempts = c(1, NA, 2, NA, 2, NA, 1, NA, 2, 1),
```

```
+                 qualify = c("yes","no","yes","no","no","yes","yes","no","no","yes"))
> # display the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
      name score attempts qualify
1  Anastasia 12.5      1     yes
2      Dima  9.0     NA      no
3  Katherine 16.5      2     yes
4      James 12.0     NA      no
5      Emily  9.0      2      no
6    Michael 20.0     NA     yes
7    Matthew 14.5      1     yes
8      Laura 13.5     NA      no
9      Kevin  8.0      2      no
10     Jonas 19.0      1     yes
> # change the column names
> names(df)[1:3] <- c("student_name","avg_score","attempts")
> # display the updated data frame
> cat("Change more than one column name of the said dataframe:\n")
Change more than one column name of the said dataframe:
> print(df)
   student_name avg_score attempts qualify
1     Anastasia    12.5      1     yes
2          Dima     9.0     NA      no
3     Katherine    16.5      2     yes
4         James    12.0     NA      no
5         Emily     9.0      2      no
6       Michael    20.0     NA     yes
```

```
7      Matthew    14.5     1    yes
8      Laura     13.5     NA    no
9      Kevin      8.0     2     no
10     Jonas      19.0     1    yes
```

16. Write a R program to change more than one column name of a given data

frame.

Output:

[1] "Original data frame:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Change more than one column name of the said dataframe:"

student_name avg_score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

CODE:

```
> # create the original data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+          score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+          attempts = c(1, NA, 2, NA, 2, NA, 1, NA, 2, 1),
+          qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # display the original data frame
> cat("Original dataframe:\n")
```

```
Original dataframe:
> print(df)
      name score attempts qualify
1  Anastasia 12.5     1    yes
2      Dima  9.0    NA     no
3  Katherine 16.5     2    yes
4      James 12.0    NA     no
5      Emily  9.0     2     no
6    Michael 20.0    NA    yes
7    Matthew 14.5     1    yes
8      Laura 13.5    NA     no
9      Kevin  8.0     2     no
10     Jonas 19.0     1    yes
> # change the column names
> names(df)[1:3] <- c("student_name", "avg_score", "attempts")
> # display the updated data frame
> cat("Change more than one column name of the said dataframe:\
n")
Change more than one column name of the said dataframe:
> print(df)
    student_name avg_score attempts qualify
1      Anastasia    12.5      1    yes
2           Dima     9.0     NA     no
3      Katherine    16.5      2    yes
4          James    12.0     NA     no
5          Emily     9.0      2     no
6        Michael    20.0     NA    yes
7        Matthew    14.5      1    yes
8          Laura    13.5     NA     no
9          Kevin     8.0      2     no
10         Jonas    19.0      1    yes
```

17. Write a R program to select some random rows from a given data frame.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Select three random rows of the said dataframe:"

```
name score attempts qualify

10 Jonas 19.0 1 yes

7 Matthew 14.5 1 yes

4 James 12.0 3 no
```

CODE:

```
> # Create the data frame
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily",
+                   "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+           score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+           attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+           qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
        name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0        3      no
3  Katherine  16.5        2     yes
4      James  12.0        3      no
5      Emily   9.0        2      no
6    Michael  20.0        3     yes
7    Matthew  14.5        1     yes
8      Laura  13.5        1      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
```

```
> # Set seed to make the results reproducible
> set.seed(123)
> # Randomly select three rows from the data frame
> selected_rows <- sample(nrow(df), 3)
> # Print the randomly selected rows
> cat("\nSelect three random rows of the said dataframe:\n")

Select three random rows of the said dataframe:
> print(df[selected_rows, ])
        name score attempts qualify
3  Katherine  16.5        2     yes
10     Jonas  19.0        1     yes
2       Dima   9.0        3      no
```

18. Write a R program to reorder an given data frame by column name.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "Reorder by column name:"

name attempts score qualify

1 Anastasia 1 12.5 yes

2 Dima 3 9.0 no

3 Katherine 2 16.5 yes

4 James 3 12.0 no

5 Emily 2 9.0 no

6 Michael 3 20.0 yes

7 Matthew 1 14.5 yes

8 Laura 1 13.5 no

9 Kevin 2 8.0 no

10 Jonas 1 19.0 yes

CODE:

> # Create the data frame

```
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "Jame
s", "Emily",
+                  "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+          score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 1
9.0),
+          attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+          qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "n
o", "yes"))
> # Print the original data frame
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
        name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0        3      no
3  Katherine  16.5        2     yes
4      James  12.0        3      no
5      Emily   9.0        2      no
6    Michael  20.0        3     yes
7    Matthew  14.5        1     yes
8      Laura  13.5        1      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
> # Reorder the data frame by column name
> reordered_df <- df[, c("name", "attempts", "score", "qualify")]
> # Print the reordered data frame
> cat("\nReorder by column name:\n")

Reorder by column name:
> print(reordered_df)
        name attempts score qualify
```

```
1  Anastasia    1 12.5    yes
2     Dima      3  9.0     no
3  Katherine    2 16.5    yes
4     James     3 12.0     no
5     Emily     2  9.0     no
6    Michael    3 20.0    yes
7    Matthew    1 14.5    yes
8     Laura     1 13.5     no
9     Kevin     2  8.0     no
10    Jonas     1 19.0    yes
```

19. Write a R program to compare two data frames to find the elements in first data frame

that are not present in second data frame.

Output:

[1] "Original Dataframes"

[1] "a" "b" "c" "d" "e"

[1] "d" "e" "f" "g"

[1] "Data in first dataframe that are not present in second dataframe:"

[1] "a" "b" "c"

<u>CODE:</u>

```r
> # Create the two data frames
> df1 <- data.frame(a = c("a","b","c","d","e"))
> df2 <- data.frame(a = c("d","e","f","g"))
> # Print the original data frames
> cat("Original Dataframes\n")
Original Dataframes
> print(df1$a)
[1] "a" "b" "c" "d" "e"
> print(df2$a)
[1] "d" "e" "f" "g"
> # Find the elements in the first dataframe that are not present in the second dataframe
> diff_df <- setdiff(df1$a, df2$a)
> # Print the difference between the data frames
> cat("Data in first dataframe that are not present in second dataframe:\n")
Data in first dataframe that are not present in second dataframe:
> print(diff_df)
[1] "a" "b" "c"
```

20. Write a R program to find elements which are present in two given data frames.

Output:

[1] "Original Dataframes"

[1] "a" "b" "c" "d" "e"

[1] "d" "e" "f" "g"

[1] "Elements which are present in both dataframe:"

[1] "d" "e"

CODE:

```
> # Create the two data frames
> df1 <- data.frame(a = c("a", "b", "c", "d", "e"))
> df2 <- data.frame(a = c("d", "e", "f", "g"))
> # Print the original data frames
> cat("Original Dataframes\n")
Original Dataframes
> print(df1$a)
[1] "a" "b" "c" "d" "e"
> print(df2$a)
[1] "d" "e" "f" "g"
> # Find the elements which are present in both data frames
> common_df <- intersect(df1$a, df2$a)
> # Print the common elements
> cat("Elements which are present in both data frames:\n")
Elements which are present in both data frames:
> print(common_df)
[1] "d" "e"
```

21. Write a R program to find elements come only once that are common to both

given data frames.

Output:

[1] "Original Dataframes"

[1] "a" "b" "c" "d" "e"

[1] "d" "e" "f" "g"

[1] "Find elements come only once that are common to both given dataframes:"

[1] "a" "b" "c" "d" "e" "f" "g"

CODE:

```
> # Create the two data frames
> df1 <- data.frame(a = c("a", "b", "c", "d", "e"))
> df2 <- data.frame(a = c("d", "e", "f", "g"))
> # Print the original data frames
> cat("Original Dataframes\n")
Original Dataframes
> print(df1$a)
[1] "a" "b" "c" "d" "e"
> print(df2$a)
[1] "d" "e" "f" "g"
> # Find the elements that are common to both data frames and occur only once
> common_once_df <- df1$a[df1$a %in% df2$a & !duplicated(df1$a[df1$a %in% df2$a])]
Warning message:
In df1$a %in% df2$a & !duplicated(df1$a[df1$a %in% df2$a]) :
  longer object length is not a multiple of shorter object length
> # Print the common elements that occur only once
```

```
> cat("Find elements come only once that are common to both given dataframes:\n")
Find elements come only once that are common to both given dataframes:
> print(common_once_df)
[1] "d" "e"
```

22. Write a R program to save the information of a data frame in a file and display

the information of the file.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 3 no

3 Katherine 16.5 2 yes

4 James 12.0 3 no

5 Emily 9.0 2 no

6 Michael 20.0 3 yes

7 Matthew 14.5 1 yes

8 Laura 13.5 1 no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

size isdir mode mtime ctime

data.rda 344 FALSE 644 2018-10-25 12:06:09 2018-10-25 12:06:09

atime uid gid uname grname

data.rda 2018-10-25 12:06:09 1000 1000 trinket trinket

CODE:

```
> df <- data.frame(name = c("Anastasia", "Dima", "Katherine", "James", "Emily",
+                  "Michael", "Matthew", "Laura", "Kevin", "Jonas"),
+          score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+          attempts = c(1, 3, 2, 3, 2, 3, 1, 1, 2, 1),
+          qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes"))
> # save the data frame in a file
> save(df, file = "data.rda")
> # display information about the file
> file.info("data.rda")
         size isdir mode
data.rda  297 FALSE  666
                     mtime
data.rda 2023-03-22 10:49:43
                     ctime
data.rda 2023-03-22 10:49:43
                     atime exe
```

data.rda 2023-03-22 10:49:43 no

23. Write a R program to count the number of NA values in a data frame column.

Output:

[1] "Original dataframe:"

name score attempts qualify

1 Anastasia 12.5 1 yes

2 Dima 9.0 NA no

3 Katherine 16.5 2 yes

4 James 12.0 NA no

5 Emily 9.0 2 no

6 Michael 20.0 NA yes

7 Matthew 14.5 1 yes

8 Laura 13.5 NA no

9 Kevin 8.0 2 no

10 Jonas 19.0 1 yes

[1] "The number of NA values in attempts column:"

[1] 4

CODE:

```
> # create the data frame
> df <- data.frame(
+   name = c("Anastasia", "Dima", "Katherine", "James", "Emily", "Mic
hael", "Matthew", "Laura", "Kevin", "Jonas"),
+   score = c(12.5, 9.0, 16.5, 12.0, 9.0, 20.0, 14.5, 13.5, 8.0, 19.0),
+   attempts = c(1, NA, 2, NA, 2, NA, 1, NA, 2, 1),
+   qualify = c("yes", "no", "yes", "no", "no", "yes", "yes", "no", "no", "yes")
+ )
> # count the number of NA values in the 'attempts' column
> n_na <- sum(is.na(df$attempts))
> # print the original data frame and the result
> cat("Original dataframe:\n")
Original dataframe:
> print(df)
        name score attempts qualify
1  Anastasia  12.5        1     yes
2       Dima   9.0       NA      no
3  Katherine  16.5        2     yes
4      James  12.0       NA      no
5      Emily   9.0        2      no
6    Michael  20.0       NA     yes
7    Matthew  14.5        1     yes
8      Laura  13.5       NA      no
9      Kevin   8.0        2      no
10     Jonas  19.0        1     yes
> cat("The number of NA values in attempts column:\n")
The number of NA values in attempts column:
> print(n_na)
[1] 4
```

24. Write a R program to create a data frame using two given vectors and display

the duplicated elements and unique rows of the said data frame.

Output:

[1] "Original data frame:"

a b

1 10 10

2 20 30

3 10 10

4 10 20

5 40 0

6 50 50

7 20 30

8 30 30

[1] "Duplicate elements of the said data frame:"

[1] FALSE FALSE TRUE FALSE FALSE FALSE TRUE FALSE

[1] "Unique rows of the said data frame:"

a b

1 10 10

2 20 30

4 10 20

5 40 0

6 50 50

8 30 30

CODE:

```
> # create two vectors
> vec1 <- c(10, 20, 10, 10, 40, 50, 20, 30)
> vec2 <- c(10, 30, 10, 20, 0, 50, 30, 30)
> # create a data frame from the vectors
> df <- data.frame(a = vec1, b = vec2)
> # display the original data frame
> cat("Original data frame:\n")
Original data frame:
> print(df)
   a  b
1 10 10
2 20 30
3 10 10
4 10 20
5 40  0
6 50 50
7 20 30
8 30 30
> # find duplicate elements in the data frame
> dup <- duplicated(df)
> # display the duplicated elements
> cat("\nDuplicate elements of the said data frame:\n")
```

Duplicate elements of the said data frame:
> print(dup)
[1] FALSE FALSE TRUE FALSE FALSE FALSE
[7] TRUE FALSE
> # find unique rows in the data frame
> unique_df <- unique(df)
> # display the unique rows
> cat("\nUnique rows of the said data frame:\n")

Unique rows of the said data frame:
> print(unique_df)
   a b
1 10 10
2 20 30
4 10 20
5 40 0
6 50 50
8 30 30

25. Write a R program to call the (built-in) dataset airquality. Check whether it is a

data frame or not? Order the entire data frame by the first and second column.

Output:

[1] "Original data: Daily air quality measurements in New York, May to September

1973."

[1] "data.frame"

	Ozone	Solar.R	Wind	Temp	Month	Day
1	41	190	7.4	67	5	1
2	36	118	8.0	72	5	2
3	12	149	12.6	74	5	3
4	18	313	11.5	62	5	4
5	NA	NA	14.3	56	5	5
6	28	NA	14.9	66	5	6
7	23	299	8.6	65	5	7
8	19	99	13.8	59	5	8
9	8	19	20.1	61	5	9
10	NA	194	8.6	69	5	10

[1] "Order the entire data frame by the first and second column:"

	Ozone	Solar.R	Wind	Temp	Month	Day
21	1	8	9.7	59	5	21
23	4	25	9.7	61	5	23
18	6	78	18.4	57	5	18

....

119 NA 153 5.7 88 8 27

150 NA 145 13.2 77 9 27

<u>CODE:</u>

```
> # Call the built-in dataset airquality
> data(airquality)
> # Check whether it is a data frame or not
> cat("Original data: Daily air quality measurements in New York, M
ay to September 1973.\n")
Original data: Daily air quality measurements in New York, May to S
eptember 1973.
> cat(class(airquality),"\n")
data.frame
> # Order the entire data frame by the first and second column
> cat("Order the entire data frame by the first and second column:\n
")
Order the entire data frame by the first and second column:
> airquality_sorted <- airquality[order(airquality$Ozone, airquality$
Solar.R),]
> print(airquality_sorted)
```

	Ozone	Solar.R	Wind	Temp	Month	Day
21	1	8	9.7	59	5	21
23	4	25	9.7	61	5	23
18	6	78	18.4	57	5	18
76	7	48	14.3	80	7	15
147	7	49	10.3	69	9	24
11	7	NA	6.9	74	5	11
9	8	19	20.1	61	5	9
94	9	24	13.8	81	8	2
137	9	24	10.9	71	9	14
114	9	36	14.3	72	8	22

73	10	264	14.3	73	7	12
20	11	44	9.7	62	5	20
13	11	290	9.2	66	5	13
22	11	320	16.6	73	5	22
50	12	120	11.5	73	6	19
3	12	149	12.6	74	5	3
141	13	27	10.3	76	9	18
138	13	112	11.5	71	9	15
51	13	137	10.3	76	6	20
144	13	238	12.6	64	9	21
148	14	20	16.6	63	9	25
151	14	191	14.3	75	9	28
14	14	274	10.9	68	5	14
16	14	334	11.5	64	5	16
82	16	7	6.9	74	7	21
95	16	77	7.4	82	8	3
143	16	201	8.0	82	9	20
12	16	256	9.7	69	5	12
15	18	65	13.2	58	5	15
152	18	131	8.0	76	9	29
140	18	224	13.8	67	9	17
4	18	313	11.5	62	5	4
8	19	99	13.8	59	5	8
49	20	37	9.2	65	6	18
87	20	81	8.6	82	7	26
153	20	223	11.5	68	9	30
130	20	252	10.9	80	9	7
47	21	191	14.9	77	6	16
132	21	230	10.9	75	9	9
113	21	259	15.5	77	8	21
135	21	259	15.5	76	9	12

108	22	71	10.3	77	8	16
28	23	13	12.0	67	5	28
145	23	14	9.2	71	9	22
110	23	115	7.4	76	8	18
44	23	148	8.0	82	6	13
131	23	220	10.3	78	9	8
7	23	299	8.6	65	5	7
142	24	238	10.3	68	9	19
133	24	259	9.7	73	9	10
74	27	175	14.9	81	7	13
136	28	238	6.3	77	9	13
105	28	273	11.5	82	8	13
6	28	NA	14.9	66	5	6
38	29	127	9.7	82	6	7
149	30	193	6.9	70	9	26
19	30	322	11.5	68	5	19
111	31	244	10.9	78	8	19
24	32	92	12.0	61	5	24
129	32	92	15.5	84	9	6
64	32	236	9.2	81	7	3
17	34	307	12.0	66	5	17
78	35	274	10.3	82	7	17
97	35	NA	7.4	85	8	5
2	36	118	8.0	72	5	2
146	36	139	10.3	81	9	23
31	37	279	7.4	76	5	31
48	37	284	20.7	72	6	17
93	39	83	6.9	81	8	1
41	39	323	11.5	87	6	10
67	40	314	10.9	83	7	6
1	41	190	7.4	67	5	1

112	44	190	10.3	78	8	20
104	44	192	11.5	86	8	12
134	44	236	14.9	81	9	11
116	45	212	9.7	79	8	24
29	45	252	14.9	81	5	29
139	46	237	6.9	78	9	16
128	47	95	7.4	87	9	5
77	48	260	6.9	81	7	16
63	49	248	9.2	85	7	2
90	50	275	7.4	86	7	29
88	52	82	12.0	86	7	27
109	59	51	6.3	79	8	17
92	59	254	9.2	81	7	31
79	61	285	6.3	84	7	18
81	63	220	11.5	85	7	20
66	64	175	4.6	83	7	5
91	64	253	7.4	83	7	30
106	65	157	9.7	80	8	14
98	66	NA	4.6	87	8	6
40	71	291	13.8	90	6	9
126	73	183	2.8	93	9	3
118	73	215	8.0	86	8	26
120	76	203	9.7	97	8	28
68	77	276	5.1	88	7	7
125	78	197	5.1	92	9	2
96	78	NA	6.9	86	8	4
80	79	187	5.1	87	7	19
85	80	294	8.6	86	7	24
89	82	213	7.4	88	7	28
122	84	237	6.3	96	8	30
71	85	175	7.4	89	7	10

123	85	188	6.3	94	8	31
100	89	229	10.3	90	8	8
127	91	189	4.6	93	9	4
124	96	167	6.9	91	9	1
69	97	267	6.3	92	7	8
70	97	272	5.7	92	7	9
86	108	223	8.0	85	7	25
101	110	207	8.0	90	8	9
30	115	223	5.7	79	5	30
121	118	225	2.3	94	8	29
99	122	255	4.0	89	8	7
62	135	269	4.1	84	7	1
117	168	238	3.4	81	8	25
60	NA	31	14.9	77	6	29
58	NA	47	10.3	73	6	27
53	NA	59	1.7	76	6	22
107	NA	64	11.5	79	8	15
25	NA	66	16.6	57	5	25
54	NA	91	4.6	76	6	23
59	NA	98	11.5	80	6	28
65	NA	101	10.9	84	7	4
57	NA	127	8.0	78	6	26
56	NA	135	8.0	75	6	25
103	NA	137	11.5	86	8	11
61	NA	138	8.0	83	6	30
72	NA	139	8.6	82	7	11
150	NA	145	13.2	77	9	27
52	NA	150	6.3	77	6	21
119	NA	153	5.7	88	8	27
35	NA	186	9.2	84	6	4
10	NA	194	8.6	69	5	10

36	NA	220	8.6	85	6	5
102	NA	222	8.6	92	8	10
34	NA	242	16.1	67	6	3
43	NA	250	9.2	92	6	12
55	NA	250	6.3	76	6	24
115	NA	255	12.6	75	8	23
83	NA	258	9.7	81	7	22
42	NA	259	10.9	93	6	11
37	NA	264	14.3	79	6	6
26	NA	266	14.9	58	5	26
39	NA	273	6.9	87	6	8
32	NA	286	8.6	78	6	1
33	NA	287	9.7	74	6	2
75	NA	291	14.9	91	7	14
84	NA	295	11.5	82	7	23
46	NA	322	11.5	79	6	15
45	NA	332	13.8	80	6	14
5	NA	NA	14.3	56	5	5
27	NA	NA	8.0	57	5	27

26. Write a R program to call the (built-in) dataset airquality. Remove the variables

'Solar.R' and 'Wind' and display the data frame.

Output:

[1] "Original data: Daily air quality measurements in New York, May to September

1973."

	Ozone	Solar.R	Wind	Temp	Month	Day
1	41	190	7.4	67	5	1
2	36	118	8.0	72	5	2
3	12	149	12.6	74	5	3
4	18	313	11.5	62	5	4
5	NA	NA	14.3	56	5	5

....

152	18	131	8.0	76	9	29
153	20	223	11.5	68	9	30

[1] "data.frame after removing 'Solar.R' and 'Wind' variables:"

	Ozone	Temp	Month	Day
1	41	67	5	1
2	36	72	5	2
3	12	74	5	3
4	18	62	5	4
5	NA	56	5	5

....

152	18	76	9	29

153 20 68 9 30

CODE:

```
> # Call the built-in dataset airquality
> data(airquality)
> # Display the original data frame
> cat("Original data: Daily air quality measurements in New York, May to September 1973.\n")
Original data: Daily air quality measurements in New York, May to September 1973.
> print(airquality)
```

	Ozone	Solar.R	Wind	Temp	Month	Day
1	41	190	7.4	67	5	1
2	36	118	8.0	72	5	2
3	12	149	12.6	74	5	3
4	18	313	11.5	62	5	4
5	NA	NA	14.3	56	5	5
6	28	NA	14.9	66	5	6
7	23	299	8.6	65	5	7
8	19	99	13.8	59	5	8
9	8	19	20.1	61	5	9
10	NA	194	8.6	69	5	10
11	7	NA	6.9	74	5	11
12	16	256	9.7	69	5	12
13	11	290	9.2	66	5	13
14	14	274	10.9	68	5	14
15	18	65	13.2	58	5	15
16	14	334	11.5	64	5	16
17	34	307	12.0	66	5	17
18	6	78	18.4	57	5	18
19	30	322	11.5	68	5	19
20	11	44	9.7	62	5	20

21	1	8	9.7	59	5	21
22	11	320	16.6	73	5	22
23	4	25	9.7	61	5	23
24	32	92	12.0	61	5	24
25	NA	66	16.6	57	5	25
26	NA	266	14.9	58	5	26
27	NA	NA	8.0	57	5	27
28	23	13	12.0	67	5	28
29	45	252	14.9	81	5	29
30	115	223	5.7	79	5	30
31	37	279	7.4	76	5	31
32	NA	286	8.6	78	6	1
33	NA	287	9.7	74	6	2
34	NA	242	16.1	67	6	3
35	NA	186	9.2	84	6	4
36	NA	220	8.6	85	6	5
37	NA	264	14.3	79	6	6
38	29	127	9.7	82	6	7
39	NA	273	6.9	87	6	8
40	71	291	13.8	90	6	9
41	39	323	11.5	87	6	10
42	NA	259	10.9	93	6	11
43	NA	250	9.2	92	6	12
44	23	148	8.0	82	6	13
45	NA	332	13.8	80	6	14
46	NA	322	11.5	79	6	15
47	21	191	14.9	77	6	16
48	37	284	20.7	72	6	17
49	20	37	9.2	65	6	18
50	12	120	11.5	73	6	19
51	13	137	10.3	76	6	20

52	NA	150	6.3	77	6 21
53	NA	59	1.7	76	6 22
54	NA	91	4.6	76	6 23
55	NA	250	6.3	76	6 24
56	NA	135	8.0	75	6 25
57	NA	127	8.0	78	6 26
58	NA	47	10.3	73	6 27
59	NA	98	11.5	80	6 28
60	NA	31	14.9	77	6 29
61	NA	138	8.0	83	6 30
62	135	269	4.1	84	7 1
63	49	248	9.2	85	7 2
64	32	236	9.2	81	7 3
65	NA	101	10.9	84	7 4
66	64	175	4.6	83	7 5
67	40	314	10.9	83	7 6
68	77	276	5.1	88	7 7
69	97	267	6.3	92	7 8
70	97	272	5.7	92	7 9
71	85	175	7.4	89	7 10
72	NA	139	8.6	82	7 11
73	10	264	14.3	73	7 12
74	27	175	14.9	81	7 13
75	NA	291	14.9	91	7 14
76	7	48	14.3	80	7 15
77	48	260	6.9	81	7 16
78	35	274	10.3	82	7 17
79	61	285	6.3	84	7 18
80	79	187	5.1	87	7 19
81	63	220	11.5	85	7 20
82	16	7	6.9	74	7 21

	Ozone	Solar.R	Wind	Temp	Month	Day
83	NA	258	9.7	81	7	22
84	NA	295	11.5	82	7	23
85	80	294	8.6	86	7	24
86	108	223	8.0	85	7	25
87	20	81	8.6	82	7	26
88	52	82	12.0	86	7	27
89	82	213	7.4	88	7	28
90	50	275	7.4	86	7	29
91	64	253	7.4	83	7	30
92	59	254	9.2	81	7	31
93	39	83	6.9	81	8	1
94	9	24	13.8	81	8	2
95	16	77	7.4	82	8	3
96	78	NA	6.9	86	8	4
97	35	NA	7.4	85	8	5
98	66	NA	4.6	87	8	6
99	122	255	4.0	89	8	7
100	89	229	10.3	90	8	8
101	110	207	8.0	90	8	9
102	NA	222	8.6	92	8	10
103	NA	137	11.5	86	8	11
104	44	192	11.5	86	8	12
105	28	273	11.5	82	8	13
106	65	157	9.7	80	8	14
107	NA	64	11.5	79	8	15
108	22	71	10.3	77	8	16
109	59	51	6.3	79	8	17
110	23	115	7.4	76	8	18
111	31	244	10.9	78	8	19
112	44	190	10.3	78	8	20
113	21	259	15.5	77	8	21

114	9	36	14.3	72	8	22
115	NA	255	12.6	75	8	23
116	45	212	9.7	79	8	24
117	168	238	3.4	81	8	25
118	73	215	8.0	86	8	26
119	NA	153	5.7	88	8	27
120	76	203	9.7	97	8	28
121	118	225	2.3	94	8	29
122	84	237	6.3	96	8	30
123	85	188	6.3	94	8	31
124	96	167	6.9	91	9	1
125	78	197	5.1	92	9	2
126	73	183	2.8	93	9	3
127	91	189	4.6	93	9	4
128	47	95	7.4	87	9	5
129	32	92	15.5	84	9	6
130	20	252	10.9	80	9	7
131	23	220	10.3	78	9	8
132	21	230	10.9	75	9	9
133	24	259	9.7	73	9	10
134	44	236	14.9	81	9	11
135	21	259	15.5	76	9	12
136	28	238	6.3	77	9	13
137	9	24	10.9	71	9	14
138	13	112	11.5	71	9	15
139	46	237	6.9	78	9	16
140	18	224	13.8	67	9	17
141	13	27	10.3	76	9	18
142	24	238	10.3	68	9	19
143	16	201	8.0	82	9	20
144	13	238	12.6	64	9	21

```
145    23     14 9.2  71    9 22
146    36    13910.3  81     9 23
147     7     4910.3  69    9 24
148    14     2016.6  63    9 25
149    30    193 6.9  70    9 26
150    NA    14513.2  77     9 27
151    14    19114.3  75    9 28
152    18    131 8.0  76    9 29
153    20     22311.5  68     9 30
> # Remove the variables 'Solar.R' and 'Wind'
> airquality_new <- airquality[, c('Ozone', 'Temp', 'Month', 'Day')]
> # Display the data frame after removing 'Solar.R' and 'Wind' variabl
es
> cat("data.frame after removing 'Solar.R' and 'Wind' variables:\n")
data.frame after removing 'Solar.R' and 'Wind' variables:
> print(airquality_new)
   Ozone Temp Month Day
1     41  67     5   1
2     36  72     5   2
3     12  74     5   3
4     18  62     5   4
5     NA  56     5   5
6     28  66     5   6
7     23  65     5   7
8     19  59     5   8
9      8  61     5   9
10    NA  69     5  10
11     7  74     5  11
12    16  69     5  12
13    11  66     5  13
14    14  68     5  14
```

```
15    18  58    5 15
16    14  64    5 16
17    34  66    5 17
18     6  57    5 18
19    30  68    5 19
20    11  62    5 20
21     1  59    5 21
22    11  73    5 22
23     4  61    5 23
24    32  61    5 24
25    NA  57    5 25
26    NA  58    5 26
27    NA  57    5 27
28    23  67    5 28
29    45  81    5 29
30   115  79    5 30
31    37  76    5 31
32    NA  78    6  1
33    NA  74    6  2
34    NA  67    6  3
35    NA  84    6  4
36    NA  85    6  5
37    NA  79    6  6
38    29  82    6  7
39    NA  87    6  8
40    71  90    6  9
41    39  87    6 10
42    NA  93    6 11
43    NA  92    6 12
44    23  82    6 13
45    NA  80    6 14
```

46	NA	79	6	15
47	21	77	6	16
48	37	72	6	17
49	20	65	6	18
50	12	73	6	19
51	13	76	6	20
52	NA	77	6	21
53	NA	76	6	22
54	NA	76	6	23
55	NA	76	6	24
56	NA	75	6	25
57	NA	78	6	26
58	NA	73	6	27
59	NA	80	6	28
60	NA	77	6	29
61	NA	83	6	30
62	135	84	7	1
63	49	85	7	2
64	32	81	7	3
65	NA	84	7	4
66	64	83	7	5
67	40	83	7	6
68	77	88	7	7
69	97	92	7	8
70	97	92	7	9
71	85	89	7	10
72	NA	82	7	11
73	10	73	7	12
74	27	81	7	13
75	NA	91	7	14
76	7	80	7	15

77	48	81	7	16
78	35	82	7	17
79	61	84	7	18
80	79	87	7	19
81	63	85	7	20
82	16	74	7	21
83	NA	81	7	22
84	NA	82	7	23
85	80	86	7	24
86	108	85	7	25
87	20	82	7	26
88	52	86	7	27
89	82	88	7	28
90	50	86	7	29
91	64	83	7	30
92	59	81	7	31
93	39	81	8	1
94	9	81	8	2
95	16	82	8	3
96	78	86	8	4
97	35	85	8	5
98	66	87	8	6
99	122	89	8	7
100	89	90	8	8
101	110	90	8	9
102	NA	92	8	10
103	NA	86	8	11
104	44	86	8	12
105	28	82	8	13
106	65	80	8	14
107	NA	79	8	15

108	22	77	8	16
109	59	79	8	17
110	23	76	8	18
111	31	78	8	19
112	44	78	8	20
113	21	77	8	21
114	9	72	8	22
115	NA	75	8	23
116	45	79	8	24
117	168	81	8	25
118	73	86	8	26
119	NA	88	8	27
120	76	97	8	28
121	118	94	8	29
122	84	96	8	30
123	85	94	8	31
124	96	91	9	1
125	78	92	9	2
126	73	93	9	3
127	91	93	9	4
128	47	87	9	5
129	32	84	9	6
130	20	80	9	7
131	23	78	9	8
132	21	75	9	9
133	24	73	9	10
134	44	81	9	11
135	21	76	9	12
136	28	77	9	13
137	9	71	9	14
138	13	71	9	15

```
139   46  78    9  16
140   18  67    9  17
141   13  76    9  18
142   24  68    9  19
143   16  82    9  20
144   13  64    9  21
145   23  71    9  22
146   36  81    9  23
147    7  69    9  24
148   14  63    9  25
149   30  70    9  26
150   NA  77    9  27
151   14  75    9  28
152   18  76    9  29
153   20  68    9  30
```

27. Find the difference between Data Frames and other Data Structures with

example.

Solution:

Data Structure:

There is also an array data structure that extends this idea to more than two

dimensions. A collection of vectors that all have the same length. This is like a matrix,

except that each column can contain a different data type.

Eg: Array, Linked Lists, Stack, Queues, Trees, Graphs, Sets, Hash Tables.

Data Frame:

A data frame can be used to represent an entire data set. A data frame is a table or a

two-dimensional array-like structure in which each column contains values of one

variable and each row contains one set of values from each column.

Eg: Matrices

ANS:

Tables, Spreadsheets, Database tables.

Example:

Let's consider an example to understand the difference between Data Frames and other Data Structures. Suppose we have a dataset containing information about students in a class, including their names, ages, grades, and subjects. We want to analyze this data and find out which students are performing well in which subjects. Here are some ways we can represent this data:

Array: We can use a three-dimensional array to represent this data, where the first dimension represents the student, the second dimension represents the subject, and the third dimension represents the variable (name, age, grade). However, this can be difficult to work with, and we would need to use complex indexing to access specific values.

Linked List: We can use a linked list to represent each student, where each node in the list contains the student's information. However, this would not allow us to easily compare or analyze data across multiple students.

Data Frame: We can use a data frame to represent this data, where each column represents a variable (name, age, grade, subject), and each row represents a student. This would allow us to easily compare and analyze data across multiple students and subjects.

In summary, while other data structures like arrays and linked lists can be used to represent data, they may not be as efficient or convenient for analyzing complex data sets like those found in a data frame.

28. How to create the data frame and print it for the employee data set.

Emp_id = 1:5

Emp_name = "Ricky","Danish","Mini", "Ryan","Gary"

Salary = 643.3,515.2,671.0,729.0,943.25

Start_date = "2022-01-01", "2021-09-23","2020-11-15", "2021-05-11","2022-03-

27"

CODE:

```
> # create the data frame
> employee_df <- data.frame(
+   Emp_id = 1:5,
+   Emp_name = c("Ricky","Danish","Mini","Ryan","Gary"),
+   Salary = c(643.3,515.2,671.0,729.0,943.25),
+   Start_date = c("2022-01-01","2021-09-23","2020-11-15","2021-05-11","2022-03-27")
+ )
> # print the data frame
> employee_df
  Emp_id Emp_name Salary Start_date
1    1    Ricky 643.30 2022-01-01
2    2   Danish 515.20 2021-09-23
3    3     Mini 671.00 2020-11-15
```

| 4 | 4 | Ryan | 729.00 | 2021-05-11 |
| 5 | 5 | Gary | 943.25 | 2022-03-27 |

29. Write the code to get the Structure of the R Data Frame.

CODE:

```
> # create a sample data frame
> df <- data.frame(
+   x = c(1, 2, 3),
+   y = c("A", "B", "C"),
+   z = c(TRUE, FALSE, TRUE)
+ )
> # get the structure of the data frame
> str(df)
'data.frame':  3 obs. of  3 variables:
 $ x: num  1 2 3
 $ y: chr  "A" "B" "C"
 $ z: logi  TRUE FALSE TRUE
```

30. How to extract data from data frame for the above employee dataset.

Expected Output:

emp.data.emp_name. emp.data.salary

1 Ricky 643.30

2 Danish 515.20

3 Mini 671.00

4 Ryan 729.00

5 Gary 943.25

CODE:

```
> # create the data frame
> employee_df <- data.frame(
+   Emp_id = 1:5,
+   Emp_name = c("Ricky","Danish","Mini","Ryan","Gary"),
+   Salary = c(643.3,515.2,671.0,729.0,943.25),
+   Start_date = c("2022-01-01","2021-09-23","2020-11-15","2021-05-11","2022-03-27")
+ )
> # extract employee names and salaries
> emp_names <- employee_df$Emp_name
> emp_salaries <- employee_df$Salary
> # create a data frame with the extracted data
> emp_data <- data.frame(emp_name = emp_names, salary = emp_salaries)
> # print the data frame
> emp_data
  emp_name salary
1    Ricky 643.30
2   Danish 515.20
3     Mini 671.00
4     Ryan 729.00
5     Gary 943.25
```

31. How to extract the first two rows and then all columns in employee data frame.

Expected Output:

emp_id emp_name salary start_date

1 Ricky 643.3 2012-01-01

2 Danish 515.2 2013-09-23

CODE:
```
> employee_df[1:2,]
  Emp_id Emp_name Salary Start_date
1    1    Ricky   643.3 2022-01-01
2    2   Danish   515.2 2021-09-23
```

32. Write a code to extract 3rd and 5th row with 2nd and 4th column of the employee

data.

Expected Output:

emp_name start_date

3 Mini 2014-11-15

5 Gary 2015-03-27

CODE:

```
> employee_df[c(3,5),c(2,4)]
  Emp_name Start_date
3     Mini 2020-11-15
5     Gary 2022-03-27
```

Data Reshaping:

Data reshaping means changing how data is represented in rows and column. It includes

splitting, merging or interchanging the rows and columns.

Reshaping functions:

- cbind()

- rbind()

- mergr()

33. How to expand the data frame by adding rows and columns in data frame for

employee data set.

Add Column: dept<-
c("IT","Operations","IT",
"HR","Finance")

Expected Output:

emp_id	emp_name	salary	start_date	dept
1	Ricky	643.30	2012-01-01	IT
2	Danish	515.20	2013-09-23	Operations
3	Mini	671.00	2014-11-15	
4	Ryan	729.00	2014-05-11	HR
5	Gary	943.25	2015-03-27	Finance

Add Row using the second dataframe given below:

emp_id = 6:8,

emp_name = "Rasmi","Pranab","Tusar",

salary = 578.0,722.5,632.8,

start_date = "2022-05-21","2020-07-30","2019-06-17",

dept = "IT","Operations","Fianance",

Expected Output:

```
  emp_id emp_name salary start_date dept
1 Ricky 643.30 2012-01-01 IT
2 Danish 515.20 2013-09-23 Operations
3 Mini 671.00 2014-11-15 IT
4 Ryan 729.00 2014-05-11 HR
5 Gary 943.25 2015-03-27 Finance
6 Rasmi 578.00 2013-05-21 IT
7 Pranab 722.50 2013-07-30 Operations
8 Tusar 632.80 2014-06-17 Fianance
```

CODE:

34. Write a R program to compare two data frames to find the row(s) in first data frame that

are not present in second data frame.

CODE:

```
# create the first data frame
> df1 <- data.frame(
+   ID = c(1, 2, 3, 4, 5),
+   Name = c("John", "Sara", "David", "Sarah", "Mike")
+ )
> # create the second data frame
```

```
> df2 <- data.frame(
+   ID = c(2, 4),
+   Name = c("Sara", "Sarah")
+ )
> # compare the two data frames and find rows in df1 that are not in
df2
> df1_not_in_df2 <- anti_join(df1, df2, by = c("ID", "Name"))
Error in anti_join(df1, df2, by = c("ID", "Name")) :
  could not find function "anti_join"
> # print the result
> df1_not_in_df2
Error: object 'df1_not_in_df2' not found
```

35. Write a R program to find elements come only once that are common to both given data

frames.

<u>CODE:</u>

```
> # create two example data frames
> df1 <- data.frame(A = c(1, 2, 3, 4, 5),
+              B = c("apple", "banana", "cherry", "banana", "apple"))
> df2 <- data.frame(A = c(2, 4, 6),
+              B = c("banana", "apple", "orange"))
> # find elements that occur only once and are common to both data frames
> common <- intersect(df1$B, df2$B)
> result <- unique(df1$B[duplicated(df1$B) & df1$B %in% common])
```

```
> # print the result
> print(result)
[1] "banana" "apple"
```

36. Write a R program to create a data frame using two given vectors and display the

duplicated elements and unique rows of the said data frame.

Practice Probs

File Read and Write Functions in R

Readline()

con <- file("Sample.txt","r")

w<-readLines(con)

close(con)

w[1]

w[2]

w[3]

writeline()

sample<-c("Class,Alcohol,Malic acid,Ash","1,14.23,1.71,2.43","1,13.2,1.78,2.14")

```r
writeLines(sample,"sample.csv")


dput() and dget():
# Create a data frame
x <- data.frame(Name = "Mr. A", Gender = "Male", Age=35)
#Print 'dput' output to your R console
dput(x)
#Write the 'dput' output to a file
dput(x, file = "w.R")
# Now read in 'dput' output from the file
y <- dget("w.R")

y
dump()
x<-1:10
d <- data.frame(Name = "Mr. A", Gender = "Male", Age=35)
dump(c("x", "d"), file = "dump_data.R")
```

```r
rm(x, d) #After dumping just remove the variables from environment.

source("dump_data.R")

x

d

str(d)
```

read & Write

```r
> data <- read.csv("employee_data.csv", header = TRUE, sep = ",")

> is.data.frame(data)

[1] TRUE

> ncol(data)

[1] 9

> nrow(data)

[1] 1000

> sal <- max(data$salary)

> sal

[1] 106905

> retval <- subset(data, gender == "M")

> write.csv(retval, "output.csv")
```

> dim(retval)

[1] 6 10 9

CODE:

```
# create two vectors
> vec1 <- c("A","B","C","D","E","F")
> vec2 <- c(1,2,3,4,5,6)
> # create a data frame from the vectors
> df <- data.frame(vec1, vec2)
> # display the duplicated elements
> duplicated_elements <- df[duplicated(df),]
> cat("Duplicated elements:\n")
Duplicated elements:
> print(duplicated_elements)
[1] vec1 vec2
<0 rows> (or 0-length row.names)
> # display the unique rows
> unique_rows <- unique(df)
> cat("\nUnique rows:\n")

Unique rows:
> print(unique_rows)
  vec1 vec2
1    A    1
2    B    2
3    C    3
4    D    4
5    E    5
6    F    6
```