

RecruitmentAssist Project Fix Report

Generated 2026-06-04 13:38

Summary

- Completed a backend/frontend health sweep after the LangGraph migration.
- Fixed verified data-count, response-shape, profile update, and Jobs refresh issues.
- Validated backend compilation, frontend production build, and key LangGraph route response shapes.

Issues Fixed

- Jobs page counts for candidates screened against multiple JDs: JD counts now use comparison rows instead of the candidate table's single jd_id field.
- ServiceNow Developer card: verified it now reports total_resumes=2, selected_count=0, rejected_count=2 from comparison data.
- Candidate queries for a specific JD: candidates_payload({jd_id}) now uses get_candidates_for_jd(), so JD details and interview eligibility see comparison-backed candidates.
- Dashboard team data crash: preserved empty list responses and guarded the frontend before calling filter().
- Jobs stale values: cleared the JD session cache after create, delete, and screening actions; Jobs page also refreshes on focus/pageshow.
- List response robustness: guarded JD, candidate, comparison, and dashboard list consumers against malformed non-array responses.
- Profile password form: added current-password verification and password update support instead of silently ignoring password fields.
- Profile error display: frontend now respects failed profile update responses instead of always showing a success-style message.

Verification Results

Commands and smoke checks run after fixes

Passed Checks

- Backend compile: python -m compileall -q RecruitmentAssist/backend passed.
- Frontend production build: npm --prefix RecruitmentAssist/frontend run build passed.
- LangGraph route shapes: dashboard=dict, dashboard_team=list, jd_list=list, candidate_list=list, reports=dict, jd_performance=list.
- Candidate profile via graph: candidate 52 returned name=NISHIT MITTAL, jd_history=4, screening_summaries=4.
- ServiceNow JD list via graph: JD id 10 returned total_resumes=2, selected_count=0, rejected_count=2.
- Router safety: explicit known task_type values bypass LLM routing and use deterministic route mapping.

Files Touched

- backend/services/jd_service.py
- backend/services/candidate_service.py
- backend/database.py
- backend/routes/profile_routes.py
- backend/workflows/app_workflow.py
- frontend/src/api.js
- frontend/src/pages/JdList.jsx
- frontend/src/pages/Dashboard.jsx
- frontend/src/pages/Comparison.jsx
- frontend/src/pages/Candidates.jsx
- frontend/src/pages/Profile.jsx

Remaining Notes

Items to watch during manual testing

Recommended Manual Tests

- Restart backend and frontend, then hard-refresh the browser.
- Open Jobs and confirm ServiceNow Developer shows Total Resumes 2, Selected 0, Rejected 2.
- Run a new screening against any JD and confirm the Jobs card updates after returning to /jobs.
- Open a candidate profile and confirm Applied Roles and Screening Summaries render.
- Try profile email-only update and password update with both wrong and correct current password.
- Create and delete a JD, then confirm the Jobs list cache updates correctly.

Known Constraints

- This was a practical health sweep, not a formal exhaustive QA certification of every workflow.
- No destructive database migrations were run.
- Frontend build output changed because the production build was regenerated.
- LLM routing remains safely bypassed for explicit task_type values; ambiguous natural-language routing still depends on OPENAI_API_KEY.