

AgentForge — Work Split

Koushik & Siri | Dynamic AI Agent Builder Platform

Koushik — The Orchestration Layer

Koushik

Owns the **brain** of the system — the parts that receive user input and coordinate all other agents.

Agents

Agent	What It Does
Agent Builder Agent	Main orchestrator — receives user request, calls all other agents in sequence
Goal Analysis Agent	Parses user intent, extracts objective, frequency, and output type
Validation Agent	Checks the final generated agent for correctness before deployment

Other Responsibilities

[FastAPI backend](#) [Azure Container Apps deployment](#) [Agent creation form \(Frontend\)](#)

Learning Focus

How to build an **orchestrator** — a LangGraph agent that calls other agents as tools. The most advanced and most important pattern in the system.

Siri — The Specialist Agents Layer

Siri

Owns all the agents that do the **actual specialized work** when called by the orchestrator.

Agents

Agent	What It Does
Tool Selection Agent	Picks the right tools (Gmail API, Search, AWS, etc.) for the generated agent

Workflow Design Agent	Builds the step-by-step execution graph using LangGraph
Prompt Generation Agent	Writes the system prompt and role instructions for the generated agent
Memory Configuration Agent	Decides what the agent should remember across runs

Other Responsibilities

PostgreSQL schema (Neon) pgvector memory setup Supabase Auth integration
Agent dashboard (Frontend)

Learning Focus

How to build **specialist agents** — focused, single-purpose LangGraph nodes that take structured input and return structured output.

Shared Responsibilities

Task	Who
GitHub repo creation	Koushik creates — Siri clones
Code reviews	Each reviews the other's PRs before merge
React frontend	Koushik: Create Agent page Siri: Dashboard & Workflow viewer

File Ownership Map

```
AgentForge/
├── backend/
│   ├── agents/
│   │   ├── agent_builder.py      ← Koushik
│   │   ├── goal_analysis.py     ← Koushik
│   │   ├── validation.py        ← Koushik
│   │   ├── tool_selection.py    ← Siri
│   │   ├── workflow_design.py   ← Siri
│   │   ├── prompt_generation.py ← Siri
│   │   └── memory_config.py     ← Siri
│   ├── main.py                  ← Koushik (FastAPI)
│   └── database/
│       └── schema.sql           ← Siri
├── frontend/
│   ├── src/pages/CreateAgent/    ← Koushik
│   └── src/pages/Dashboard/     ← Siri
```

| Daily Git Workflow (Both Follow This)

```
# Start of every session
git pull

# While working – commit often
git add .
git commit -m "feat: describe what you just built"

# End of session
git push
```

| Since each person owns different files, you will almost never have a merge conflict. Both push directly to **main**.