





Sheet: /		
File: bv6502_hw.kicad_sch		
Title:		
Size: USLetter	Date:	Rev:
KiCad E.D.A. 10.0.3		Id: 1/10




Sheet: /CPU/
File: cpu.kicad_sch

Title: 6502 Computer

Size: USLetter Date: 2026-02-08
KiCad E.D.A. 10.0.3

Rev: 1
Id: 3/10




Sheet: /Address Decoder/
File: decoder.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 4/10




Sheet: /Memory/
File: mem.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 5/10




FT232RL board has 0Ω resistor removed to prevent USB from powering board.

Sheet: /ACIA/UART/
File: uart.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 6/10





Sheet: /VIA/
File: via.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 7/10






Sheet: /LCD/
File: lcd.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 9/10



Sheet: /VGA/
File: vga.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 10/10