






Sheet: /		
File: bv6502_hw.kicad_sch		
Title:		
Size: USLetter	Date:	Rev:
KiCad E.D.A. 10.0.3		Id: 1/10



Sheet: /CPU/	
File: cpu.kicad_sch	
Title: 6502 Computer	
Size: USLetter	Date: 2026-02-08
KiCad E.D.A. 10.0.3	Rev: 1
	Id: 3/10





Sheet: /Address Decoder/
File: decoder.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 4/10






FT232RL board has 0Ω resistor removed to prevent USB from powering board.

Sheet: /ACIA/UART/
File: uart.kicad_sch


Title:


Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 6/10



Sheet: /VIA/	
File: via.kicad_sch	
Title:	
Size: USLetter	Date:
KiCad E.D.A. 10.0.3	Rev: 7/10






Sheet: /LCD/
File: lcd.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 9/10



Sheet: /VGA/
File: vga.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.3

Rev:
Id: 10/10