










Sheet: /Address Decoder/
File: decoder.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 4/10




Sheet: /Memory/
File: mem.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 5/10




FT232RL board has 0Ω resistor removed to prevent USB from powering board.

Sheet: /ACIA/UART/
File: uart.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 6/10




Sheet: /VIA/
File: via.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 7/10




Sheet: /Keyboard/
File: keyboard.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 8/10




Sheet: /LCD/
File: lcd.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 9/10



Sheet: /VGA/
File: vga.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 10.0.4

Rev:
Id: 10/10