



Part:1


S3 bucket created and file uploaded



No public access to file, which is disabled



File not accessible



CloudTrail setup to monitor S3 bucket

CloudTrail

Trails

arn:aws:cloudtrail:ap-south-1:786352305260:trail/kd-trail-task3

kd-trail-task3

Delete

Stop logging

General details

Edit

Trail logging

Logging

Trail name

kd-trail-task3

Multi-region trail

Yes

Apply trail to my organization

Not enabled

Trail log location

aws-cloudtrail-logs-786352305260-284fe333/AWSLogs/786352305260

Last log file delivered

March 19, 2026, 09:03:52 (UTC+05:30)

Log file SSE-KMS encryption

Not enabled

Log file validation

Disabled

Last file validation delivered

-

SNS notification delivery

Disabled

Last SNS notification

-

CloudWatch Logs

Edit

Log group

kd-aws-cloudtrail-logs-s3-2026

IAM Role

arn:aws:iam::786352305260:role/service-role/CloudTrailRoleforCloudWatchLogs_kd-trail-task3

Tags

Manage tags

Key

Value

CloudTrail

Trails

arn:aws:cloudtrail:ap-south-1:786352305260:trail/kd-trail-task3

All

No

Exclude Amazon RDS Data API events

No

Data events : S3 (2)

Edit

Bucket name

Prefix

Read

Write

All current and future S3 buckets

--

--

--

kd-bucket-task

Enabled

Enabled

Enabled

Logs updated in cloudwatch

CloudWatch

Log management

kd-aws-cloudtrail-logs-s3-2026

CloudWatch

<

Favorites and recents

▶

Ingestion

Dashboards

Alarms

AI Operations

GenAI Observability

Application Signals (APM)

Infrastructure Monitoring

Logs

Log Management

Log Anomalies

Live Tail

Logs Insights

Contributor Insights

Creation time

1 hour ago

Retention

Never expire

Stored bytes

-

Contributor Insights rules

-

KMS key ID

-

Deletion protection

Off

Custom field indexes

Configure

Transformer

Configure

Anomaly detection

Configure

Log streams

Tags

Data protection

Anomaly detection

Metric filters

Subscription filters

Contributor Insights

Field indexes

Transformer

Log streams (4)

By default, we only load the most recent log streams.

Filter log streams or try prefix search

Exact match

Show expired

Info

< 1 >

Log stream

Last event time

786352305260_CloudTrail_ap-south-1

2026-03-19 03:42:21 (UTC)

786352305260_CloudTrail_ap-south-1_3

2026-03-19 03:19:21 (UTC)

786352305260_CloudTrail_ap-south-1_2

2026-03-19 03:15:46 (UTC)

786352305260_CloudTrail_ap-south-1_4

2026-03-19 03:11:21 (UTC)

g management > kd-aws-cloudtrail-logs-s3-2026 > All events

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Q "AWS-Task2.pdf" Clear 1m 30m 1h 12h Custom UTC timezone Display

Timestamp	Message	Log stream name
2026-03-19T03:42:21.918Z	<pre>{ "eventVersion": "1.11", "userIdentity": { "type": "AWSAccount", "principalId": "", "accountId": "anonymous" }, "eventTime": "2026-03-19T03:37:14Z", "eventSource": "s3.amazonaws.com", "eventName": "PreflightRequest", "awsRegion": "ap-south-1", "sourceIPAddress": "183.82.30.16", "userAgent": "[Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36]", "requestParameters": { "X-Amz-Date": "20260319T033714Z", "bucketName": "kd-bucket-task", "X-Amz-Algorithm": "AWS4-HMAC-SHA256", "X-Amz-SignedHeaders": "content-type;host;x-amz-acl;x-amz-checksum-crc64nmve;x-amz-storage-class", "Host": "kd-bucket-task.s3.ap-south-1.amazonaws.com", "X-Amz-Content-Sha256": "UNSIGNED-PAYLOAD", "X-Amz-Expires": "300", "key": "AWS-Task2.pdf" }, "responseElements": null }</pre>	786352305260_CloudTrail_ap-south-1

Timestamp	Message	Log stream name
2026-03-19T03:26:11.850Z	<pre>{ "eventVersion": "1.11", "userIdentity": { "type": "AWSAccount", "principalId": "", "accountId": "anonymous" }, "eventTime": "2026-03-19T03:21:02Z", "eventSource": "s3.amazonaws.com", "eventName": "PreflightRequest", "awsRegion": "ap-south-1", "sourceIPAddress": "183.82.30.16", "userAgent": "[Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36]", "requestParameters": { "X-Amz-Date": "20260319T032102Z", "bucketName": "kd-bucket-task", "X-Amz-Algorithm": "AWS4-HMAC-SHA256", "X-Amz-SignedHeaders": "content-type;host;x-amz-acl;x-amz-checksum-crc64nmve;x-amz-storage-class", "Host": "kd-bucket-task.s3.ap-south-1.amazonaws.com", "X-Amz-Content-Sha256": "UNSIGNED-PAYLOAD", "X-Amz-Expires": "300", "key": "AWS-Task1.pdf" }, "responseElements": null }</pre>	786352305260_CloudTrail_ap-south-1_4

PART:2

Two EC2 instances with httpd installed

EC2 > Instances


Instances (1/2) Info

Last updated 6 minutes ago Connect Instance state Actions Launch Instances


Find Instance by attribute or tag (case-sensitive) All states < 1 >

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone
☐	kd-webserver2	i-0380b29e1629592b5	Running	t2.micro	2/2 checks passed	View alarms +	ap-south-1b
☒	kd-webserver1	i-0d363982f220708ef	Running	t2.micro	2/2 checks passed	View alarms +	ap-south-1b

Testing:




Hello from kd-webserver2



Hello from kd-webserver1

ALB and associated target group:



Target group instance:

aws [Search] [Alt+S] Ask Amazon Q Asia Pacific (Mumbai) [Launchpad](#) [Learn more](#)

EC2 > Target groups > kd-target-group

Capacity manager [NEW](#)

- Images
 - AMIs
 - AMI Catalog
- Elastic Block Store
 - Volumes
 - Snapshots
 - Lifecycle Manager
- Network & Security
 - Security Groups
 - Elastic IPs
 - Placement Groups
 - Key Pairs
 - Network Interfaces
- Load Balancing
 - Load Balancers
 - Target Groups
 - Trust Stores
- Auto Scaling
 - Auto Scaling Groups

Settings

Target type: Instance

IP address type: IPv4

Protocol : Port: HTTP: 80

Load balancer: [None associated](#)

Protocol version: HTTP1

VPC: [vpc-382fe553](#)

2 Total targets

2 Healthy

0 Unhealthy

0 Unused

0 Initial

0 Draining

0 Anomalous

Distribution of targets by Availability Zone (AZ)

Select values in this table to see corresponding filters applied to the Registered targets table below.

Targets Monitoring Health checks Attributes Tags

Registered targets (2) [Info](#)

Anomaly mitigation: [Not applicable](#) [Deregister](#) [Register targets](#)

Target groups route requests to individual registered targets using the protocol and port number specified. Health checks are performed on all registered targets according to the target group's health check settings. Anomaly detection is automatically applied to HTTP/HTTPS target groups with at least 3 healthy targets.

Filter targets

☐	Instance ID	Name	Port	Zone	Health status	Health status details	Admini...	Overri...	Launch...	Anomaly detectio...
☐	i-0380b29e1629592b5	kd-webserver2	80	ap-south-1b (a...	Healthy	-	-	-	March 22,...	Normal
☐	i-0d363982f220708ef	kd-webserver1	80	ap-south-1b (a...	Healthy	-	-	-	March 22,...	Normal

ALB testing:

← → ↺ 📱 ⚠ Not secure [kd-lb-1188028371.ap-south-1.elb.amazonaws.com](#) ☆ 📄 🔍 👤 ⋮

🗪 | DevOps Cloud RHEL Knowledge Professional Trading WhyQ 📺 The Strangest Secre... 🎮 Restore Default Serv... 📺 S RESUME PROJECT...

Hello from kd-webserver1

Hello from kd-webserver2