

S3 bucket created and file uploaded

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Amazon S3

Buckets

kd-bucket-task

kd-bucket-task

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

☐	Name	Type	Last modified	Size	Storage class
☐	AWS-Task1.pdf	pdf	March 19, 2026, 08:51:03 (UTC+05:30)	859.9 KB	Standard

No public access to file, which is disabled

Amazon S3

Buckets

kd-bucket-task

kd-bucket-task

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#).
[View analyzer for ap-south-1](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings ap access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects w individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

☒ On

► Individual Block Public Access settings for this bucket

File not accessible

← → ↺

kd-bucket-task.s3.ap-south-1.amazonaws.com/AWS-Task1.pdf

DevOps

Cloud

RHEL

Knowledge

Professional

Trading

WhyQ

The Strangest Secre...

This XML file does not appear to have any style information associated with it. The document tree is shown below.

<Error>

<Code>AccessDenied</Code>

<Message>Access Denied</Message>

<RequestId>N7Y3AHP5EXKHP6ZW</RequestId>

<HostId>r4QUZvZDPnC37rmn6bYCOV85FjvH19V40HGjg9VqnXee/RQ9DbBMccBPwldwmF3Kw20DpKIUIdc</HostId>

</Error>

CloudTrail setup to monitor S3 bucket

CloudTrail

Trails

arn:aws:cloudtrail:ap-south-1:786352305260:trail/kd-trail-task3

kd-trail-task3

Delete

Stop logging

General details

Edit

Trail logging

Logging

Trail name

kd-trail-task3

Multi-region trail

Yes

Apply trail to my organization

Not enabled

Trail log location

aws-cloudtrail-logs-786352305260-284fe333/AWSLogs/786352305260

Last log file delivered

March 19, 2026, 09:03:52 (UTC+05:30)

Log file SSE-KMS encryption

Not enabled

Log file validation

Disabled

Last file validation delivered

-

SNS notification delivery

Disabled

Last SNS notification

-

CloudWatch Logs

Edit

Log group

kd-aws-cloudtrail-logs-s3-2026

IAM Role

arn:aws:iam::786352305260:role/service-role/CloudTrailRoleforCloudWatchLogs_kd-trail-task3

Tags

Manage tags

Key

Value

CloudTrail

Trails

arn:aws:cloudtrail:ap-south-1:786352305260:trail/kd-trail-task3

All

No

Exclude Amazon RDS Data API events

No

Data events : S3 (2)

Edit

Bucket name

Prefix

Read

Write

All current and future S3 buckets

-

-

-

kd-bucket-task

-

Enabled

Enabled

Logs updated in cloudwatch

CloudWatch

Log management

kd-aws-cloudtrail-logs-s3-2026

CloudWatch

<

Favorites and recents

>

Ingestion

Dashboards

Alarms

AI Operations

GenAI Observability

Application Signals (APM)

Infrastructure Monitoring

Logs

Log Management

Log Anomalies

Live Tail

Logs Insights

Contributor Insights

Creation time

1 hour ago

Retention

Never expire

Stored bytes

-

Contributor Insights rules

-

KMS key ID

-

Deletion protection

Off

Custom field indexes

Configure

Transformer

Configure

Anomaly detection

Configure

Log streams

Tags

Data protection

Anomaly detection

Metric filters

Subscription filters

Contributor Insights

Field indexes

Transformer

Log streams (4)

Refresh

Delete

Create log stream

Search all log streams

By default, we only load the most recent log streams.

Filter log streams or try prefix search

Exact match

Show expired

Info

< 1 >

Log stream

Last event time

786352305260_CloudTrail_ap-south-1

2026-03-19 03:42:21 (UTC)

786352305260_CloudTrail_ap-south-1_3

2026-03-19 03:19:21 (UTC)

786352305260_CloudTrail_ap-south-1_2

2026-03-19 03:15:46 (UTC)

786352305260_CloudTrail_ap-south-1_4

2026-03-19 03:11:21 (UTC)

<

>

Log events

⌂

Actions

Start tailing

Create metric filter

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Q

AWS-Task2.pdf

X

Clear

1m

30m

1h

12h

Custom

UTC timezone

Display

⚙

Timestamp	Message	Log stream name
2026-03-19T03:42:21.918Z	<pre>{ "eventVersion": "1.11", "userIdentity": { "type": "AWSAccount", "principalId": "", "accountId": "anonymous" }, "eventTime": "2026-03-19T03:37:14Z", "eventSource": "s3.amazonaws.com", "eventName": "PreflightRequest", "awsRegion": "ap-south-1", "sourceIPAddress": "183.82.30.16", "userAgent": "[Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36]", "requestParameters": { "X-Amz-Date": "20260319T033714Z", "bucketName": "kd-bucket-task", "X-Amz-Algorithm": "AWS4-HMAC-SHA256", "X-Amz-SignedHeaders": "content-type;host;x-amz-acl;x-amz-checksum-crc64nmve;x-amz-storage-class", "Host": "kd-bucket-task.s3.ap-south-1.amazonaws.com", "X-Amz-Content-Sha256": "UNSIGNED-PAYLOAD", "X-Amz-Expires": "300", "key": "AWS-Task2.pdf" }, "responseElements": null }</pre>	786352305260_CloudTrail_ap-south-1

Timestamp	Message	Log stream name
2026-03-19T03:26:11.850Z	<pre>{ "eventVersion": "1.11", "userIdentity": { "type": "AWSAccount", "principalId": "", "accountId": "anonymous" }, "eventTime": "2026-03-19T03:21:02Z", "eventSource": "s3.amazonaws.com", "eventName": "PreflightRequest", "awsRegion": "ap-south-1", "sourceIPAddress": "183.82.30.16", "userAgent": "[Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36]", "requestParameters": { "X-Amz-Date": "20260319T032102Z", "bucketName": "kd-bucket-task", "X-Amz-Algorithm": "AWS4-HMAC-SHA256", "X-Amz-SignedHeaders": "content-type;host;x-amz-acl;x-amz-checksum-crc64nmve;x-amz-storage-class", "Host": "kd-bucket-task.s3.ap-south-1.amazonaws.com", "X-Amz-Content-Sha256": "UNSIGNED-PAYLOAD", "X-Amz-Expires": "300", "key": "AWS-Task1.pdf" }, "responseElements": null }</pre>	786352305260_CloudTrail_ap-south-1_4