

COMPREHENSIVE LAB REPORT

Patient: RAMIREZ, DAVID
Date: 06/30/2025

DOB: 11/21/1970
Panel: CMP

Test	Value	Range	Status
Glucose	79.1 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	13.6 mg/dL	7-20	NORMAL
Creatinine	0.94 mg/dL	0.74-1.35	NORMAL
Sodium	141.93 mmol/L	136-144	NORMAL
Potassium	3.79 mmol/L	3.5-5.2	NORMAL
Chloride	103.58 mmol/L	96-106	NORMAL
Carbon Dioxide	28.26 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: RAMIREZ, DAVID

Test	Value	Range	Status
Calcium	9.02 mg/dL	8.7-10.2	NORMAL
Total Protein	7.3 g/dL	6.0-8.3	NORMAL
Albumin	4.07 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.48 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	65.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	32.9 U/L	10-40	NORMAL
Alanine Aminotransferase	18.0 U/L	7-56	NORMAL

Test Result Distribution

