

COMPREHENSIVE LAB REPORT

Patient: THOMAS, CHARLES

DOB: 09/22/1979

Date: 10/15/2025

Panel: CMP

Test	Value	Range	Status
Glucose	89.3 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	17.3 mg/dL	7-20	NORMAL
Creatinine	0.82 mg/dL	0.74-1.35	NORMAL
Sodium	138.38 mmol/L	136-144	NORMAL
Potassium	4.83 mmol/L	3.5-5.2	NORMAL
Chloride	99.91 mmol/L	96-106	NORMAL
Carbon Dioxide	26.22 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: THOMAS, CHARLES

Test	Value	Range	Status
Calcium	9.54 mg/dL	8.7-10.2	NORMAL
Total Protein	6.77 g/dL	6.0-8.3	NORMAL
Albumin	3.97 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.65 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	67.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	19.8 U/L	10-40	NORMAL
Alanine Aminotransferase	36.0 U/L	7-56	NORMAL

Test Result Distribution

