

COMPREHENSIVE LAB REPORT

Patient: THOMPSON, CHARLES

DOB: 05/30/2000

Date: 09/29/2023

Panel: CMP

Test	Value	Range	Status
Glucose	77.3 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	17.4 mg/dL	7-20	NORMAL
Creatinine	1.14 mg/dL	0.74-1.35	NORMAL
Sodium	142.19 mmol/L	136-144	NORMAL
Potassium	3.8 mmol/L	3.5-5.2	NORMAL
Chloride	101.46 mmol/L	96-106	NORMAL
Carbon Dioxide	25.88 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: THOMPSON, CHARLES

Test	Value	Range	Status
Calcium	9.38 mg/dL	8.7-10.2	NORMAL
Total Protein	7.17 g/dL	6.0-8.3	NORMAL
Albumin	5.16 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.54 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	131.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	33.2 U/L	10-40	NORMAL
Alanine Aminotransferase	17.4 U/L	7-56	NORMAL

Test Result Distribution

