

COMPREHENSIVE LAB REPORT

Patient: TAYLOR, DONNA
Date: 05/04/2024

DOB: 12/06/1992
Panel: CMP

Test	Value	Range	Status
Glucose	91.2 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	14.7 mg/dL	7-20	NORMAL
Creatinine	0.97 mg/dL	0.59-1.04	NORMAL
Sodium	142.56 mmol/L	136-144	NORMAL
Potassium	4.16 mmol/L	3.5-5.2	NORMAL
Chloride	102.44 mmol/L	96-106	NORMAL
Carbon Dioxide	24.81 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: TAYLOR, DONNA

Test	Value	Range	Status
Calcium	8.97 mg/dL	8.7-10.2	NORMAL
Total Protein	7.71 g/dL	6.0-8.3	NORMAL
Albumin	5.15 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.95 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	91.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	17.6 U/L	10-40	NORMAL
Alanine Aminotransferase	23.1 U/L	7-56	NORMAL

Test Result Distribution

