

COMPREHENSIVE LAB REPORT

Patient: CLARK, MARGARET
Date: 05/11/2024

DOB: 03/27/1994
Panel: CMP

Test	Value	Range	Status
Glucose	78.2 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	17.7 mg/dL	7-20	NORMAL
Creatinine	0.72 mg/dL	0.59-1.04	NORMAL
Sodium	137.86 mmol/L	136-144	NORMAL
Potassium	3.97 mmol/L	3.5-5.2	NORMAL
Chloride	98.08 mmol/L	96-106	NORMAL
Carbon Dioxide	26.58 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: CLARK, MARGARET

Test	Value	Range	Status
Calcium	9.08 mg/dL	8.7-10.2	NORMAL
Total Protein	6.29 g/dL	6.0-8.3	NORMAL
Albumin	4.19 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.33 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	112.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	28.6 U/L	10-40	NORMAL
Alanine Aminotransferase	39.4 U/L	7-56	NORMAL

Test Result Distribution

