

COMPREHENSIVE LAB REPORT

Patient: SMITH, ANTHONY
Date: 06/30/2024

DOB: 02/15/1946
Panel: CMP

Test	Value	Range	Status
Glucose	76.2 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	16.6 mg/dL	7-20	NORMAL
Creatinine	1.14 mg/dL	0.74-1.35	NORMAL
Sodium	142.0 mmol/L	136-144	NORMAL
Potassium	3.75 mmol/L	3.5-5.2	NORMAL
Chloride	104.89 mmol/L	96-106	NORMAL
Carbon Dioxide	27.1 mmol/L	23-29	NORMAL

COMPREHENSIVE LAB REPORT (Continued)

Patient: SMITH, ANTHONY

Test	Value	Range	Status
Calcium	9.58 mg/dL	8.7-10.2	NORMAL
Total Protein	6.92 g/dL	6.0-8.3	NORMAL
Albumin	4.49 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.41 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	88.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	27.0 U/L	10-40	NORMAL
Alanine Aminotransferase	43.7 U/L	7-56	NORMAL

Test Result Distribution

