

Laboratory Test Results

Patient: CLARK, CHRISTOPHER	DOB: 09/03/1954	Gender: M
Date: 07/15/2024	Panel: CMP	



Detailed Test Results

Test	Result	Unit	Reference	Status
Glucose	92.3	mg/dL	70-99	NORMAL
Blood Urea Nitrogen	17.7	mg/dL	7-20	NORMAL
Creatinine	1.11	mg/dL	0.74-1.35	NORMAL
Sodium	138.46	mmol/L	136-144	NORMAL
Potassium	3.84	mmol/L	3.5-5.2	NORMAL
Chloride	100.01	mmol/L	96-106	NORMAL
Carbon Dioxide	23.75	mmol/L	23-29	NORMAL
Calcium	9.51	mg/dL	8.7-10.2	NORMAL
Total Protein	7.33	g/dL	6.0-8.3	NORMAL
Albumin	4.08	g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.62	mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	64.0	U/L	44-147	NORMAL
Aspartate Aminotransferas	22.4	U/L	10-40	NORMAL
Alanine Aminotransferase	15.2	U/L	7-56	NORMAL