

# COMPREHENSIVE LAB REPORT

Patient: RAMIREZ, JOHN  
Date: 08/18/2024

DOB: 09/05/2003  
Panel: CMP

Test	Value	Range	Status
Glucose	95.1 mg/dL	70-99	NORMAL
Blood Urea Nitrogen	15.3 mg/dL	7-20	NORMAL
Creatinine	1.08 mg/dL	0.74-1.35	NORMAL
Sodium	139.87 mmol/L	136-144	NORMAL
Potassium	4.38 mmol/L	3.5-5.2	NORMAL
Chloride	98.49 mmol/L	96-106	NORMAL
Carbon Dioxide	27.19 mmol/L	23-29	NORMAL

**COMPREHENSIVE LAB REPORT (Continued)**

Patient: RAMIREZ, JOHN

Test	Value	Range	Status
Calcium	9.26 mg/dL	8.7-10.2	NORMAL
Total Protein	6.92 g/dL	6.0-8.3	NORMAL
Albumin	4.65 g/dL	3.5-5.5	NORMAL
Total Bilirubin	0.66 mg/dL	0.1-1.2	NORMAL
Alkaline Phosphatase	97.0 U/L	44-147	NORMAL
Aspartate Aminotransferase	33.3 U/L	10-40	NORMAL
Alanine Aminotransferase	14.8 U/L	7-56	NORMAL

Test Result Distribution

