

Login page

Code:

Login.html:

```
<!DOCTYPE html>

<html>

<head>

  <title>Login Page</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

  <div class="login-box">

    <h1>Login</h1>

    <label>Username</label>

    <input type="text" id="username" placeholder="Enter username">

    <label>Password</label>

    <input type="password" id="password" placeholder="Enter password">

    <button id="loginButton">Login</button>

    <p id="message"></p>

  </div>

  <script>

    let username = document.getElementById("username");

    let password = document.getElementById("password");

    let loginButton = document.getElementById("loginButton");

    let message = document.getElementById("message");

    loginButton.addEventListener("click", function() {

      let user = username.value;

      let pass = password.value;
```

```
        if (user == "bhavana" && pass == "1234") {  
            message.innerHTML = "Login Successful";  
            message.style.color = "green";  
        } else {  
            message.innerHTML = "Login Unsuccessful";  
            message.style.color = "red";  
        }  
    });  
</script>  
</body>  
</html>
```

Style.css:

```
body {  
    font-family: Arial, sans-serif;  
    background-color: purple;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    height: 100vh;  
}  
  
.login-box {  
    background-color: white;  
    width: 300px;  
    padding: 30px;  
    border-radius: 10px;  
    text-align: center;  
    box-shadow: 0 0 10px gray;  
}  
  
h1 {
```

```
        margin-bottom: 25px;
    }

    label {
        display: block;
        text-align: left;
        margin-top: 10px;
    }

    input {
        width: 100%;
        padding: 10px;
        margin-top: 5px;
        box-sizing: border-box;
    }



    button {
        width: 100%;
        padding: 10px;
        margin-top: 20px;
        background-color: blue;
        color: white;
        border: none;
        border-radius: 5px;
        cursor: pointer;
    }

    button:hover {
        background-color: darkblue;
    }

    #message {
        font-weight: bold;
        margin-top: 15px;
    }
```

}

Output:



registration form

Code:

Registration.html:

```
<!DOCTYPE html>

<html>

<head>

  <title>Registration Form</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      background-color: lightblue;

      display: flex;

      justify-content: center;

      align-items: center;

      min-height: 100vh;

    }

    .registration-box {

      background-color: white;

      width: 350px;

      padding: 30px;

      border-radius: 10px;

      box-shadow: 0 0 10px gray;

    }

    h1 {

      text-align: center;

      margin-bottom: 20px;

    }

    label {
```

```
        display: block;
        margin-top: 10px;
    }
    input {
        width: 100%;
        padding: 10px;
        margin-top: 5px;
        box-sizing: border-box;
    }
    button {
        width: 100%;
        padding: 10px;
        margin-top: 20px;
        background-color: blue;
        color: white;
        border: none;
        border-radius: 5px;
        cursor: pointer;
    }
    button:hover {
        background-color: darkblue;
    }
    #message {
        text-align: center;
        font-weight: bold;
        margin-top: 15px;
    }
</style>
</head>
```

```
<body>

  <div class="registration-box">

    <h1>Registration Form</h1>

    <label>Full Name</label>

    <input type="text" id="name" placeholder="Enter your name">

    <label>Email</label>

    <input type="email" id="email" placeholder="Enter your email">

    <label>Username</label>

    <input type="text" id="username" placeholder="Enter username">

    <label>Password</label>

    <input type="password" id="password" placeholder="Enter password">

    <label>Confirm Password</label>

    <input type="password" id="confirmPassword" placeholder="Confirm password">

    <label>Age</label>

    <input type="number" id="age" placeholder="Enter your age">

    <button id="registerButton">Register</button>

    <p id="message"></p>

  </div>

  <script>


    let nameInput = document.getElementById("name");
    let email = document.getElementById("email");
    let userName = nameInput.value;
    let password = document.getElementById("password");
    let confirmPassword = document.getElementById("confirmPassword");
    let age = document.getElementById("age");
    let registerButton = document.getElementById("registerButton");
    let message = document.getElementById("message");
    registerButton.addEventListener("click", function() {
```

```
    let userName = name.value;

let userEmail = email.value;

    let userUsername = username.value;
    let userPassword = password.value;
    let userConfirmPassword = confirmPassword.value;
    let userAge = age.value;
    if (userName == "" || userEmail == "" || userUsername == "" ||
        userPassword == "" || userConfirmPassword == "" || userAge == "") {
        message.innerHTML = "Please fill all fields";
        message.style.color = "red";
    }
    else if (userPassword != userConfirmPassword) {
        message.innerHTML = "Passwords do not match";
        message.style.color = "red";
    }
    else if (userAge < 18) {
        message.innerHTML = "Age must be 18 or above";
        message.style.color = "red";
    }
    else {
        message.innerHTML = "Registration Successful";
        message.style.color = "green";
    }
});
</script>
</body>
</html>
```

Output:



The screenshot shows a web browser window with multiple tabs. The active tab is titled "Registration Form" and displays a registration form at the URL "127.0.0.1:5500/registration.html". The form is centered on a light blue background and contains the following fields: Full Name, Email, Username, Password, Confirm Password, and Age. Each field has a placeholder text indicating what to enter. A blue "Register" button is located below the fields. Below the button, a red message states "Please fill all fields". The browser's taskbar at the bottom shows the Windows logo, a search bar, and various application icons. The system tray on the right indicates a temperature of 31°C, sunny weather, and the time 12:43 PM on 15-09-2026.

Registration Form

Full Name
Enter your name

Email
Enter your email

Username
Enter username


Password
Enter password

Confirm Password
Confirm password

Age
Enter your age

Register

Please fill all fields



This screenshot shows the same registration form after successful submission. The input fields are now populated with the following data: Full Name (bhavana), Email (bhavana@gmail.com), Username (bhavana123), Password (masked with four dots), Confirm Password (masked with four dots), and Age (20). The blue "Register" button remains visible. Below the button, a green message states "Registration Successful". The browser interface and taskbar are identical to the previous screenshot, showing the same tabs, URL, and system information.

Registration Form

Full Name
bhavana

Email
bhavana@gmail.com

Username
bhavana123

Password
....

Confirm Password
....

Age
20

Register

Registration Successful

Student result calculator

Code:

Index.html:

```
<!DOCTYPE html>

<html>

<head>

    <title>Student Result Calculator</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <!-- INTRODUCTION PAGE -->

    <div class="container" id="introPage">

        <h1>🎓 Student Result Calculator</h1>

        <p class="welcome">

            Welcome to the Student Result Calculator!

        </p>

        <p>

            This system helps students calculate their academic performance

            easily and provides useful suggestions to improve their marks.

        </p>

        <h2>📖 Instructions</h2>

        <ul>

            <li>Enter the student's name.</li>

            <li>Enter marks for all five subjects.</li>

            <li>Marks should be between 0 and 100.</li>

            <li>Make sure all marks are entered correctly.</li>

            <li>Click the <b>Calculate Result</b> button.</li>

        </ul>

    </div>

</body>

</html>
```

The system will calculate total marks, average, percentage and grade.

The system will also display Pass or Fail.

Personalized suggestions will be provided based on your marks.

Subjects with lower marks will be shown for improvement.

<h2>❏ Tips to Get Good Marks</h2>

Study regularly instead of studying only before exams.

Give extra time to difficult subjects.

Practice previous questions and important problems.

Revise the topics you study every day.

Follow a simple daily study timetable.

Take short breaks while studying.

Ask your teachers when you do not understand a topic.

Try to improve your marks in every examination.

<button onclick="showCalculator()">

Start Calculator

</button>

</div>

<!-- CALCULATOR PAGE -->

<div class="container hidden" id="calculatorPage">

<h1>❏ Enter Student Details</h1>

<label>Student Name</label>

<input type="text" id="name" placeholder="Enter student name">

<label>English Marks</label>

<input type="number" id="english" placeholder="0 - 100" min="0" max="100">

<label>Telugu Marks</label>

<input type="number" id="telugu" placeholder="0 - 100" min="0" max="100">

```
<label>Hindi Marks</label>
<input type="number" id="hindi" placeholder="0 - 100" min="0" max="100">
<label>Science Marks</label>
<input type="number" id="science" placeholder="0 - 100" min="0" max="100">
<label>Maths Marks</label>
<input type="number" id="maths" placeholder="0 - 100" min="0" max="100">
<button onclick="calculateResult()">
    Calculate Result
</button>
<button class="backButton" onclick="showIntroduction()">
    ← Back
</button>
</div>
<!-- RESULT PAGE -->
<div class="container hidden" id="resultPage">
    <h1>📊 Student Result</h1>
    <div id="result"></div>
    <button onclick="showCalculator()">
        Calculate Another Result
    </button>
    <button class="backButton" onclick="showIntroduction()">
        📖 Introduction
    </button>
</div>
<script src="script.js"></script>
</body>
</html>
```

Style.css:

```
body {  
    font-family: Arial, sans-serif;  
    background: linear-gradient(135deg, #74ebd5, #9face6);  
    margin: 0;  
    padding: 30px;  
    min-height: 100vh;  
}  
/* MAIN CONTAINER */  
.container {  
    width: 600px;  
    max-width: 90%;  
    margin: auto;  
    background-color: white;  
    padding: 30px;  
    border-radius: 15px;  
    box-shadow: 0 5px 20px gray;  
}  
/* HIDE PAGE */  
.hidden {  
    display: none;  
}  
/* HEADINGS */  
h1 {  
    text-align: center;  
    color: #333;  
    margin-bottom: 20px;  
}
```

```
h2 {
    color: #444;
    margin-top: 25px;
}

/* INTRODUCTION */

.welcome {
    text-align: center;
    font-size: 20px;
    font-weight: bold;
    color: #4a4de7;
}

p {
    line-height: 1.6;
}

/* INSTRUCTIONS */

ul {
    line-height: 1.8;
    padding-left: 25px;
}

/* FORM */

label {
    display: block;
    margin-top: 15px;
    margin-bottom: 5px;
    font-weight: bold;
    color: #333;
}
```

```
input {  
    width: 100%;  
    padding: 12px;  
    box-sizing: border-box;  
    border: 1px solid #bbb;  
    border-radius: 8px;  
    font-size: 16px;  
}  
input:focus {  
    border-color: #4a4de7;  
    outline: none;  
}  
/* BUTTON */  
button {  
    width: 100%;  
    padding: 13px;  
    margin-top: 20px;  
    border: none;  
    border-radius: 8px;  
    background-color: #4a4de7;  
    color: white;  
    font-size: 17px;  
    cursor: pointer;  
}  
button:hover {  
    background-color: #3033b8;  
}
```

```
/* BACK BUTTON */  
  
.backButton {  
    background-color: #777;  
}  
  
.backButton:hover {  
    background-color: #555;  
}
```

```
/* RESULT */
```

```
#result {  
    background-color: #f5f7ff;  
    padding: 20px;  
    border-radius: 10px;  
    line-height: 1.8;  
}
```

```
#result h2 {  
    color: #4a4de7;  
    text-align: center;  
}
```

```
#result h3 {  
    color: #333;  
}
```

```
.good {
```

```
    color: green;
    font-weight: bold;
}

.fail {
    color: red;
    font-weight: bold;
}

.improvement {
    background-color: #fff3cd;
    padding: 15px;
    border-radius: 8px;
    margin-top: 15px;
}

/* MOBILE */
@media (max-width: 600px) {
    body {
        padding: 15px;
    }

    .container {
        padding: 20px;
    }

    h1 {
        font-size: 25px;
    }
}
```

Script.css:

```
// SHOW CALCULATOR PAGE
function showCalculator() {
```

```
document.getElementById("introPage").classList.add("hidden");
document.getElementById("resultPage").classList.add("hidden");
document.getElementById("calculatorPage").classList.remove("hidden");
}

// SHOW INTRODUCTION PAGE
function showIntroduction() {
    document.getElementById("calculatorPage").classList.add("hidden");
    document.getElementById("resultPage").classList.add("hidden");
    document.getElementById("introPage").classList.remove("hidden");
}

// CALCULATE RESULT
function calculateResult() {
    let name = document.getElementById("name").value;
    let english = Number(document.getElementById("english").value);
    let telugu = Number(document.getElementById("telugu").value);
    let hindi = Number(document.getElementById("hindi").value);
    let science = Number(document.getElementById("science").value);
    let maths = Number(document.getElementById("maths").value);

    // CHECK NAME
    if (name == "") {
        alert("Please enter student name.");
        return;
    }

    // CHECK MARKS
    if (
        english < 0 || english > 100 ||
        telugu < 0 || telugu > 100 ||
```

```
hindi < 0 || hindi > 100 ||
    science < 0 || science > 100 ||
    maths < 0 || maths > 100
){
    alert("Please enter marks between 0 and 100.");
    return;
}
// TOTAL
let total = english + telugu + hindi + science + maths;
// AVERAGE
let average = total / 5;
// PERCENTAGE
let percentage = (total / 500) * 100;
// PASS OR FAIL
let result;
if (
    english >= 35 &&
    telugu >= 35 &&
    hindi >= 35 &&
    science >= 35 &&
    maths >= 35
){
    result = "Pass";
}
else {
    result = "Fail";
}
```

```
// GRADE

let grade;

if (result == "Fail") {
    grade = "F";
}

else if (percentage >= 90) {
    grade = "A+";
}

else if (percentage >= 80) {
    grade = "A";
}

else if (percentage >= 70) {
    grade = "B+";
}

else if (percentage >= 60) {
    grade = "B";
}

else if (percentage >= 50) {
    grade = "C";
}

else {
    grade = "D";
}

// FIND WEAK SUBJECTS

let weakSubjects = [];

if (english < 50) {
    weakSubjects.push("English");
}
```

```
}  
if (telugu < 50) {  
    weakSubjects.push("Telugu");  
}  
if (hindi < 50) {  
    weakSubjects.push("Hindi");  
}  
if (science < 50) {  
    weakSubjects.push("Science");  
}  
if (maths < 50) {  
    weakSubjects.push("Maths");  
}  
// IMPROVEMENT ADVICE  
let advice = "";  
if (percentage >= 90) {  
    advice =  
        "Excellent performance! Keep maintaining your marks. " +  
        "Continue regular revision and practice.";  
}  
else if (percentage >= 80) {  
    advice =  
        "Very good performance! Focus more on your weak subjects " +  
        "and practice regularly to reach 90% or above.";  
}  
else if (percentage >= 70) {  
    advice =
```

```
"Good performance! Practice more questions and revise " +  
    "your lessons regularly.";  
}  
else if (percentage >= 60) {  
    advice =  
        "You are doing well. Give more time to difficult subjects " +  
        "and follow a regular study schedule.";  
}  
else if (percentage >= 50) {  
    advice =  
        "You need more practice. Create a daily study timetable " +  
        "and spend extra time on difficult subjects.";  
}  
else {  
    advice =  
        "You need to improve your performance. Start with basic " +  
        "concepts, study regularly and ask your teachers for help.";  
}  
// WEAK SUBJECT MESSAGE  
let weakMessage;  
if (weakSubjects.length == 0) {  
    weakMessage =  
        "Excellent! No subject needs special attention.";  
}  
else {  
    weakMessage =
```

```
weakSubjects.join(", ") +  
    " need more attention and practice.";  
}  
  
// RESULT COLOR  
let resultClass;  
if (result == "Pass") {  
    resultClass = "good";  
}  
else {  
    resultClass = "fail";  
}  
  
// DISPLAY RESULT  
document.getElementById("result").innerHTML =  
    "<h2>Result Summary</h2>" +  
    "<p><b>Student Name:</b> " + name + "</p>" +  
    "<p><b>English:</b> " + english + "</p>" +  
    "<p><b>Telugu:</b> " + telugu + "</p>" +  
    "<p><b>Hindi:</b> " + hindi + "</p>" +  
    "<p><b>Science:</b> " + science + "</p>" +  
    "<p><b>Maths:</b> " + maths + "</p>" +  
    "<hr>" +  
    "<p><b>Total Marks:</b> " + total + " / 500</p>" +  
    "<p><b>Average:</b> " + average.toFixed(2) + "</p>" +  
    "<p><b>Percentage:</b> " + percentage.toFixed(2) + "%</p>" +  
    "<p><b>Grade:</b> " + grade + "</p>" +  
    "<p><b>Result:</b> " +
```

```

"<span class='" + resultClass + "'">" +
    result +
    "</span></p>" +
    "<div class='improvement'">" +
    "<h3>📌 How to Improve Your Marks</h3>" +
    "<p>" + advice + "</p>" +
    "<p><b>Subjects Needing Attention:</b><br>" +
    weakMessage +
    "</p>" +
    "</div>";

// SHOW RESULT PAGE
document.getElementById("calculatorPage").classList.add("hidden");
document.getElementById("resultPage").classList.remove("hidden");
}

```

Output:

The screenshot displays a web application interface for entering student details. The form is titled "Enter Student Details" and is located in a browser window with multiple tabs open. The form includes input fields for the student's name and marks in six subjects: English, Telugu, Hindi, Science, and Maths. Each marks field has a placeholder range of "0 - 100". A prominent blue button labeled "Calculate Result" is positioned below the marks fields. The browser's address bar indicates the local URL "127.0.0.1:5500/index.html". The Windows taskbar at the bottom shows the system clock as 12:40 PM on 15-09-2025, along with the temperature at 31°C.

Registration FormSmart To-Do ListOnline QuizLogin PageStudent Result Calculator

127.0.0.1:5500/index.html

Chat

Result Summary

Student Name: sneha

English: 90

Telugu: 85

Hindi: 92

Science: 86

Maths: 80

Total Marks: 433 / 500

Average: 86.60

Percentage: 86.60%

Grade: A

Result: Pass

How to Improve Your Marks

Very good performance! Focus more on your weak subjects and practice

Registration FormSmart To-Do ListOnline QuizLogin PageStudent Result Calculator

127.0.0.1:5500/index.html

Chat

Average: 86.60

Percentage: 86.60%

Grade: A

Result: Pass

How to Improve Your Marks

Very good performance! Focus more on your weak subjects and practice regularly to reach 90% or above.

Subjects Needing Attention:
Excellent! No subject needs special attention.

Calculate Another Result

Introduction

To do list

Code:

Index.html:

```
<!DOCTYPE html>

<html>

<head>

  <title>Smart To-Do List</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

  <div class="container">

    <div class="header">

      <h1>My To-Do List</h1>

      <p>Organize your day and get things done!</p>

      <button id="darkModeButton" onclick="toggleDarkMode()">☒</button>

    </div>

    <!-- Statistics -->

    <div class="statistics">

      <div class="stat-box">

        <h3 id="totalTasks">0</h3>

        <p>Total</p>

      </div>

      <div class="stat-box">

        <h3 id="completedTasks">0</h3>

        <p>Completed</p>

      </div>

    </div>

  </div>

</body>

</html>
```

```
<div class="stat-box">

  <h3 id="pendingTasks">0</h3>

  <p>Pending</p>

</div>

</div>

<!-- Add Task -->

<div class="add-task">

  <input

    type="text"

    id="taskInput"

    placeholder="What do you need to do?"

  >

  <input

    type="date"

    id="dueDate"

  >

  <select id="priority">

    <option value="Low">Low Priority</option>

    <option value="Medium">Medium Priority</option>

    <option value="High">High Priority</option>

  </select>

  <button onclick="addTask()">Add Task</button>

</div>

<!-- Search -->

<input

  type="text"
```

```
    id="searchInput"
      class="search"
      placeholder="🔍 Search tasks..."
      onkeyup="displayTasks()"
    >
<!-- Filters -->
<div class="filters">
  <button onclick="setFilter('all')">All</button>
  <button onclick="setFilter('active')">Active</button>
  <button onclick="setFilter('completed')">Completed</button>
  <button onclick="setFilter('important')">★Important</button>
</div>
<!-- Task List -->
<ul id="taskList"></ul>
<p id="emptyMessage">
  No tasks yet. Add your first task!
</p>
</div>
<script src="script.js"></script>
</body>
</html>
```

Style.css:

```
* {
  box-sizing: border-box;
}
body {
```

```
font-family: Arial, sans-serif;

background: linear-gradient(135deg, #74ebd5, #9face6);

min-height: 100vh;

margin: 0;

padding: 30px;
}

.container {

    max-width: 900px;

    margin: auto;

    background-color: white;

    padding: 30px;

    border-radius: 15px;

    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.2);
}

/* Header */

.header {

    text-align: center;

    position: relative;
}

.header h1 {

    margin-bottom: 5px;

    font-size: 35px;
}

.header p {

    color: gray;
}
```

```
#darkModeButton {  
    position: absolute;  
    right: 0;  
    top: 0;  
    width: 45px;  
    height: 45px;  
    border: none;  
    border-radius: 50%;  
    cursor: pointer;  
    font-size: 20px;  
}  
/* Statistics */  
.statistics {  
    display: flex;  
    justify-content: space-between;  
    gap: 15px;  
    margin: 25px 0;  
}  
.stat-box {  
    flex: 1;  
    text-align: center;  
    background-color: #f1f5ff;  
    padding: 15px;  
    border-radius: 10px;  
}  
.stat-box h3 {
```

```
font-size: 25px;
margin: 5px;
}
/* Add Task */
.add-task {
display: flex;
gap: 10px;
margin-bottom: 20px;
}
.add-task input,
.add-task select {
padding: 12px;
border: 1px solid #ccc;
border-radius: 7px;
}
#taskInput {
flex: 2;
}
.add-task button {
background-color: #4f46e5;
color: white;
border: none;
padding: 12px 20px;
border-radius: 7px;
cursor: pointer;
}
```

```
.add-task button:hover {  
    background-color: #3730a3;  
}  
  
/* Search */  
.search {  
    width: 100%;  
    padding: 12px;  
    border: 1px solid #ccc;  
    border-radius: 7px;  
    margin-bottom: 15px;  
}  
  
/* Filters */  
.filters {  
    display: flex;  
    gap: 10px;  
    margin-bottom: 20px;  
}  
  
.filters button {  
    padding: 9px 15px;  
    border: none;  
    border-radius: 6px;  
    background-color: #e5e7eb;  
    cursor: pointer;  
}  
  
.filters button:hover {  
    background-color: #c7d2fe;  
}
```

```
/* Task */  
#taskList {  
    list-style: none;  
    padding: 0;  
}  
.  
task {  
    display: flex;  
    align-items: center;  
    justify-content: space-between;  
    background-color: #f8fafc;  
    padding: 15px;  
    margin-bottom: 10px;  
    border-radius: 10px;  
    border-left: 5px solid #4f46e5;  
}  
.  
task-info {  
    flex: 1;  
}  
.  
task-name {  
    font-size: 17px;  
    font-weight: bold;  
}  
.  
task-details {  
    color: gray;  
    font-size: 13px;  
    margin-top: 5px;  
}
```

```
.completed .task-name {
    text-decoration: line-through;
    color: gray;
}

.task-buttons button {
    border: none;
    padding: 7px 9px;
    margin-left: 5px;
    border-radius: 5px;
    cursor: pointer;
}

.complete-button {
    background-color: #22c55e;
    color: white;
}

.edit-button {
    background-color: #f59e0b;
    color: white;
}

.delete-button {
    background-color: #ef4444;
    color: white;
}

.important-button {
    background-color: #facc15;
}

/* Empty message */
```

```
#emptyMessage {
    text-align: center;
    color: gray;
}

/* Dark Mode */
.dark {
    background: #111827;
}

.dark .container {
    background-color: #1f2937;
    color: white;
}

.dark .stat-box {
    background-color: #374151;
}

.dark .task {
    background-color: #374151;
}

.dark .search,
.dark .add-task input,
.dark .add-task select {
    background-color: #374151;
    color: white;
    border-color: #6b7280;
}

/* Mobile */
@media (max-width: 700px) {
```

```
.add-task {  
    flex-direction: column;  
}  
  
.statistics {  
    flex-direction: column;  
}  
  
.filters {  
    flex-wrap: wrap;  
}  
  
.task {  
    flex-direction: column;  
    align-items: flex-start;  
    gap: 10px;  
}  
}
```

Script.js:

```
let tasks = [];  
let currentFilter = "all";  
function addTask() {  
    let taskInput = document.getElementById("taskInput");  
    let dueDate = document.getElementById("dueDate").value;  
    let priority = document.getElementById("priority").value;  
    let taskName = taskInput.value.trim();  
    if (taskName == "") {  
        alert("Please enter a task");  
        return;  
    }  
}
```

```
let task = {
  id: Date.now(),
  name: taskName,
  dueDate: dueDate,
  priority: priority,
  completed: false,
  important: false
};
tasks.push(task);
saveTasks();
taskInput.value = "";
document.getElementById("dueDate").value = "";
displayTasks();
}
function displayTasks() {
  let taskList = document.getElementById("taskList");
  let searchText =
    document.getElementById("searchInput").value.toLowerCase();
  taskList.innerHTML = "";
  let filteredTasks = tasks.filter(function(task) {
    let matchesSearch =
      task.name.toLowerCase().includes(searchText);
    if (currentFilter == "active") {
      return matchesSearch && !task.completed;
    }
    else if (currentFilter == "completed") {
      return matchesSearch && task.completed;
    }
  });
}
```

```
}  
else if (currentFilter == "important") {  
    return matchesSearch && task.important;  
}  
else {  
    return matchesSearch;  
}  
});  
if (filteredTasks.length == 0) {  
    document.getElementById("emptyMessage").style.display = "block";  
}  
else {  
    document.getElementById("emptyMessage").style.display = "none";  
}  
filteredTasks.forEach(function(task) {  
    let li = document.createElement("li");  
    li.className = "task";  
    if (task.completed) {  
        li.classList.add("completed");  
    }  
    let priorityText = "Priority: " + task.priority;  
    let dateText = task.dueDate  
        ? "Due: " + task.dueDate  
        : "No due date";  
    li.innerHTML = `  
        <div class="task-info">  
            <div class="task-name">
```

```
    ${task.important ? "★" : ""}  
    ${task.name}  
  </div>  
  <div class="task-details">  
    ${priorityText} | ${dateText}  
  </div>  
</div>  
<div class="task-buttons">  
  <button  
    class="complete-button"  
    onclick="completeTask(${task.id})">  
    ✓  
  </button>  
  <button  
    class="important-button"  
    onclick="importantTask(${task.id})">  
    ★  
  </button>  
  <button  
    class="edit-button"  
    onclick="editTask(${task.id})">  
    ✎  
  </button>  
  <button  
    class="delete-button"  
    onclick="deleteTask(${task.id})">  
    ?
```

```
        </button>
      </div>
    `;
    taskList.appendChild(li);
  });
  updateStatistics();
}
function completeTask(id) {
  tasks.forEach(function(task) {
    if (task.id == id) {
      task.completed = !task.completed;
    }
  });
  saveTasks();
  displayTasks();
}
function importantTask(id) {
  tasks.forEach(function(task) {
    if (task.id == id) {
      task.important = !task.important;
    }
  });
  saveTasks();
  displayTasks();
}
function deleteTask(id) {
  tasks = tasks.filter(function(task) {
```

```
    return task.id !== id;

  });

  saveTasks();

  displayTasks();
}

function editTask(id) {
  let task = tasks.find(function(task) {
    return task.id === id;
  });

  let newName = prompt("Edit your task:", task.name);
  if (newName !== null && newName.trim() !== "") {
    task.name = newName.trim();

    saveTasks();

    displayTasks();
  }
}

function setFilter(filter) {
  currentFilter = filter;

  displayTasks();
}

function updateStatistics() {
  let total = tasks.length;

  let completed = tasks.filter(function(task) {
    return task.completed;
  }).length;

  let pending = total - completed;
```

```
document.getElementById("totalTasks").innerHTML = total;

document.getElementById("completedTasks").innerHTML = completed;

document.getElementById("pendingTasks").innerHTML = pending;
}

function saveTasks() {
    localStorage.setItem("tasks", JSON.stringify(tasks));
}



function loadTasks() {
    let savedTasks = localStorage.getItem("tasks");
    if (savedTasks != null) {
        tasks = JSON.parse(savedTasks);
    }
    displayTasks();
}

function toggleDarkMode() {
    document.body.classList.toggle("dark");
}

document.getElementById("taskInput").addEventListener(
    "keypress",
    function(event) {
        if (event.key == "Enter") {
            addTask();
        }
    }
);

loadTasks();
```

output:



Online quiz

Code:

Index.html:

```
<!DOCTYPE html>

<html>

<head>

  <title>Online Quiz</title>

  <link rel="stylesheet" href="style.css">

</head>

<body>

  <!-- INTRODUCTION PAGE -->

  <div class="quiz-container" id="introPage">

    <h1>Online Quiz</h1>

    <p class="welcome">

      Welcome to the Online Quiz!

    </p>

    <p>

      Test your knowledge by answering the questions within

      the given time. You can move between questions and

      change your answers before submitting the quiz.

    </p>

    <h2>Instructions</h2>

    <ul>

      <li>Read each question carefully.</li>

      <li>Select one answer for each question.</li>

      <li>You have <b>60 seconds</b> to complete the quiz.</li>
```

- You can use Previous and Next to move between questions.
- You can change your answer before submitting.
- Each correct answer gets 1 mark.
- There is no negative marking.
- The quiz automatically ends when the timer reaches zero.

<h2>Tips to Get Good Marks</h2>

- Read every question carefully.
- Do not spend too much time on one question.
- Revise important concepts regularly.
- Practice quizzes frequently.
- Review your mistakes.
- Focus more on difficult topics.

<button onclick="startQuiz()">

Start Quiz

</button>

</div>

<!-- QUIZ PAGE -->

<div class="quiz-container hidden" id="quizPage">

<h1>Online Quiz</h1>

<div class="timer">

Time Left:

30 seconds

</div>

<h2 id="question">

Question

</h2>

<div class="options">

<button id="option1" onclick="selectAnswer(0)">

</button>

<button id="option2" onclick="selectAnswer(1)">

</button>

<button id="option3" onclick="selectAnswer(2)">

</button>

<button id="option4" onclick="selectAnswer(3)">

</button>

</div>

<p id="questionNumber"></p>

<!-- NAVIGATION BUTTONS -->

<div class="navigation">

<button

id="previousButton"

onclick="previousQuestion()">

← Previous

</button>

<button

id="nextButton"

onclick="nextQuestion()">>

Next →

</button>

</div>

<button

id="submitButton"

class="submitButton"

onclick="endQuiz()">>

Submit Quiz

</button>

</div>

<!-- RESULT PAGE -->

<div class="quiz-container hidden" id="resultPage">

<h1>Quiz Result</h1>

<div id="result"></div>

<button onclick="startQuiz()">>

Try Again

</button>

<button class="homeButton" onclick="showIntroduction()">>

Introduction

</button>

</div>

```
<script src="script.js"></script>
</body>
</html>
```

Style.css:

```
body {
  font-family: Arial, sans-serif;
  background: linear-gradient(135deg, #74ebd5, #9face6);
  margin: 0;
  padding: 30px;
  min-height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
}
/* QUIZ CONTAINER */
.quiz-container {
  background-color: white;
  width: 600px;
  max-width: 90%;
  padding: 30px;
  border-radius: 15px;
  box-shadow: 0 5px 20px gray;
}
/* HIDE PAGE */
.hidden {
  display: none;
}
```

```
/* HEADINGS */
h1 {
    text-align: center;
    color: #333;
}
h2 {
    color: #444;
}
/* INTRODUCTION */
.welcome {
    text-align: center;
    font-size: 20px;
    font-weight: bold;
    color: #4a4de7;
}
p {
    line-height: 1.6;
}
/* INSTRUCTIONS */
ul {
    line-height: 1.8;
    padding-left: 25px;
}
/* TIMER */
.timer {
    text-align: center;
    background-color: #e74c3c;
```

```
color: white;
padding: 12px;
border-radius: 8px;
font-size: 18px;
font-weight: bold;
margin-bottom: 25px;
}
/* OPTIONS */
.options button {
display: block;
width: 100%;
padding: 14px;
margin: 12px 0;
background-color: #f1f1f1;
border: 2px solid #ddd;
border-radius: 8px;
cursor: pointer;
text-align: left;
font-size: 16px;
color: #333;
}
.options button:hover {
background-color: #dbeafe;
border-color: #4a4de7;
}
/* SELECTED ANSWER */
.options button.selected {
background-color: #4a4de7;
```

```
    color: white;
    border-color: #3033b8;
}
/* QUESTION NUMBER */
#questionNumber {
    text-align: center;
    color: gray;
    font-weight: bold;
}
/* NAVIGATION */
.navigation {
    display: flex;
    gap: 10px;
    margin-top: 20px;
}
.navigation button {
    width: 50%;
    margin-top: 0;
    background-color: #555;
}
.navigation button:hover {
    background-color: #333;
}
/* SUBMIT BUTTON */
.submitButton {
    background-color: #27ae60;
}
```

```
.submitButton:hover {  
    background-color: #1e8449;  
}  
  
/* GENERAL BUTTON */  
button {  
    width: 100%;  
    padding: 14px;  
    margin-top: 20px;  
    border: none;  
    border-radius: 8px;  
    background-color: #4a4de7;  
    color: white;  
    font-size: 17px;  
    cursor: pointer;  
}  
  
button:hover {  
    background-color: #3033b8;  
}  
  
/* HOME BUTTON */  
.homeButton {  
    background-color: #777;  
}  
  
.homeButton:hover {  
    background-color: #555;  
}  
  
/* RESULT */  
#result {
```

```
background-color: #f5f7ff;
padding: 20px;
border-radius: 10px;
line-height: 1.8;
text-align: center;
}
/* PERFORMANCE */
.excellent {
  color: green;
  font-weight: bold;
  font-size: 20px;
}
.good {
  color: #2980b9;
  font-weight: bold;
  font-size: 20px;
}
.average {
  color: #e67e22;
  font-weight: bold;
  font-size: 20px;
}
.needsImprovement {
  color: red;
  font-weight: bold;
  font-size: 20px;
}
```

```
/* TIPS */
.tips {
  background-color: #fff3cd;
  padding: 15px;
  border-radius: 8px;
  margin-top: 20px;
  text-align: left;
}

/* MOBILE */
@media (max-width: 600px) {
  body {
    padding: 15px;
  }
  .quiz-container {
    padding: 20px;
  }
  h1 {
    font-size: 26px;
  }
  .navigation {
    flex-direction: column;
  }
  .navigation button {
    width: 100%;
  }
}
```

Script.js:

// QUESTIONS

let questions = [

{

question: "What is the capital of India?",

options: [

"Mumbai",

"Delhi",

"Chennai",

"Kolkata"

],

answer: 1

},

{

question: "Which language is used to create web pages?",

options: [

"Python",

"Java",

"HTML",

"C++"

],

answer: 2

},

{

question: "Which symbol is used for comments in JavaScript?",

options: [

"//",

"##",

```

        "<!--",
        "***"

    ],
    answer: 0
},
{
    question: "Which keyword is used to declare a variable in JavaScript?",
    options: [
        "var",
        "int",
        "string",
        "define"
    ],
    answer: 0
},
{
    question: "What does CSS stand for?",
    options: [
        "Computer Style Sheet",
        "Cascading Style Sheets",
        "Creative Style System",
        "Colorful Style Sheet"
    ],
    answer: 1
}
];

// VARIABLES
let currentQuestion = 0;

```

```
let timeLeft = 60;

let timer;

// STORE USER ANSWERS

let userAnswers = [];

// START QUIZ

function startQuiz() {
  currentQuestion = 0;

  timeLeft = 60;

  userAnswers = [];

  for (let i = 0; i < questions.length; i++) {
    userAnswers.push(null);
  }

  document.getElementById("introPage")
    .classList.add("hidden");

  document.getElementById("resultPage")
    .classList.add("hidden");

  document.getElementById("quizPage")
    .classList.remove("hidden");

  document.getElementById("time").innerHTML =
    timeLeft;

  showQuestion();

  startTimer();
}

// SHOW QUESTION

function showQuestion() {
  let q = questions[currentQuestion];

  document.getElementById("question").innerHTML =
```

```
(currentQuestion + 1) +  
    ". " +  
    q.question;  
document.getElementById("option1").innerHTML =  
    q.options[0];  
document.getElementById("option2").innerHTML =  
    q.options[1];  
document.getElementById("option3").innerHTML =  
    q.options[2];  
document.getElementById("option4").innerHTML =  
    q.options[3];  
document.getElementById("questionNumber").innerHTML =  
    "Question " +  
    (currentQuestion + 1) +  
    " of " +  
    questions.length;  
// REMOVE OLD SELECTED CLASS  
document.getElementById("option1")  
    .classList.remove("selected");  
document.getElementById("option2")  
    .classList.remove("selected");  
document.getElementById("option3")  
    .classList.remove("selected");  
document.getElementById("option4")  
    .classList.remove("selected");  
// SHOW PREVIOUS ANSWER  
let selected = userAnswers[currentQuestion];
```

```
if (selected != null) {
    document.getElementById(
        "option" + (selected + 1)
    ).classList.add("selected");
}
// PREVIOUS BUTTON
if (currentQuestion == 0) {
    document.getElementById("previousButton")
        .disabled = true;
}
else {
    document.getElementById("previousButton")
        .disabled = false;
}
// NEXT BUTTON
if (currentQuestion == questions.length - 1) {
    document.getElementById("nextButton")
        .style.display = "none";
}
else {
    document.getElementById("nextButton")
        .style.display = "block";
}
// SUBMIT BUTTON
if (currentQuestion == questions.length - 1) {
    document.getElementById("submitButton")
        .style.display = "block";
}
```

```
}  
else {  
    document.getElementById("submitButton")  
        .style.display = "none";  
}  
}  
  
// SELECT ANSWER  
function selectAnswer(selectedAnswer) {  
    userAnswers[currentQuestion] =  
        selectedAnswer;  
  
    // REMOVE SELECTED FROM ALL OPTIONS  
    document.getElementById("option1")  
        .classList.remove("selected");  
    document.getElementById("option2")  
        .classList.remove("selected");  
    document.getElementById("option3")  
        .classList.remove("selected");  
    document.getElementById("option4")  
        .classList.remove("selected");  
  
    // SELECT CURRENT OPTION  
    document.getElementById(  
        "option" + (selectedAnswer + 1)  
    ).classList.add("selected");  
}  
  
// NEXT QUESTION  
function nextQuestion() {  
    if (currentQuestion < questions.length - 1) {
```

```
        currentQuestion++;
        showQuestion();
    }
}

// PREVIOUS QUESTION
function previousQuestion() {
    if (currentQuestion > 0) {
        currentQuestion--;
        showQuestion();
    }
}

// TIMER
function startTimer() {
    clearInterval(timer);
    timer = setInterval(function() {
        timeLeft--;
        document.getElementById("time").innerHTML =
            timeLeft;
        if (timeLeft <= 0) {
            clearInterval(timer);
            endQuiz();
        }
    }, 1000);
}

// END QUIZ
function endQuiz() {
    clearInterval(timer);
```

```
// CALCULATE SCORE

let score = 0;

for (let i = 0; i < questions.length; i++) {

    if (userAnswers[i] ==

        questions[i].answer) {

        score++;

    }

}

let percentage = (score / questions.length) * 100;

let performance = "";

let performanceClass = "";

let tips = "";

// PERFORMANCE MESSAGE

if (percentage >= 90) {

    performance = "Excellent! Outstanding performance!";

    performanceClass = "excellent";

    tips =

        "Keep maintaining your performance. " +

        "Continue regular revision and practice " +

        "more challenging questions.";

}

else if (percentage >= 70) {

    performance = "Very Good! You are doing well.";

    performanceClass = "good";

    tips =

        "You have a good understanding of the topics. " +

        "Review the questions you got wrong and " +
```

```
"practice more to reach 90%+.";
}
else if (percentage >= 50) {
    performance = "Good effort! There is room for improvement.";
    performanceClass = "average";
    tips =
        "Revise the important concepts regularly. " +
        "Practice more quizzes and focus on topics " +
        "where you make mistakes.";
}
else {
    performance = "Keep practicing! You can improve your score.";
    performanceClass = "needsImprovement";
    tips =
        "Start by reviewing the basic concepts. " +
        "Study regularly, practice more questions, " +
        "and review your mistakes after every quiz.";
}

// DISPLAY RESULT
document.getElementById("result").innerHTML =
    "<h2>Your Final Score</h2>" +
    "<h1>" +
    score +
    " / " +
    questions.length +
    "</h1>" +
    "<p><b>Percentage:</b> " +
```

percentage +

"%</p>" +

"<p class='" +

performanceClass +

">" +

performance +

"</p>" +

"<div class='tips'>" +

"<h3>How to Get Better Marks</h3>" +

"<p>" +

tips +

"</p>" +

"<h3>Study Tips</h3>" +

"" +

"Revise regularly." +

"Practice more questions." +

"Read questions carefully." +

"Review incorrect answers." +

"Focus on weak topics." +

"Take another quiz after revision." +

"" +

"</div>;

// SHOW RESULT PAGE

document.getElementById("quizPage")

.classList.add("hidden");

document.getElementById("resultPage")

.classList.remove("hidden");

```

}

// SHOW INTRODUCTION

function showIntroduction() {

    clearInterval(timer);

    document.getElementById("quizPage")

        .classList.add("hidden");

    document.getElementById("resultPage")

        .classList.add("hidden");

    document.getElementById("introPage")

        .classList.remove("hidden");

}

```

Output:

