GENESIS + STELLAR COMPOSED / AGENTS THAT SPEND

Give agents a budget.

Keep the control.

Shared USDC budgets, enforced by Stellar smart accounts.

Agent autonomy. Human control.

ONE POOL / MANY AGENTS

100

USDC · shared budget


Research agent	40
Monitoring agent	30
Unallocated	30

ILLUSTRATIVE ALLOCATION

01 / THE SOLUTION

One shared pool. Every agent has limits.

An on-chain covenant defines the spending boundary.



Delegate smaller budgets.
Revoke and recover unused funds.

EACH AGENT'S COVENANT

Who	**Approved payees**
How much	**Payment + total caps**
Until when	**Expiry + revocation**

Agent cannot remove its policy.

02 / PMF

Agents can pay.
Teams need control.

First users: developers whose agents buy data, APIs and compute.

THE WORKFLOW TODAY

01 **Fund a wallet**

Expose the balance to mistakes.

02 **Approve every refill**

Put a human back in the loop.

KOVAN'S STARTING POINT

Authorize a budget.
Let the agent execute.

One pool · scoped wallets · recovery

WHY NOW

x402 brings per-request payments to Stellar APIs.

Initial customer hypothesis; product-market fit and revenue are not yet demonstrated. x402: Stellar Developer Docs.

03 / TECHNICAL WORKFLOW

Pay. Refuse. Recover.

Humans configure. Smart accounts enforce. Agents execute.

Owner
Signs in Freighter

→

Pool
Backs agent limits

→

Agent account
Covenant + verifier

→

Provider
Direct or x402

DEMO / 65 SECONDS

01

Pay an API

0.01 testnet USDC

02

Refuse a payee

PayeeNotAllowed

03

Revoke + recover

Return unused funds

Proof: historical USDC x402 transaction + separate v2 lifecycle with testnet XLM. Refusal was simulated before submission.

04 / THE TEAM

Built at HackMeridian.

Agent autonomy. Human control.

TEAM

Robert Lopez	DevOps Engineer
Esteban Brenes	Product Manager
Sebastián Ceciliano	AI Developer / Designer

Contracts · SDK · agent tooling · interface

Try the bounded spending loop.

kovan-protocol.vercel.app

github.com/kovan-protocol/kovan