

Zomato Restaurant & Review Data Analysis

Ratings, cuisines, location hotspots, price relationships, and Alfido Tech-style recommendations

Metric	Value
Raw rows	56,252
Rows after cleaning/dedup	18,969
Average rating	3.64/5
Median cost for two	Rs. 400
Rating missing/invalid	32.1%
Cost missing/invalid	13.4%


Cleaning Method

- Standardized column names and trimmed text fields.
- Converted rating from text format such as 4.1/5 into numeric rating.
- Converted approx_cost(for two people) into numeric rupee value and votes into integer.
- Filled missing text categories as Unknown; rating/cost analyses used valid numeric rows only.
- Removed exact duplicate restaurant profile rows to reduce repeated listing bias.

Key Findings


- After cleaning, 18,969 restaurant records remained from 56,252 raw rows. Exact duplicate profile rows removed: 37,283.
- Average rating is 3.64/5. Missing/invalid rating values are 32.1% of cleaned records, so rating-based claims use only valid ratings.
- Median approximate cost for two is Rs. 400. Price and rating correlation is 0.27, so higher price alone is not a strong rating driver.
- Most common cuisine is North Indian with 6,046 listings.
- Highest average-rated cuisine among cuisines with at least 100 records is Mediterranean at 4.20/5.
- Biggest location hotspot by restaurant count is Whitefield with 1,000 records.
- Highest average-rated location with at least 100 records is Koramangala 5th Block at 3.94/5.
- Votes and rating correlation is 0.28; popular restaurants tend to rate better, but votes can also reflect visibility bias. Do not treat it as pure quality.

Rating Distribution




Most restaurants cluster around mid-to-high ratings; invalid ratings were excluded.

Top Cuisines by Count




Cuisine demand is heavily concentrated in a few broad categories.

Highest Rated Cuisines



Average ratings are calculated only for cuisines with at least 100 restaurant records.

Location Hotspots




High-rated localities can be used for curated location pages and partnership targeting.

Price vs Rating



Weak correlation means price is not enough to predict customer satisfaction.

Cuisine x Location Heatmap



Use this to spot locality-cuisine combinations that perform better than average.

Popular Review/Dish Keywords

Top Location Hotspots

Location	Restaurants	Avg Rating	Avg Cost
Whitefield	1,000	3.60	Rs. 562
BTM	979	3.58	Rs. 379
HSR	822	3.65	Rs. 444
Marathahalli	801	3.53	Rs. 487
Indiranagar	738	3.78	Rs. 609
Electronic City	735	3.47	Rs. 462
JP Nagar	652	3.64	Rs. 467
Bannerghatta Road	532	3.48	Rs. 427
Jayanagar	488	3.76	Rs. 472
Bellandur	469	3.51	Rs. 480

Price Band Summary

Price Band	Avg Rating	Rated Count
<=300	3.56	4,492
301-600	3.57	4,735
601-1000	3.73	1,821
1001-1500	4.09	597
1501-2500	4.15	281
2500+	4.18	69

5 Recommendations for Alfido Tech Style Platform

1. Partner first in high-density hotspots such as Whitefield. This gives supply, user choice, and faster platform traction.
2. Create cuisine-led campaigns around high-demand cuisines like North Indian while separately highlighting high-rating niche cuisines such as Mediterranean.
3. Do not position premium price as a quality guarantee. Since price-rating correlation is weak, rank restaurants using rating, review volume, consistency, and cost together.
4. Build location landing pages: best restaurants in each locality, budget filters, cuisine filters, and trending dishes. This converts messy listings into useful discovery content.
5. Use review/dish keyword content for SEO and app recommendations: popular dishes, buffet keywords, biryani/pizza/cafe collections, and 'must-try' lists based on dish_liked patterns.

Limitation: This dataset is listing-based and may contain repeated restaurants across categories. Results should be treated as directional business insights, not causal proof.